Author Index to Volume 19

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 19, 1981. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

Abe, M. See Ogata, N., 1361C
Abe, S. See Imai, Y., 3285C
Abraham, T. See Evers, R. C., 427C
Abrahman, M. Z. See Clark, D. T., 2129C, 2689C
Abushihada, A. M. See Sedgwick, R. D., 2007C
Adachi, T. See Torikai, A., 2925C
Adcock, J. L. See Phillips, H. H., 175C
Ades, D. See Hogen-Esch, T. E., 309L
Adibi, K.
—; George, M. H.; Barrie, J. A.: Anionic Synthesis of Poly[ethylene Methylene Bis(4-Phenyl-Carbamate)-*g*-Acrylonitrile], 57C
Adur, A. M.
—; Williams, F.: Effects of Inhibitors on the Thermal Polymerization of β-Pinene, 53L
—; Williams, F.: Radiation-Induced Cationic Polymerization of β-Pinene, 669C
Ageishi, K.
—; Endo, T.; Okawara, M.: Hydrogen Evolution from Water by Use of Viologen Polymers as Electron Transfer Catalyst, 1085C
Aharoni, S. M.
Crystalline Stoichiometric Adducts of Polyamides with Phosphoric Acid, 1827P
Rigid-Backbone Polymers. XVIII. Strictly Alternating Rigid-Flexible Polyamides, 281P
Rigid Backbone Polymers. XXIII. Thermotropic and Lyotropic Trifluoroacetoxypropyl Cellulose, 495L
—; Walsh, E. K.; Cilurso, F. G.: Solutions of Nylon-6 in Antimony Trichloride, 2287C
Ahn, K. D.
—; Hall, H. K., Jr.: Synthesis and Polymerization of the Four 1,3-Di(cyano and/or Carbomethoxy)-Substituted Butadienes, 629C
—; Hall, H. K., Jr.: Synthesis and Polymerization of the Four 1,3-Di(cyano and/or Carbomethoxy)-Substituted Butadienes (Erratum), 1875C
Alexander, R.
—; Jefferson, A.; Lester, P. D.: Cationic Oligomerization and Polymerization of Some Propenylbenzene Derivatives, 695C
Allendoerfer, R. D. See Sanford, T. J., 1151P; Whitte, W. M., 1011C
Almog, Y.
—; Levy, M.: Dispersion Polymerization of Styrene: Effect of Surfactant, 115C
Al-Sultan, Y. Y. See Sedgwick, R. D., 2007C
Alvino, W. M.
—; Ray, J. R.: Solution Properties of Poly(4,4′-oxydiphenylene)-4-Amidophthalamic Acid, 2551C
Anderson, J. L.
—; Brannon, J. H.: Concentration Dependence of the Distribution Coefficient for Macromolecules in Porous Media, 405P
Ando, D. J. See Bloor, D., 321P
Ando, M. See Okubo, M., 143L
Andrady, A. L. See Llorente, M. A., 621P
Andreani, F.
—; Angeloni, A. S.; Angiolini, L.; Bizzarri, P. C.; Casa, C. D.; Fini, A.; Ghedini, N.; Tramontini, M.; Ferruti, P.: Poly(β-Aminoketone)s by Polycondensation of Bis(β-Dialkylaminoketone)s with Bisamines, 443L
Angeloni, A. S. See Andreani, F., 443L
Angiolini, L. See Andreani, F., 443L
Antoon, M. K.
—; Koenig, J. L.: Crosslinking Mechanism of an Anhydride-Cured Epoxy Resin as Studied by Fourier Transform Infrared Spectroscopy, 549C
—; Koenig, J. L.; Serafini, T.: Fourier-Transform Infrared Study of the Reversible Interaction of Water and a Crosslinked Epoxy Matrix, 1567P
—; Koenig, J. L.: Irreversible Effects of Moisture on the Epoxy Matrix in Glass-Reinforced Composites, 197P
Antoun, S.
—; Lenz, R. W.; Jin, J.-I.: Liquid Crystal Polymers. IV. Thermotropic Polyesters with Flexible Spacers in the Main Chain, 1901C
Aoyama, S. See Ueda, M., 1061C
Arai, K.
—; Arai, M.; Iwasaki, S.; Saito, S.: Agitation Effect on the Rate of Soapless Emulsion Polymerization of Methyl Methacrylate in Water, 1203C
—; Ogiwara, Y.; Kuwabara, C.: Preparation of Copoly(vinyl Alcohol-Styrenesulfonic Acid) Resin and Its Catalytic Activity on Hydrolysis of Carbohydrates. III. Kinetic Analysis of the Catalysis, 1885C
Arai, M. See Arai, K., 1203C
Arakawa, K.
—; Seguchi, T.; Watanabe, Y.; Hayakawa, N.; Kuriyama, I.; Machi, S.: Dose Rate Effect on Radiation-Induced Oxidation of Polyethylene and Ethylene-Propylene Copolymer (Note), 2123C
Aravindanath, S. See Chaudhuri, N. K., 131L
Arends, J. See Bartels, T., 127C
Argon, A. S.
—; Cohen, R. E.; Jang, B. Z.; Vander Sande, J. B.: Crazing in Two Polystyrene/Polybutadiene Block Copolymers, 253P
Arita, K.
—; Ohtomo, T.; Tsurumi, Y.: Analysis of the Monomer Sequence Distribution in Alternating Acrylonitrile-Styrene Copolymers by ^{13}C-NMR, 211L
Arnold, F. E. See Reinhardt, B. A., 271C
Asakura, J-I.
—; Yoshihara, M.; Maeshima, T.: Apparent Asymmetric Induction by the Radical Copolymerization of Isobutyl Vinyl Ether with Maleic Anhydride in 1-Menthol (Note), 1269C
Asamidori, Y. See Imai, Y., 583C
Aubert, P.
—; Sledz, J.; Schue, F.; Brevard, C.: Etude Structurale du Polypentadiene-1,3 par Spectrometrie de RMN du ^{13}C, 955C
Aubin, M.
—; Prud'homme, R. E.: Studies of Polylactone/Poly(vinyl Chloride), Polylactone/Poly(vinyl Fluoride), and Polylactone/Poly(vinylidene Fluoride) Blends, 1245P
Awad, N. M.
—; Morawetz, H.: Adsorption of Acrylic Acid Copolymers with Hydrophobic Chain Substituents on Polystyrene Latex, 245P
Axelson, D. E. See Dechter, J. J., 631P
Aylward, N. N.
The Laser-Raman Spectrum and a Normal-Coordinate Analysis of Isotactic Poly(tertiary Butyl Acrylate), 1805P

Badran, A. S. See Moustafa, A. B., 719C
Bailey, W. J. See Endo, T., 1283C
Balas, A.
Synthesis of Crosslinked Urethane Polymers from Cyclohexanone Formaldehyde Resin and Diisocyanates, 3181C
Ballard, M. J.
—; Gilbert, R. G.; Napper, D. H.: Improved Methods for Solving the Smith–Ewart Equations in the Steady State, 533L
—; Napper, D. H.; Gilbert, R. G.: Theory of Emulsion Copolymerization Kinetics, 939C
Ballistreri, A.
—; Montaudo, G.; Puglisi, C.; Scamporrino, E.; Vitalini, D.: Mechanism of Smoke Suppression by Metal Oxides in PVC, 1397C
Ballivet-Tkatchenko, D.
—; Billard, C.; Revillon, A.: Cationic Metal Nitrosyl Complexes. IV. Polymerization of Olefins with Dinitrosyl Iron Complexes, 1697C
Bamford, C. H.
—; Malley, P. J.: Some New Experiments on Alternating Radical Copolymerization, 239L
Bamji, S. S.
—; Perlman, M. M.: Piezoelectricity of Uniaxially Stretched Poly(vinylidene Fluoride) Corona Poled at Elevated Temperature, 1365P
Bandyopadhyay, S.
—; Brown, H. R.: Studies of Environmental Stress-Crack Propagation in Low-Density Polyethylene, 749P
Barboiu, V. See Dragan, S., 2865C
Barbu, P. See Vasile, C., 907C
Barham, P. J. See Brown, C. S., 1047P
—; Chivers, R. A.; Jarvis, D. A.; Martinez-Salazar, J.; Keller, A.: A New Look at the Crystallization of Polyethylene. I. The Initial Fold Length of Melt-Crystallized Material, 539L
Barkalov, I. M.
—; Kiryukhin, D. P.; Muydinov, M. R.: Post-Irradiation Grafting of Tetrafluoroethylene at Low Temperatures, 2331C
Barkley, J. R. See Starkweather, H. W., Jr., 1211P
Barrie, J. A. See Adibi, K., 57C
Bartels, T.
—; Arends, J.: Adsorption of Fluoride Containing Polyelectrolytes on Hydroxyapatite, 127C
Barth, H. G.
Review of *Liquid Chromatography of Polymers and Related Materials II., Volume 13, Chromatographic Science Series*. Jack Cazes and Xavier Delamare, 35L
Bataille, P.
—; Leduc, P.; Nachman, M.: Determination of Mechanical Properties of Polymers by a Microwave Resonant Technique, 75L
Batchelder, D. N. See Bloor, D., 321P; Young, R. J., 293P
—; Kennedy, R. J.; Bloor, D.; Young, R. J.: Morphology and Structure of Heavily Deformed Single Crystals of a Polydiacetylene. II. Resonance Raman and Optical Spectroscopy, 677P
Baumhardt-Neto, R.
—; Galembeck, S. E.; Joekes, I.; Galembeck, F.: Polytetrafluoroethylene Surface Modification by Impregnation with Iron and Manganese Oxides, 819C
Baysal, B. M. See Kilic, S., 3047C
Bechtold, M. F.
—; Mahler, W.; Schunn, R. A.: Polymerization and Polymers of Silicic Acid (Erratum), 850C
Beg, M. M. See Beg, M. N., 1811C
Beg, M. N.
—; Shyam, R.; Beg, M. M.: Studies of Inorganic Precipitate Membrane. Part XXX. Membrane Selectivity from Electrical Potential and Conductivity Measurements, 1811C
Belgovskii, I. M. See Enikolopyan, N. S., 879C
Belina, K. See Szekely-Pecsi, Z., 703P
Bell, J. P. See Cook, W. J., 159L
Bennett, S. G. See Taylor, S. K., 85L
Benoit, H. See Ionescu, L., 1019P, 1033P
Benson, R. S. See Mandelkern, L., 435L
Berardinelli, F. M. See Collins, G. L., 1597C
Bero, M. See Jedlinski, Z., 749C
Betrabet, S. M. See Chaudhuri, N. K., 131L; Paralikar, K. M., 555L
Bevan, L.
Finite-Element Analysis of Craze Deformation, 1759P
Bezdek, M.
—; Hrabak, F.: Hydrolytic Conversion of *N*-(Monohalogenphenyl) Maleisoimides to *N,N'*-bis(Monohalogenphenyl) Fumardiamides (Note), 2103C
Bezoari, M. D.
—; Kovacic, P.; Gronowitz, S.; Hornfeldt, A-B.. Polymerization of Aromatic Nuclei. XXVIII. Synthesis and Properties of Poly(2,5-Selenienylene), 347L
Bhattacharjee, H. R. See Patel, G. N., 511L
Bhattacharyya, S. N. See Sen, U. K., 523L
Bianchi, E.
—; Ciferri, A.; Preston, J.; Krigbaum, W. R.: Study of the Molecular Conformation of an Aromatic Polyamide–Hydrazide by Intrinsic Viscosity, 863P
Bikson, B.
—; Jagur-Grodzinski, J.; Vofsi, D.: Distortion of Crystallites Caused by Heterogeneous Chlorosulfonation of Polyethylene, 22P
—; Jagur-Grodzinski, J.; Vofsi, D.: Heterogeneous Reactions of Polyethylene. II. Distortion of Crystallites due to Chlorination, 361P
Billard, C. See Ballivet-Tkatchenko, D., 1697C
Bini, D. A. See Khanna, Y. P., 2795C
Biswas, A. B. See Patil, A. O., 1155C
Biswas, M.
—; Das, S. K.: A Carbazole-Based Polymeric Azodye, 3155C
—; Das, S. K.: Chemical Modification of Poly(*N*-Vinylcarbazole): Synthesis of Poly(*N*-Vinylcarbazole-3,6-Diphthalimide) of Improved Thermal Stability, 235L
—; Mishra, G. C.: Diethylzinc/Metal Salt Initiator Systems. I. Stereospecific Polymerization of *N*-Vinylcarbazole by $ZnEt_2/CoCl_2$-Quinoline, 3081C
—; Das, S. K.: Studies of Carbazole-Based Polyarylates, 2017C
Bizzarri, P. C. See Andreani, F., 443L
Black, P. E.
—; Worsfold, D. J.: Excluded Volume Effects on Polymer Reaction Rates, 1841C
Blackwell, J. See Lee, D. M., 459P
Blin, P.
—; Bunel, C.; Marechal, E.: Transfer Constants Relative to the Cationic Polymerization of 1- and 2-Vinyl Naphthalenes and 3-Vinyl Phenanthrene, 891C
Bloor, D. See Batchelder, D. N., 677P; Young, R. J., 293P
—; Batchelder, D. N.; Ando, D. J.; Read, R. T.; Young, R. J.: Spectroscopic Studies of Solutions, Suspensions, and Precipitates of Poly(1,6-di-*p*-toluene sulfonyloxy-2,4-hexadiyne), 321P
Bodonea, S. F. See Vasile, C., 897C
Bohdanecky, M. See Fortelny, I., 181P
Bonner, D. C. See Saeki, S., 307P
Booij, H. C. See Smith, P., 877P
Borsig, E. See Pavlinec, J., 2305C
Bortnowska-Barela, B. See Polowinski, S., 51C
Borycki, J. See Kuran, W., 1251C
Boutevin, B.
—; Maubert, C.; Mebkhout, A.; Pietrasanta, Y.: Telomerization Kinetics by Redox Catalysis, 499C
—; Maubert, C.; Pietrasanta, Y.; Sierra, P.: Telomerization Kinetics by Redox Catalysis: A Study of Reactions Leading to Telomers with Low Degrees of Polymerization, 511C
Bovey, F. A.
Review of *Chemical Microstructure of Polymer Chains*, Jack L. Koenig, 276L

Bower, D. I.
Orientation Distribution Functions for Uniaxially Oriented Polymers, 93P
Bowman, L. See Reigler, P. F., 3247C
Bowmer, T. N.
—; O'Donnell, J. H.; Winzor, D. J.: Irradiation of Aromatic Polymers: The Effect of Irradiation Temperature on Crosslinking and Scission in Polystyrene, 1167C
—; O'Donnell, J. H.: Propagation/Depropagation Equilibrium and Structural Factors in the Radiation Degradation of Poly(olefin Sulfone)s, 45C
Boyd, R. H.
—; Kesner, L.: Conformational Properties of Polar Polymers. I. Poly(vinyl Chloride), 375P
—; Kesner, L.: Conformational Properties of Polar Polymers. II. Poly(vinylidene Chloride), 393P
Boyer, R. F.
—; Heeschen, J. P.; Gillham, J. K.: Comments on a Paper by Axelson and Mandelkern Concerning ^{13}C NMR Spectra of Polymers, 13P
Brannon, J. H. See Anderson, J. L., 405P
Brash, J. L. See Whicher, S. J., 1995C
Brauman, S. K.
—; Chen, I. J.: Condensed Phase Aromatization During Degradation of Poly(vinyl Chloride), 495C
Brevard, C. See Aubert, P., 955C
Brittain, J. O. See Hong, J., 295L
Brown, C. E. See Wilkie, C. A., 409L
Brown, C. S.
—; Barham, P. J.; Cannon, C. G.: Oriented Polymers from Solution. IV. Polyethylene/Polypropylene Blend Films, 1047P
Brown, H. R. See Bandyopadhyay, S., 749P
Broze, G.
—; Jerome, R.; Teyssie, Ph.; Gallot, B.: Halato-Telechelic Polymers. III. Lamellar Morphological Structure and Its Dependence on Ion Content, 415L
Bruins, P. F.
Review of *Industrial Organic Chemicals in Perspective, Part 2 — Technology, Formulation and Use*, Harold A. Wittcoff and Bryan G. Reuben, 278L
Bufkin, B. G. See Chen, F. B., 3019C
Bulkin, B. J. See Lin, M. S., 2771C; Ting, S. P., 1451C
Review of *Chemical Microstructure of Polymer Chains*, Jack L. Koenig, 326L
Review of *The Infrared Spectra of Complex Molecules, Volume 2*, 2nd ed. L. J. Bellamy, 520L
Bunel, C. See Blin, P., 891C
Burkett, J. L. See Evers, R. C., 427C
Burkitt, D. T. See Khanna, Y. P., 2813C
Burns, C. M. See Lloyd, D. R., 299L
Butler, G. B. See Matsumoto, A., 2531C; Ragab, Y. A., 1175C
—; Matsumoto, A.: Effect of Solvent and Temperature on the Cyclopolymerization of Acrylic and Methacrylic Anhydrides Leading to Five- or Six-Membered Ring Formation, 167L
Buttafava, A. See Faucitano, A., 1217C

Calafate, B. A. L. See Mano, E. B., 3325C
Calugaru, E. M. See Vasile, C., 897C
Cameron, G. G.
—; Rudin, A.: Comments on the Interpretation of Kinetic Parameters from Dynamic Thermogravimetric Experiments (Note), 1799P
Cameron, J. A. See Cook, W. J., 159L
Cannon, C. G. See Brown, C. S., 1047P
Capaccio, G.
—; Clements, J.; Hine, P. J.; Ward, I. M.: Effect of Annealing and Mechanical Constraint on the Morphology Structure and Stiffness of Ultrahigh-Modulus Polyethylene, 1435P
—; Wilding, M. A.; Ward, I. M.: Morphology of Oriented Linear Polyethylene: A Study by Raman Spectroscopy, 1489P
—; Ward, I. M.: Structural Studies of Ultrahigh-Modulus Linear Polyethylene using Nitric Acid Etching and Gel Permeation Chromatography. I. Determination of the Crystal Size Distribution, 667P
Capek, I. See O'Driscoll, K. F., 401L
Carlsson, D. J. See Durmis, J., 549L
Carroll, J. B., Jr. See Whitte, W. M., 1011C
Caruthers, J. M. See Merriman, H. G., 1055P
Casa, C. D. See Andreani, F., 443L
Cascaval, C. N. See Vasile, C., 907C
Cavanaugh, D. B. See Wang, C. H., 941P
—; Wang, C. H.: Brillouin Scattering Studies of the Effect of Orientation on Mechanically Deformed Poly(ethylene terepthalate), 1911P
—; Wang, C. H.: Observation of the Orientational Loss Above the Glass Transition Temperature in Oriented Polyethylene-Terephthalate Films using Brillouin Light Scattering (Note), 1273P
Cesca, S. See Faucitano, A., 1217C
Cha, C. Y.
—; Min, K. W.: Photon Correlation Spectroscopy of Polymer Solutions (Note), 1471P
Chan, K. H. See Durmis, J., 549L
Chance, R. R.
—; Shand, M. L.; LePostollec, M.; Schott, M.: Comments on the Structure of Polydiacetylenes in Solution, 529L
Chang, R.-J.
—; Gent, A. N.: Effect of Interfacial Bonding on the Strength of Adhesion of Elastomers. I. Self-Adhesion, 1619P
—; Gent, A. N.: Effect of Interfacial Bonding on the Strength of Adhesion of Elastomers. II. Dissimilar Adherends, 1635P
Chaplin, R. P. See Moore, P. W., 1659C, 1671C
Charlesby, A. See Kamel, I., 803P
Chatfield, D. A.
—; Einhorn, I. N.: Stepwise Thermal Degradation of a Polybenzimidazole Foam, 601C
Chatterjee, S. K.
—; Pandith, R. L.; Pachauri, L. S.: Effect of Monomer Functional Groups on the Composition of Some Three Component Random Phenolic Copolymers, 2997C
Chau, N.
—; Watanabe, M.; Iwakura, Y.: Synthesis of Aromatic Polyurea–Carbonates from Diisocyanate–Carbonates (Note), 1279C
Chaudhuri, N. K.
—; Aravindanath, S.; Betrabet, S. M.: Direct Evidence of Crystalline Aggregation of Dyes in Cellulose Fibers by Electron Diffraction, 131L
Cheam, T. C.
—; Krimm, S.: Mixed-Crystal Infrared Studies of Chain-Folding in Polyethylene Single Crystals: Low-Temperature and Molecular Weight Studies, 423P
Chen, F. B.
—; Bufkin, B. G.: A New Method for Reactivity Ratios Calculation (Note), 3019C
Chen, F. C. See Choy, C. L., 335P
—; Choy, C. L.; Wong, S. P.; Young, K.: Negative Thermal Expansivity of Polymer Crystals: Planar Zig-Zag Chain Model, 971P
Chen, I. J. See Brauman, S. K., 495C
Chen, P. Y.
—; Marvel, C. S.: New Processable Polyaromatic Esters Curable by Intramolecular Cyclization. XVIII, 619C
Chen, S-A.
—; Hsiao, J-C.: Kinetics of Polyesterification. I. Dibasic Acid and Glycol Systems, 3123C
Cheng, H. N.
—; Smith, T. E.; Vitus, D. M.: Tacticity of Poly(N-Vinyl Pyrrolidone), 29L
Cheng, J-T. See Hwang, L-P., 983P
Cheng, K. H. See Choy, C. L., 991P
Cheradame, H. See Killis, A., 1073P
Chermack, J. A. See Newmark, R. A., 1329C
Chern, R. T. See Koros, W. J., 1513P
Chew, C. H. See Gan, L. M., 1585C
Chi, M-S.
Compatibility of Cross-Linked Polymers with Plasticizers by Glass Transition Temperature Measurement and Swelling Tests, 1767C
Chien, J. C. W. See Feldblum, A., 173P
Creation and Annihilation of Solitons, Radicals, and Ions in Polyacetylene as Related to the Mechanisms of Isomerization, Doping, and Conduction, 249L

Chivers, R. A. See Barham, P. J., 539L
Choi, S. K. See Sur, G. S., 223C
Choy, C. L. See Chen, F. C., 971P
—; Cheng, K. H.; Hsu, B-S.: Dielectric Anisotropy in Oriented Poly(chlorotrifluoroethylene), 991P
—; Chen, F. C.; Young, K.: Negative Thermal Expansion in Oriented Crystalline Polymers, 335P
Choy, I. C.
—; Magill, J. H.: Thermomechanical Transitions in Polyphosphazenes, 2495C
Chung, D. Y. L. See Kennedy, J. P., 2719C, 2727C, 2735C
Ciferri, A. See Bianchi, E., 863P
Cilurso, F. G. See Aharoni, S. M., 2287C
Clark, D. T. See Dilks, A., 2843C
—; Harrison, A.: ESCA Applied to Polymers. XXXI. A Theoretical Investigation of Molecular Core Binding and Relaxation Energies in a Series of Prototype Systems for Nitrogen and Oxygen Functionalities in Polymers, 1945C
—; Abrahman, M. Z.: Plasma Polymerization. IV. A Systematic Investigation of the Inductively Coupled RF Plasma Polymerization of Pentafluorobenzene, 2129C
—; AbRahman, M. Z.: Plasma Polymerization. V. A Systematic Investigation of the Inductively Coupled RF Plasma Polymerization of the Isomeric Tetrafluorobenzenes, 2689C
Clements, J. See Capaccio, G., 1435P
Clough, R. L.
—; Gillen, K. T.: Combined Environment Aging Effects: Radiation-Thermal Degradation of Polyvinylchloride and Polyethylene, 2041C
Clouston, J. G. See Moore, P. W., 1659C, 1671C
Cohen, H. L.
Preparation and Reactions of Polymeric Azides. I. The Reaction of Poly(vinylbenzyl Azide) with Acetylenic and Olefinic Derivatives, 1337C
The Preparation and Reactions of Polymeric Azides. II. The Preparation and Reactions of Various Polymeric Azides, 3269C
Cohen, R. E. See Argon, A. S., 253P
Cohen, Y. See Reich, S., 1255P
—; Reich, S.: Ordering Phenomena in Thin Polystyrene Films, 599P
Cohen-Addad, J. P.
—; Roby, C.: NMR Study of the Demixing Process in Concentrated Polyisobutylene Solutions, 1395P
Collins, G. L.
—; Greene, R. K.; Berardinelli, F. M.; Ray, W. H.: Fundamental Considerations on the Mechanism of Copolymerization of Trioxane and Ethylene Oxide Initiated with Boron Trifluoride Dibutyl Etherate, 1597C
Cook, W. J.
—; Cameron, J. A.; Bell, J. P.; Huang, S. J.: Scanning Electron Microscopic Visualization of Biodegradation of Polycaprolactones by Fungi, 159L
Corelli, J. C. See Fisher, W. K., 2465C
Cotton, J. P. See Ionescu, L., 1019P
Couchman, P. R. See Trent, J. S., 315L
Crabb, N. T. See Zlatkevich, L. Y., 1177P
Crivello, J. V.
—; Lam, J. H. W.: Redox Cationic Polymerization: The Diaryliodonium Salt/Ascorbate Redox Couple, 539C
Cser, F. See Szekely-Pecsi, Z., 703P
Cuddihy, E. F.
—; Moacanin, J.: Rapid Solution Casting under Vacuum of Very Thick Sheets of a Segmented Polyurethane Elastomer, 391L
Cunningham, R.
Equilibrium Monomer Concentration for the Anionic Polymerization of *m*-Isopropyl-α-Methylstyrene in Cyclohexane (Note), 1287C
Cutler, R. S. See Mulvaney, J. E., 103L

Dale, B. E.
—; Tsao, G. T.: Heats of Reaction of Two Common Cellulose Solvents with Various Model Compounds, 999C
Danicley, N. D.
—; Long, E. R., Jr.: Effects of Curing on the Glass Transition Temperature and Moisture Absorption of a Neat Epoxy Resin, 2443C
Dara, S. S. See Kumar, P., 397C
Das, C. K.
—; Fegade, N. B.; Millns, W.: Effect of Carbon on Sulfuration Under a Binary Accelerator System, 1835C
Das, D. P. See Samal, R. K., 487C, 2749C, 2757C
Das, R. R. See Samal, R. K., 2749C
Das, S. K. See Biswas, M., 235L, 2017C, 3155C
Datyner, A. See Pace, R. J., 1657P
Day, D.
—; Lando, J. B.: Synthesis and Characterization of Poly(1,11-Dodecadiyne) and Related Polymers, 227L
Day, D. R.
—; Lando, J. B.: Formation and Characterization of Polydiacetylene Monolayer Fibers, 165P
Dayan, S. See Navard, P., 379L
De, S. K. See Nando, G. B., 5L
Dechter, J. J.
—; Komoroski, R. A.; Axelson, D. E.; Mandelkern, L.: Carbon-13 NMR Linewidths of Polyethylenes and Related Polymers, 631P
Deits, W.
—; Vogl, O.: Functional Polymers. IX. Polycarbonates and Alternating Copolycarbonates of Bithionol, 403C
Delmas, G. See Filiatrault, D., 763P, 773P
Deshpande, D. D. See Patil, A. O., 1155C
Devlin, E. F.
The Fourier Transform Infrared Spectrum of Cured, Black-Reinforced SBR, 189L
Devreux, F.
—; Dory, I.; Mihaly, L.; Pekker, S.; Janossy, A.; Kertesz, M.: Anisotropy of the Dielectric Constant of Polyacetylene, 743P
Dhal, A. K. See Lenka, S., 2111C, 2115C
Diaz, F. R.
—; Larrain, R. R.; Fresno, A.; Ramirez, R. S.: Synthesis and Characterization of Polyesters Derived from Polychlorinated Aromatic Diacids, 729C
Dilks, A.
—; Kaplan, S.; Van Laeken, A.: A ^{13}C-NMR Investigation of Plasma Polymerized Ethane, Ethylene, and Acetylene, 2979C
—; Clark, D. T.: ESCA Studies of Natural Weathering Phenomena at Selected Polymer Surfaces, 2843C
Identification of Peroxy-Features at Polymer Surfaces by ESCA, 1319C
Dima, M. See Dragan, S., 2865C, 2877C
Dobbs, K. D. See Orwoll, R. A., 1385P
Dobek, A.
Measurements of Light Scattering Changes Induced by a Strong Optical Field in Solutions of tRNA, 273P
Doi, M.
Explanation for the 3.4 Power Law of Viscosity of Polymeric Liquids on the Basis of the Tube Model, 265L
Molecular Dynamics and Rheological Properties of Concentrated Solutions of Rodlike Polymers in Isotropic and Liquid Crystalline Phases, 229P
Dollwet, H. H. See Dreyfuss, P., 427L
Donahue, P. E. See White, D. M., 1635C
Dong-Peng, X. See Yu-Fu, L., 3069C
Dorn, K.
Review of *Polymer Colloids II*. Robert M. Fitch, 33L
Dory, I. See Devreux, F., 743P
Dragan, S.
—; Barboiu, V.; Petrariu, I.; Dima, M.: Cationic Polyelectrolytes. III. Nitrile-Group Reaction of Macromolecular Compounds with *N,N*-dialkylaminoalkylamines, 2865C
—; Petrariu, I.; Dima, M.: Cationic Polyelectrolytes. IV. Kinetic Study of the Reaction of Acrylic Polymers Containing Tertiary Amine Groups with Halogenated Compounds in Dipolar Aprotic Solvents, 2877C
Draney, D. See Havens, S., 1349C

Drews, M. J. See Jakes, K. A., 1921C
Dreyfuss, P.
—; Eckstein, Y.; Lien, Q. S.; Dollwet, H. H.: Effect of Number of Chemical Bonds on the Strength of Adhesion Between Glass and Polybutadiene, 427L
Duplessix, R. See Ionescu, L., 1019P, 1033P; Roche, E. J., 1P
Durairaj, B.
—; Venkatarao, K.: Synthesis and Characterization of Some New Polyimides, 2105C
Durmis, J.
—; Carlsson, D. J.; Chan, K. H.; Wiles, D. M.: Photostabilization of Polypropylene by a Hindered Amine, 549L
Duval, M. See Ionescu, L., 1019P, 1033P
Dworak, A. See Jedlinski, Z., 749C
Dziewiecka, B. See Tokarzewski, L., 1577C

East, G. C.
—; Ellis, H. A.: Kinetics of the Reaction of Poly(α-Methylstyryl Sodium, Potassium, and Cesium) with *t*-Butyl Chloride in Tetrahydrofuran, 869C
Ebisu, S. See Hashimoto, T., 59P
Eckstein, Y. See Dreyfuss, P., 427L
Edmondson, G. K.
Rubbery Products from Castor Oil Tris(thioglycolate): A New Polythiol, 505L
Egawa, H.
—; Tsunooka, M.; Ueda, T.; Tanaka, M.: Photocrosslinking of Polymers Bearing Episulfide Groups in the Solid Phase, 201L
Ehrlich, P. See Sanford, T. J., 1151P; Whitte, W. M., 1011C
Eibl, R. See Hodgkin, J. H., 1239C
Einhorn, I. N. See Chatfield, D. A., 601C
Eisenberg, A. See Rigdahl, M., 1641P
El-Alfy, E.
—; Khalil, M. I.; Hebeish, A.: Ce(IV)-Induced Polymerization of Allyl Methacrylate with Cotton Cellulose, 3137C
El-Ghaffar, M. A. A. See Moustafa, A. B., 719C
Ellis, H. A. See East, G. C., 869C
Ellis, T. M.
—; Van De Mark, M. R.: Polymer Adsorption on Platinum: Surface Coverage Determination Using Iodide-125, 2451C
Elmgren, H.
The Concentration Dependence on the Sedimentation Rate. I. Compact Macromolecules, 561L
The Concentration Dependence on the Sedimentation Rate. II. Permeable Polymer Coils with Heavy Segments, 567L
El Nasr, T. Z. A. See Moharram, M. A., 183L
Elsdon, W. L.
—; Goldwasser, J. M.; Rudin, A.: Concentration Effects in the Gel Permeation Chromatography of Broad Distribution Polymers, 483L
Endo, T. See Ageishi, K., 1085C; Nambu, Y., 1937C
—; Okawara, M.; Yamazaki, N.; Bailey, W. J.: Preparation and Ring-Opening Polymerization of Unsaturated Spiro Ortho Esters (Note), 1283C
—; Okawara, M.: Production of a Poly(pyridinyl Radical) by Reduction with 1-Benzyl-1,4-Dihydronicotinamide and *N,N'*-Dicyclohexylalloxan, 1591C
—; Fujiwara, E.; Okawara, M.: Syntheses and Reduction of Polymers with Alloxan Structures, 1091C
England, W. B. See Kovacic, P., 359L
Enikolopyan, N. S.
—; Smirnov, B. R.; Ponomarev, G. V.; Belgovskii, I. M.: Catalyzed Chain Transfer to Monomer in Free Radical Polymerization, 879C
Erman, B.
Effect of Junction Constraints on Rubber Elasticity in Multiaxial States of Stress, 829P
Evers, R. C.
—; Abraham, T.; Burkett, J. L.: Hydrolytically Stable Fluorocarbon Ether Bibenzoxazole Polymers, 427C

Faucitano, A.
—; Buttafava, A.; Cesca, S.: ESR of Free Radical Reactions in Gamma-Irradiated Ethylene–Propylene-Based Terpolymers. II, 1217C
Fayt, R.
—; Jerome, R.; Teyssie, Ph.: Molecular Design of Multicomponent Polymer Systems. I. Emulsifying Effect of Poly(hydrogenated Butadiene-*b*-Styrene) Copolymers in LDPE/PS Blends, 79L
—; Jerome, R.; Teyssie, P.: Molecular Design of Multicomponent Polymer Systems. II. Emulsifying Effect of a Poly(Hydrogenated Butadiene-*b*-Styrene) Copolymer in High-Density Polyethylene/Polystyrene Blends (Note), 1269P
Fegade, N. B. See Das, C. K., 1835C

Feldblum, A.
—; Park, Y. W.; Heeger, A. J.; MacDiarmid, A. G.; Wnek, G.; Karasz, F.; Chien, J. C. W.: Microwave Properties of Low-Density Polyacetylene, 173P
Felder, R. M.
—; Patton, C. J.; Koros, W. J.: Dual-Mode Sorption and Transport of Sulfur Dioxide in Kapton Polyimide, 1895P
Feldman, D.
Review of *Adhesives, Adherends, Adhesion, 2nd ed.*, Nicholas J. De Lollis, 643L
Review of *Chemical Microstructure of Polymer Chains*, Jack L. Koenig, 325L
Review of *Contemporary Polymer Chemistry*, H. R. Allcock and F. W. Lampe, 275L
Review of *Instrumentation and automation in the paper, rubber, plastics and polymerisation industries*, A. van Cauwenberghe, Ed. 643L
Review of *Macromolecular Chemistry Volume 1*, A. D. Jenkins and J. F. Kennedy, 327L
Review of *Plastics*, 6th ed., J. H. DuBois and F. W. John, 469L
Feng, X. See Lu, C., 3333C

Fenyo, J. C.
Analytical Expression for the Concentration Dependence of the Enthalpy of Dilution and Apparent Molal Volume in Polyelectrolyte Solutions (Note), 1015P
Ferguson, R. D. See von Meerwall, E., 77P
Fernandez-Martin, F.
—; Fernandez-Pierola, I.; Horta, A.: Glass Transition Temperature and Heat Capacity of Heterotacticlike PMMA, 1353P
Fernandez-Pierola, I. See Fernandez-Martin, F., 1353P
Ferruti, P. See Andreani, F., 443L
Ferry, J. D. See Granick, S., 1745P
Filiatrault, D.
—; Phuong-Nguyen, H.; Delmas, G.: Intrinsic Viscosities of Four Homopolymers and One Copolymer in Nonpolar Solvents. I. Effect of Correlations of Molecular Orientations, 763P
—; Delmas, G.: Intrinsic Viscosities of Four Homopolymers and One Copolymer in Nonpolar Solvents. II. Effect of Solvent Steric Hindrance, 773P
Filippakis, S.E. See Paleos, C. M., 1427C
Fini, A. See Andreani, F., 443L
Fink, J. K.
Kinetics of Crosslinking Copolymerization of Styrene with Symmetric Divinyl Compounds, 195C

Fischer, E. W. See Pakula, T., 1705P
Fisher, W. K.
—; Corelli, J. C.: Effect of Ionizing Radiation on the Chemical Composition, Crystalline Content and Structure, and Flow Properties of Polytetrafluoroethylene, 2465C
Fles, D. See Kuresevic, V., 595C; Meic, Z., 3027C
—; Vukovic, R.; Kuresevic, V.; Radicevic, R.: Influence of Steric Factors on the Mechanism of Copolymerization of Phenylvinyl Aikyl Ethers and Maleic Anhydride, 35C

Flodin, P. See Lagerkvist, P., 125L
Fontanille, M. See Hogen-Esch, T. E., 309L
Forman, B. D. See Khanna, Y. P., 2795C, 2813C
Fortelny, I.
—; Kovar, J.; Zivny, A.; Bohdanecky, M.: Effect of Polydispersity on the Intrinsic Viscosity and Sedimentation Coefficient of Stiff Chains (Note), 181P
Foti, S.
—; Maravigna, P.; Montaudo, G.: Mechanisms of Thermal Decomposition in Totally Aromatic Polyurethanes, 1679C
Fouassier, J-P. See Merlin, A., 2357C
Fradet, A.
—; Marechal, E.: Models for Polyesterification Kinetics. I. Esterification Kinetics in Polar Medium, 2901C
Fresno, A. See Diaz, F. R., 729C
Friberg, S. E. See Gan, L. M., 1585C
Frisch, H. L. See Kreituss, A., 889P
Froyer, G. See Lin, J-C., 165C
Fueki, K. See Torikai, A., 2925C
Fujihara, H. See Yoshihara, M., 49L
Fujita, H. See Hashizume, J., 1405P
Fujita, T.
—; Yoshioka, T.: Polymerization of Diphenoquinodimethanes by Reaction of α-Chlorinated *P,P'*-Dimethylbiphenyls with Potassium *t*-Butoxide (Note), 1273C
—; Kurumada, T.; Toda, T.; Yoshioka, T.: Studies on Stable Free Radicals. XVIII. Stabilizing Effect of Copolymers of N-Oxyl Biradical with Xylylene on Photooxidation of Polypropylene, 609L
Fujiwara, E. See Endo, T., 1091C
Fukuda, K. See Shibasaki, Y., 257C, 443C, 849C
Fukushima, Y. See Iwabuchi, S., 785C
Fuller, G. G.
—; Leal, L. G.: Flow Birefringence of Concentrated Polymer Solutions in Two-Dimensional Flows, 557P
—; Leal, L. G.: Network Models of Concentrated Polymer Solutions Derived from the Yamamoto Network Theory, 531P
Funt, B. L.
—; Hsu, L-C.; Hoang, P. M.: Electron Transfer Reactions to Electroactive Polymers, 203C
Furue, M.
—; Yamanaka, S.; Phat, L.; Nozakura, S.: Photoreduction of Viologen-Containing Vinyl Polymers by 2-Propanol, 2635C
Furukawa, M. See Nishimura, J., 3257C
Furuta, M.
Characterization of Ziegler–Natta Catalyst by ESCA, 135P
Futamura, S. See Hayes, R. A., 985C

Gaboriaud, F.
—; Vantelon, J. P.: Thermal Degradation of Polyurethane Based on MDI and Propoxylated Trimethylol Propane, 139C
Gajardo, I. See Martinez, F., 1533C
Gajek, R.
—; Trochimczuk, W.: Structure and Properties of Charge-Mosaic Membranes from Modified Polyethylene. I. Preparation and Characterization, 1663P
Galanti, A. V.
—; Keen, B. T.; Pater, R. H.; Scola, D. A.: Mechanism of Amine Catalyzed Isomerization of Itaconic Anhydride to Citraconic Anhydride: Citraconamic Acid Formation, 2243C
—; Scola, D. A.: Synthesis of Biscitraconimides and Polybiscitraconimides, 451C
Galembeck, F. See Baumhardt-Neto, R., 819C
Galembeck, S. E. See Baumhardt-Neto, R., 819C
Galeski, A.
—; Piorkowska, E.: Computer Simulation of Three-Dimensional Spherulite Growth, 731P
Computer Simulation of Two-Dimensional Spherulite Growth, 721P
Gallot, B. See Broze, G., 415L
Gallot, Y. See Ionescu, L., 1033P
Galtier, M. See Latour, M., 1121P
Gan, L. M.
—; Chew, C. H.; Friberg, S. E.; Higashimura, T.: Solubility of Non-Polar Polymers in Microemulsions I. Solubility of Oligomers (Note), 1585C
Gandini, A. See Killis, A., 1073P
Garcia, M. See Riande, E., 1739P
Garnett, J. L.
—; Levot, R.; Long, M. A.: UV and Radiation Grafting of p-Styryl Diphenyl Phosphine to Synthetic Polymers and the Use of the Resulting Copolymers in Insolubilization Processes, 23L
Gayathri, V. See Kishore, K., 475L
Gaylord, N. G.
—; Koo, J-Y.: Participation of Cationic Intermediates in Radical-Induced Homopolymerization of Maleic Anhydride, 107L
Gehani, R. See Watanabe, J., 653P, 1817P
Geneves, G. See Latour, M., 1121P
Gent, A. N. See Chang, R.-J., 1619P, 1635P
Georgalas, N.
Review of *Introduction to Paint Chemistry, 2nd ed.*, G. P. A. Turner, 645L
George, M. H. See Adibi, K., 57C
Ghatge, N. D. See Narain, H., 1225C
Ghedini, N. See Andreani, F., 443L
Giddings, J. C.
—; Martin, M.; Myers, M. N.: High-Resolution Polymer Separations in a Four-Pass Hairpin Thermal Field-Flow Fractionation Column, 815P
Gierke, T. D.
—; Munn, G. E.; Wilson, F. C.: The Morphology in Nafion Perfluorinated Membrane Products, as Determined by Wide- and Small-Angle X-Ray Studies, 1687P
Gilbert, R. D. See Patel, D. L., 1231P, 1449P; Prabhu, P., 523C
Gilbert, R. G. See Ballard, M. J., 533L, 939C; Hawkett, B. S., 3173C; Lichti, G., 925C
Gillen, K. T. See Clough, R. L., 2041C
Gillham, J. K. See Boyer, R. F., 13P
Gilow, H. M. See Khoury, I., 395L
Glotin, M. See Mandelkern, L., 435L
Goel, M. See Pillai, P. K. C., 1461P
Goethals, E. J. See Munir, A., 1985C
Gohil, R. M. See Schultz, J. M., 609P
Goldwasser, J. M. See Elsdon, W. L., 483L
Golub, M. A.
Thermal Rearrangements of Polybutadienes with Different Vinyl Contents, 1073C
Gonen, S.
—; Kohn, D. H.: Graft Copolymerization. I. Grafting of Hydroxyalkyl Methacrylates on Poly(vinyl Alcohol), 2215C
Gotoh, T.
—; Yamamoto, M.; Nishijima, Y.: Radiation-Induced Cationic Dimerization and Polymerization of Styrene in Methylene Chloride Solution. I, 1047C
Gottlieb, M.
—; Macosko, C. W.; Lepsch, T. C.: Stress–Strain Behavior of Randomly Crosslinked Polydimethylsiloxane Networks, 1603P
Granick, S.
—; Pedersen, S.; Nelb, G. W.; Ferry, J. D.; Macosko, C. W.: Stress Relaxation and Dynamic Viscoelastic Properties of End-Linked Poly(dimethyl siloxane) Networks Containing Unattached Poly(dimethyl siloxane), 1745P
Greene, R. K. See Collins, G. L., 1597C
Grenier, D.
—; Leborgne, A.; Spassky, N.; Prud'homme, R. E.: Crystallization of Poly(α-Methyl-α-*N*-Propyl-β-Propiolactones) Prepared from Homogeneous and Heterogeneous Initiators, 33P
—; Prud'homme, R. E.; Leborgne, A.; Spassky, N.: Preparation, Characterization, and Properties of Optically Active Poly(α-Methyl-α-Ethyl-β-Propiolactones), 1781C

Griffin, A. C.
—; Havens, S. J.: Mesogenic Polymers. III. Thermal Properties and Synthesis of Three Homologous Series of Thermotropic Liquid Crystalline "Backbone" Polyesters, 951P
Grobler, A. See Simon, A., 217C, 3357C
Gromelski, S. See Mulvaney, J. E., 305C
Gronowitz, S. See Bezoari, M. D., 347L
Gros, L.
Review of *Anionic Polymeric Drugs*, L. Guy Donaruma, Raphael M. Ottenbrite, and Otto Vogl, Eds. 151L
Gruber, R. J. See Pochan, J. M., 143P
Guang-Liang, L. See Yu-Fu, L., 3069C
Guillet, J. E. See Lipson, J. E. G., 1199P
Gupta, A. See Pradellok, W., 3307C
Gupta, B. K. See Pillai, P. K. C., 1461P
Gupta, I. See Gupta, S. N., 103C
Gupta, M. K.
Laser Raman Spectroscopy of Polyacrylamide, 353P
Gupta, S. N.
—; Gupta, I.; Neckers, D. C.: Studies on the Vinyl Polymerization Photoinitiated by *p*-Benzoylperoxybenzoic Acid *tert*-Butylester, 103C
—; Thijs, L.; Neckers, D. C.: Synthesis and Polymerization of *p*-(*p'*-Vinylbenzoyl)peroxybenzoic Acid *tert*-Butylester: A Monomer Containing a Photodissociable Radical Source, 855C
Guyot, A. See Kennedy, J. P., 2735C

Hagashigaki, Y. See Wang, C. H., 941P
Hagino, A. See Uryu, T., 2313C
Hakeem, N. A. See Moharram, M. A., 183L
Halasa, A. F.
—; Lohr, D. F.; Hall, J. E.: Anionic Polymerization to High Vinyl Polybutadiene, 1357C
Hall, H. K., Jr. See Ahn, K. D., 629C, 1875C; Padias, A. B., 1021C
Hall, J. E. See Halasa, A. F., 1357C
Hall, M. See Kachi, H., 1131P
Harada, A. See Shinkai, S., 603L
Harada, T. See Ueda, M., 1061C
Haragopal, M. See Jayakrishnan, A., 1147C, 1311C
Hargis, I. G.
Review of *Developments in Rubber Technology—2*, A. Whelan and K. S. Lee, Eds. 644L
Harkaway, S. A. See Reeves, R. L., 2427C
Harris, S.
The Preparation of Thiocyanoacrylates (Note), 2655C
Harrison, A. See Clark, D. T., 1945C
Harrison, I. R. See Varnell, W. D., 1237P, 1577P, 1923P
—; Kozmiski, S. J.; Varnell, W. D.; Wang, J.-I.: SAXS Instrumental Broadening and the Order Dependence of Peak Width, 487P
Hasegawa, M. See Nishikubo, T., 113L; Niume, K., 1745C
—; Yurugi, T.; Namiki, S.; Shiobara, T.; Nakanishi, H.; Nakanishi, F.: Preparation and Thermal Behavior of Poly-*p*-Phenylene Diacrylic Acid Dimethyl Ester, 1291C
Hashidzume, M. See Osada, Y., 369L
Hashimoto, K. See Okada, T., 1821C
Hashimoto, T.
—; Ebisu, S.; Kawai, H.: Light Scattering from Polymer Films Having Optically Anisotropic Rodlike Texture. III. Inter-Rod Interference, 59P
Hashizume, J.
—; Teramoto, A.; Fujita, H.: Phase Equilibrium Study of the Ternary System Composed of Two Monodisperse Polystyrenes and Cyclohexane, 1405P
Haudin, J. M. See Navard, P., 379L
Havens, S.
—; Yu, C. C.; Draney, D.; Marvel, C. S.: Improved Syntheses of Benzils as Polymer Intermediates, 1349C
Havens, S. J. See Griffin, A. C., 951P
Hawkett, B. S. See Lichti, G., 925C
—; Napper, D. H.; Gilbert, R. G.: Radical Capture Efficiencies in Emulsion Polymerization, 3173C
Hawkins, W. L.
Review of *Developments in Polymer Stabilisation, 3*, Gerald Scott, Ed. 278L
Hayakawa, K.
—; Kawase, K.; Yamakita, H.; Yumoto, T.: Chemical Structure of Poly(trisubstituted Vinylsilane) Produced by γ Irradiation, 3145C
Hayakawa, N. See Arakawa, K., 2123C
Hayase, S.
—; Ito, T.; Suzuki, S.; Wada, M.: Polymerization of Cyclohexane Oxide with Al(acac)$_3$-Silanol Catalyst Supported by Zeolite and Porous Silica, 2541C
—; Ito, T.; Suzuki, S.; Wada, M.: Polymerization of Cyclohexene Oxide with Al(acac)$_3$-Silanol Catalyst, 2185C
—; Ito, T.; Suzuki, S.; Wada, M.: Polymerization of Cyclohexene Oxide with Aluminum Complex-Silanol Catalysts. Part III. Dependence of Catalytic Activity on Bulkiness of Silanol and Its Intramolecular Hydrogen Bond, 2969C
Hayashi, K.
—; Tachibana, M.; Tanaka, Y.; Okamura, S.: Copolymerization of Butadiene with Vinyl Chloride by Radiation, 1571C
—; Tanaka, Y.; Okamura, S.: Radiation-Induced Polymerization at High Dose Rate. V. Butadiene in Bulk, 1435C
—; Kagawa, K.; Okamura, S.: Radiation-Induced Polymerization at High Dose Rate. VI. Butadiene in *n*-Hexane Solution, 1977C
Hayes, R. A.
Determination of Reactivity Ratios for the Copolymerization of Styrene and Styrene–Acrylonitrile with Polybutadienes, 993C
—; Futamura, S.: Kinetics and Mechanism of the Polymerization of Styrene–Acrylonitrile in the Presence of Polybutadiene, 985C
Hebeish, A. See El-Alfy, E., 3137C
Heeger, A. J. See Feldblum, A., 173P
Heeschen, J. P. See Boyer, R. F., 13P
Henderson, A. M.
—; Rudin, A.: Effects of Water, Methanol, and Ethanol on the Production of Starch-*g*-Polystyrene Copolymers by Cobalt-60 Irradiation, 1707C
—; Rudin, A.: ESR Study of the Effects of Water, Methanol, and Ethanol on Gamma-Irradiation of Starch, 1721C
Hendricks, R. W. See Schultz, J. M., 609P
Hess, D. W. See Szeto, R., 119L
Hess, W.
—; Jilge, W.; Klein, R.: Generalized Rouse–Zimm Theory for Polymer Solutions, 849P
Heuvel, H. M.
—; Huisman, R.: Five-Line Model for the Description of Radial X-Ray Diffractometer Scans of Nylon 6 Yarns, 121P
Higashi, F.
—; Kubota, K.; Sekizuka, M.; Higashi, M.: Aromatic Polyesters Obtained Directly from Hydroxybenzoic Acids by Hexachlorocyclotriphosphatriazene (PNC) in Pyridine, 2681C
—; Taguchi, Y.; Kokubo, N.; Ohta, H.: Effect of Initiation Conditions on the Direct Polycondensation Reaction Using Triphenyl Phosphite and Pyridine, 2743C
—; Taguchi, Y.: Effects of the Rates of Initiation and Propagation on a Direct Polycondensation Reaction with Triphenyl Phosphite and Pyridine (Note), 3345C
Higashi, M. See Higashi, F., 2681C
Higashimura, T. See Gan, L. M., 1585C
—; Hiza, M.: Cationic Oligomerization of Anethole: Selective Synthesis of Dimers and Trimers, 1957C
Hindenlang, D. M. See Khanna, Y. P., 2813C
Hine, P. J. See Capaccio, G., 1435P
Hirai, H. See Tanabe, T., 3293C

—; Takeuchi, K.; Komiyama, M.: Polymerization of Coordinated Monomers. XVII. Alternating Copolymerization of Methyl Methacrylate with Styrene by Boron Compounds, 2581C
Hirota, S. See Tazuke, S., 11L
Hiza, M. See Higashimura, T., 1957C
Hjertberg, T.
—; Sorvik, E.: Butyl Branches in PVC, 363L
Hoang, P. M. See Funt, B. L., 203C
Hodgeman, D. K. C.
Formation of Polymer-Bonded Nitroxyl Radicals in the UV Stabilization of Polypropylene by a Bifunctional Hindered Amine Light Stabilizer, 807C
Hodgkin, J. H.
—; Willing, R. I.; Eibl, R.: Use of ^{13}C-NMR in the Study of Reactions on Crosslinked Resins, 1239C
Hogen-Esch, T. E.
—; Smith, R. A.; Ades, D.; Fontanille, M.: Stereochemistry of Anionic Oligomerization of Vinyl Monomers. 9. Preparation of Stereoregular Oligomers of 2(2-Pyridyl)propene, 309L
Holleran, R. See Nebenzahl, L., 1221P
Holste, J. C. See Saeki, S., 307P
Hong, J.
—; Brittain, J. O.: On the Cryogenic Relaxation in Polycarbonate, 295L
Hong, S. D. See Tabar, R. J., 49P
Hopfenberg, H. B. See Koros, W. J., 1513P
Hori, Y.
—; Kashiwabara, H.: An ESR Study of Polyisobutylene Radicals Produced by γ-Irradiation at 77 K, 1141P
Horii, F.
—; Kitamaru, R.: Component Analysis of Proton NMR Spectra of Linear Polyethylene in the α-Transition Temperature Range and Phase Distribution, 109P
Hornfeldt, A-B. See Bezoari, M. D., 347L
Horta, A. See Fernandez-Martin, F., 1353P
Howe, R. F. See Jones, M. B., 235C
Hrabak, F. See Bezdek, M., 2103C
Hsiao, J-C. See Chen, S-A., 3123C
Hsing, C-F.
—; Jones, M. B.; Kovacic, P.: Polymerization of Aromatic Nuclei. XXVII. ESR Studies on Polymers and Oligomers from Reaction of Benzenoid and Naphthalene Monomers with Lewis Acid Catalyst–Oxidant Systems, 973C
Hsu, B-S. See Choy, C. L., 991P
Hsu, L-C. See Funt, B. L., 203C
Hsu, M. S.
Review of *Thermal Analysis, Volume 1 and 2*, H. G. Wiedemann, Ed. 279L
Hsu, S. L. See Venkatesh, G. M., 1475P
Hu, A. T. See Tung, L. H., 2027C
Hu, C. See Lu, C., 2091C
Huang, S. J. See Cook, W. J., 159L
Hubert, J. See Widmaier, J. M., 463L
Huisman, R. See Heuvel, H. M., 121P
Hulse, G. E.
—; Kersting, R. J.; Warfel, D. R.: Chemistry of Dicumyl Peroxide-Induced Crosslinking of Linear Polyethylene, 655C
Hummel, D. O.
Review of *Polymer Characterization by ESR and NMR* (ACS Symposium Series No. 142), Arthur E. Woodward and Frank A. Bovey, 327L
Hwang, L-P.
—; Cheng, J-T.: Cage Effects in Recombination of Allyl Radicals in Irradiated Polyethylene, 983P

Ibrahim, A. M.
—; Mahadevan, V.; Srinivasan, M.: Synthesis and Characterization of New Poly(ether Urethanes) (Note), 2651C
—; Mahadevan, V.; Srinivasan, M.: Synthesis and Properties of Novel Poly(*N*-Oxyimide)s, 687C
Iida, S. See Shimizu, T., 1171P
Iizawa, T. See Nishikubo, T., 113L, 177L, 2704C
Ikeda, K. See Ikeda, M., 2595C
Ikeda, M.
—; Nakamura, T.; Nagase, Y.; Ikeda, K.; Sekine, Y.: Thermal Degradation of Poly[(tetramethyl-*p*-Silphenylene) Siloxane], 2595C
Ikushige, T. See Okada, T., 1821C
Imagawa, I. See Nishikubo, T., 2704C
Imai, K. See Watanabe, J., 653P
Imai, M.
Kinetic Approach to Radiation-Induced Grafting in the Polyethylene-Styrene System. IV. Comparison Between High Density Polyethylene and Low Density Polyethylene, 1689C
Imai, N. See Shimizu, T., 1171P
Imai, Y. See Ueda, M., 1061C
—; Nakajima, T.; Ueda, M.: Preparation and Properties of Aromatic Polypyrazoles from Branched Bis-β-Diketones and Aromatic Dihydrazines, 1421C
—; Nakajima, T.; Ueda, M.: Preparation and Properties of Aromatic Polypyrazoles from Linear Bis-β-Diketones and Aromatic Dihydrazines, 2161C
—; Abe, S.; Ueda, M.: Preparation and Properties of Aromatic Polyamide-Esters from Aminophenols and Aromatic Diacid Chlorides, 3285C
—; Takasawa, R.; Sato, S.; Ueda, M.: Synthesis of Aromatic Polyquinazolones by Cyclopolycondensation of Bis-*o*-Aminoamide with Aromatic Dialdehydes in the Presence of Sodium Hydrogen Sulfite (Note), 1261C
—; Nguyen, T-Q.; Ueda, M.: Synthesis of Carbon-Carbon Chain Polymer by Phase-Transfer-Catalyzed Polycondensation of α,α'-Dichloro-*p*-Xylene with *t*-Butyl Cyanoacetate, 205L
—; Kameyama, A.; Nguyen, T-Q.; Ueda, M.: Synthesis of Carbon-Carbon Chain Polymers by Phase-Transfer-Catalyzed Polycondensation of Phenylacetonitrile with Activated Dichlorides, 2989C
—; Takahashi, T.; Ueda, M.: Synthesis of Polyphthalimidines with Benzylidene Group from Aminophthalide Monomers, 2837C
—; Shimizu, H.; Sato, Y.; Ueda, M.: Synthesis of Polysulfone-Amines by Polyaddition of Piperazines to Divinyl Sulfone (Letter), 3023C
—; Asamidori, Y.; Inoue, T.; Ueda, M.: Synthesis of Polysulfone-Sulfides by Polyadditions of Dithiols to Divinyl Sulfones, 583C
Imajo, H.
—; Kurita, K.; Iwakura, Y.: Polyimides Derived from Bis-*N*-Hydroxyimides. III. Polyimide-Carbonates and Polyimide-Urethanes Synthesized from Bischloroformate of *N,N'*-Dihydroxypyromellitic Diimide (Note), 1855C
Imoto, M. See Ouchi, T., 2561C
Inagaki, H. See Suzuki, H., 189P
Inagaki, K. See Kawakami, Y., 629L
Inagaki, N.
—; Nakazawa, K.; Katsuura, K.: Some Properties of Polymers Prepared from Tetrafluoromethane and Methane in an Inductively Coupled Glow Discharge System, 335L
Inaki, Y. See Kita, Y., 477C, 1733C, 2347C, 3315C
—; Suda, Y.; Kita, Y.; Takemoto, K.: Functional Monomers and Polymers. XCVI. Photochemical Reactions on Oligo- and Polyethyleneimines Which Contain Pendant Thymine Bases, 2519C
Inamura, M. See Ouchi, T., 2561C
Inazu, T. See Nishimura, J., 3257C
Inoue, H.
—; Kohama, S.: Silylation of Water Glass. II. Synthesis and Copolymerization of Carbon-Functional Silylated Silicic Acid, 759C
Inoue, T. See Imai, Y., 583C; Tazuke, S., 11L
—; Tazuke, S.:
Poly[trans-1-(3-vinyl-9-carbazolyl)-2-(9-carbazolyl)cyclobutane]. Synthesis and Comparison with Poly(9-ethyl-3-vinylcarbazole), 2857C

Ionescu, L.
—; Picot, C.; Duplessix, R.; Duval, M.; Benoit, H.; Lingelser, J. P.; Gallot, Y.: Polystyrene–Polyisoprene Block Copolymers in Dilute Solutions: Characterization of the Conformation by Small-Angle Neutron Scattering, 1033P
—; Picot, C.; Duval, M.; Duplessix, R.; Benoit, H.; Cotton, J. P.: Small-Angle Neutron Scattering by Two-Component Particles: Application to Block Copolymers, 1019P
Ishida, S-I.
—; Tsutsumi, Y.; Kaneko, K.: Studies of the Formation of Thermosetting Resins. XII. Computer Simulation of the Reactions of Phenols with Formaldehyde, 1609C
Ishigaki, I. See Watanabe, T., 599L
Ishihara, K. See Negishi, N., 593L
—; Negishi, N.; Shinohara, I.: Photoregulated Binding Ability of Azoaromatic Polymer for Surfactant, 3039C
Iskandar, M.
—; Krause, S.: The Possibility of a High-Temperature Transition in a Styrene-Butadiene-Styrene Block Copolymer as Studied by DSC (Note), 1659P
Isoda, S.
—; Shimada, H.; Kochi, M.; Kambe, H.: Molecular Aggregation of Solid Aromatic Polymers. I. Small-Angle X-Ray Scattering from Aromatic Polyimide Film, 1293P
Ito, H.
—; Schuerch, C.: A Substituent Effect in the Polymerization of 1,6-Anhydro-2,3,4-Tri-O-(*p*-Bromobenzyl)-β-D-Glucopyranose, 43L
Ito, T. See Hayase, S., 2185C, 2541C, 2969C
Itoyama, K.
Crystal Stability and Mechanical Properties of Drawn Polymers: A Statistical-Mechanical Approach, 1873P
Ivan, B.
—; Kennedy, J. P.; Kelen, T.; Tudos, F.: Controlled Introduction of Allylic Chlorines into Poly(vinyl Chloride), 679C
—; Kennedy, J. P.; Kelen, T.; Tudos, F.: Cyclopentadienylation of PVC: Characterization and Thermal and Thermooxidative Degradation Studies, 9C
Iwabuchi, S. See Kojima, K., 193L
—; Nakahira, T.; Fukushima, Y.; Saito, O.; Kojima, K.: Preparation of Macroreticular Redox Resins with Hydroquinone and Catechol Units as Pendant Groups and Their Properties, 785C
Iwaki, F. See Ogata, N., 2609C
Iwakura, Y. See Chau, N., 1279C; Imajo, H., 1855C; Niume, K., 1745C
Iwanami, K. See Matsumoto, A., 213C, 497L
Iwasaki, S. See Arai, K., 1203C
Iwatsuki, S. See Kondo, A., 1301C

Jagadale, S. M. See Narain, H., 1225C
Jagur-Grodzinski, J. See Bikson, B., 23P, 361P
Jahshan, S. N.
—; Summerfield, G. C.: Small Angle Scattering in Polymer Blends (Erratum), 1801P
Jakes, K. A.
—; Drews, M. J.: On the Role of Oxygen in the Horizontal Flame Spread of Polypropylene, 1921C
Jang, B. Z. See Argon, A. S., 253P
Janossy, A. See Devreux, F., 743P
Janovic, Z. See Plavljanic, B., 1795C; Zuanic, M., 387L
Jarry, J.-P.
—; Patterson, G. D.: Hypersonic Relaxation in Polybutadiene and Polyisoprene, 1791P
Jarvis, D. A. See Barham, P. J., 539L
Jayakrishnan, A.
—; Haragopal, M.; Mahadevan, V.: Polymerization of Acrylonitrile Initiated by the Redox System 2,2′-Thiodiethanol/Ce^{4+} in Aqueous Sulfuric Acid, 1147C
—; Haragopal, M.; Mahadevan, V.: Redox Polymerization-Kinetics of the Reaction Inititated by the System $CH_2(CN)_2$—$Mn(III)$ in Aqueous H_2SO_4 and the System $CH_2(CN)_2$—$Mn(OAc)_3$ in DMF and Acetic Acid, 1311C
Jayaraman, T. V. See Pittman, C. U., Jr., 3351C
Jedlinski, Z.
—; Bero, M.; Szewczyk, P.; Dworak, A.: Polymerization of Chlorophenyl Glycidyl Ethers. VIII. Initiation of the Polymerization of *p*-Chlorophenyl Glycidyl Ether and Phenyl Glycidyl Ether by the System Aluminum Isopropoxide and Zinc Chloride (1:1), 749C
Jefferson, A. See Alexander, R., 695C
Jellinek, H. H. G. See Kachi, H., 1131P
Review of *Developments in Polymer Stabilization—2*, Gerald Scott, Ed. 419L
Jenkins, A. D.
—; Mustafa, B. H.: The Determination of Termination Rate Constants by Moderated Copolymerization, 1L
Jensen, J. P. T.
—; Kops, J.: Energy Transfer in Connection with The Photo-Oxidation of Polystyrene and its Blends with Poly(2,6-Dimethyl-1,4-Phenylene Oxide), 2763C
Jensen, R. G. See Mulvaney, J. E., 103L
Jerome, R. See Broze, G., 415L; Fayt, R., 79L, 1269P
Jilge, W. See Hess, W., 849P
Jin, J.-I. See Antoun, S., 1901C
Jo, W. H. See Zeldin, M., 917C
Joekes, I. See Baumhardt-Neto, R., 819C
Jones, G. A. See Starkweather, H. W., Jr., 467P
Jones, M. B. See Hsing, C-F., 973C
—; Kovacic, P.; Lanska, D.: Polymerization of Aromatic Nuclei. XXVI. Poly(*p*-Phenylene): Friedel–Crafts Alkylation, Molecular Weight, and Propagation Mechanism, 89C
—; Kovacic, P.; Howe, R. F.: Polymerization of Aromatic Nuclei. XXV. ESR and Chemical Studies on the Radical Cation Nature of Poly(*p*-Phenylene), 235C
Jovanovich, S. See Stoiljkovich, D., 741C

Kaas, R. L.
Autocatalysis and Equilibrium in Polyimide Synthesis, 2255C
Kachi, H.
—; Jellinek, H. H. G.; Hall, M.: An Apparatus for Kinetic-Mechanistic Studies of Polymer Burning and Regression Rates: Poly(methyl Methacrylate), 1131P
Kadooka, T. See Okubo, M., 1C
Kagawa, K. See Hayashi, K., 1977C
Kaifu, K.
—; Nishi, N.; Komai, T.: Preparation of Hexanoyl, Decanoyl, and Dodecanoylchitin (Note), 2361C
Kaim, A. See Zurakowska-Orszagh, J., 363C
Kalpagam, V. See Kumar, G. S., 1265C
Kambe, H. See Isoda, S., 1293P
Kamel, I.
—; Charlesby, A.: NMR Spin–Spin Relaxation in Solid and Molten Polyethylene Structures, 803P
Kameyama, A. See Imai, Y., 2989C
Kamiya, T. See Watanabe, M., 331L
Kamogawa, H.
—; Takayanagi, Y.; Nanasawa, M.: 4-Alkoxy-2-Hydroxy-4′-Vinylbenzophenones, Ultraviolet-Absorbing Monomers, 2943C
—; Todo, Y.; Nanasawa, M.: Synthesis of Vinyl Polymers with Pendant Phenoxazinyl Group, 2571C
Kanda, M. See Ogiwara, Y., 457L
Kaneko, K. See Ishida, S-I., 1609C
Kanetsuna, H. See Maeda, Y., 1313P, 1325P
Kang, E. T. See Sanford, T. J., 1151P; Whitte, W. M., 1011C
Kaplan, S. See Dilks, A., 2979C
Kar, S. K.
—; Nayak, P. L.; Sahu, G.: Grafting Vinyl Monomers onto Cellulose II. Graft Copolymerization of Methyl Methacrylate onto Cellulose with V^{5+}–Thiourea Redox System (Note), 1581C

Karasz, F. See Feldblum, A., 173P
Kashiwabara, H. See Hori, Y., 1141P; Sakaguchi, M., 371P
Katayose, T. See Takayanagi, M., 1133C
Kato, M.
—; Nishide, H.; Tsuchida, E.; Sasaki, T.: Complexation of Metal Ion with Poly(1-Vinylimidazole) Resin Prepared by Radiation-Induced Polymerization with Template Metal Ion, 1803C
Katsuta, Y. See Okubo, M., 143L
Katsuura, K. See Inagaki, N., 335L
Kawagoe, M.
—; Kitagawa, M.: Craze Initiation in Poly(methyl Methacrylate) under Biaxial Stress, 1423P
Kawaguchi, M.
—; Watanabe, T.; Matsuda, O.; Tabata. U.; Machi, S.: Radiation-Induced Copolymerizations of Perfluorovinyl Acetic Acid and its Methyl Ester with α-Olefin, 1525C
Kawai, H. See Hashimoto, T., 59P
Kawakami, Y.
—; Inagaki, K.; Yamashita, Y.; Mathias, L. J.: Synthesis of N-Hydroxyethyl-N-Methylmethacrylamide and its use in the Macromonomer Synthesis, 629L
Kawase, K. See Hayakawa, K., 3145C
Keen, B. T. See Galanti, A. V., 2243C
Kefely, A. A.
—; Rakovski, S. K.; Shopov, D. M.; Razumoskii, S. D.; Rakovski, R. S.; Zaikov, G. E.: Kinetic Relationships and Mechanism of Ozone Reaction with Polystyrene and CCl_4 Solution, 2175C
Keith, H. D. See Lovinger, A. J., 1163P
Kelen, T. See Ivan, B., 9C, 679C; Tudos, F., 1119C
Keller, A. See Barham, P. J., 539L
Kennedy, J. P. See Ivan, B., 9C, 679C; Tudos, F., 1119C
—; Chung, D. Y. L.: Cationic Polymerization by Aromatic Initiating Systems. IV. Synthesis and Characterization of α-ω-Diphenylpolyisobutylene, 2727C
—; Chung, D. Y. L.; Reibel, L. C.: Cationic Polymerizations by Aromatic Initiating Systems. III. Model Reactions for Initiation and Termination Using the t-BuCl/ϕ_3Al and Cl^t-R-Cl^t/ϕ_3Al Systems, 2719C
—; Chung, D. Y. L.; Guyot, A.: Cationic Polymerizations by Aromatic Initiating Systems. V. Oxidation and Chlorination of α,ω-Diphenylpolyisobutylene and Subsequent Reaction with Living Polystyrene Anions to Form Block Copolymers, 2735C
Kennedy, R. J. See Batchelder, D. N., 677P
Kersting, R. J. See Hulse, G. E., 655C
Kertesz, M. See Devreux, F., 743P
Kesner, L. See Boyd, R. H., 375P, 393P
Khalil, M. I. See El-Alfy, E., 3137C
Khan, A. H.
—; Venkatesh, G. M.: Infrared Spectroscopic Study of Solvent-Induced Structural Changes in Poly(ethylene Terephthalate) Film, 589P
Khanna, Y. P.
—; Pearce, E. M.: Aromatic Polyamides. III. Mechanistic Studies on the Role of Substituent Chlorine in Flame Retarding Aromatic Polyamides, 2831C
—; Pearce, E. M.; Smith, J. S.; Burkitt, D. T.; Njuguna, H.; Hindenlang, D. M.; Forman, B. D.: Aromatic Polyamides. II. Thermal Degradation of Some Aromatic Polyamides and Their Model Diamides, 2813C
—; Pearce, E. M.; Forman, B. D.; Bini, D. A.: Aromatic Polyamides. I. Synthesis and Characterization of Some Aromatic Polyamides and Their Model Diamides, 2795C
Khoury, I. See Taylor, S. K., 85L
—; Kovacic, P.; Gilow, H. M.: Polymerization of Aromatic Nuclei. XXIX. Synthesis and Properties of Poly(1-Phenyl 2,5-Pyrrolylene) and Poly(1-Benzyl 2,5-Pyrrolylene), 395L
Khwaja, Y.
—; Sadiq, A.: Time-Dependent Step–Step Correlations in a Self-Avoiding Random Walk, 499P
Kikuchi, I. See Mori, K., 623L
Kilic, S.
—; Baysal, B. M.: ESR Studies of Some γ-Irradiated Organic Crystals, 3047C
Killis, A.
—; LeNest, J. F.; Gandini, A.; Cheradame, H.: Dynamic Mechanical Properties of Crosslinked Polyurethanes Containing Sodium Tetraphenylborate, 1073P
Kim, O.-K.
Catalysis by Cationic Polyelectrolytes and Micelles in Bisulfite Oxidation, 287C
Kimura, S. See Osaki, K., 517P
—; Osaki, K.; Kurata, M.: Stress Relaxation of Polybutadiene at Large Deformation. Measurements of Stress and Birefringence in Shear and Elongation, 151P
Kinstle, J. F. See Phillips, H. H., 175C
Kiryukhin, D. P. See Barkalov, I. M., 2331C
Kishore, K.
—; Santhanalakshmi, K. N.: DSC Studies on UV-Irradiated Acrylamide, 637L
—; Gayathri, V.: Estimation of Young's Modulus of Elastomers Using Thermomechanical Analyzer, 475L
—; Santhanalakshmi, K. N.: Thermal Polymerization of Acrylamide by Differential Scanning Calorimetry, 2367C
Kita, Y. See Inaki, Y., 2519C
—; Uno, T.; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. LXXXVI. Photochemical Reactions on Synthetic Polymers with Pendant Thymine Bases: Effect of Solvents, 477C
—; Uno, T.; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. XCIII. Photochemical Reactions on the Acrylic and Methacrylic Copolymers Containing Thymine Bases, 1733C
—; Uno, T.; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. XCV. Photochemical Reactions on Synthetic Polymers Having Pendant Thymine Bases in Polymethyl Methacrylate Film, 2347C
—; Uno, T.; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. XCIV. Photochemical Reactions on the Synthetic Polymers Containing Thymine Bases in the Presence of Adenine Derivatives, 3315C
Kitagawa, M. See Kawagoe, M., 1423P
Kitamaru, R. See Horii, F., 109P
Kitamura, T. See Matsumoto, A., 2531C
Klein, J.
—; Westerkamp, A.: Peculiarities of Polyacrylamide Analysis by Aqueous GPC, 707C
Klein, R. See Hess, W., 849P
Klingbiel, R. T. See O'Brien, D. F., 95L
Klopfer, H. J. See White, D. M., 1635C
Kobayashi, A. See Ouchi, T., 2561C
Kobayashi, K. See Nishikubo, T., 2704C
Kochervinsky, V. V.
—; Zagainov, V. M.; Sokolov, V. G.; Zelenev, Yu. V.: Study of Structure Formation Processes Occurring with the Gelation of Polysulfonamide Solution in Dimethylacetamide, 1197C
Kochi, M. See Isoda, S., 1293P
Koenig, J. L. See Antoon, M. K., 197P, 549C, 1567P
Kohama, S. See Inoue, H., 759C
Kohn, D. H. See Gonen, S., 2215C; Raiter, J., 73C
Koinuma, H. See Tanabe, T., 3293C
Kojima, K. See Iwabuchi, S., 785C
—; Nakahira, T.; Kosuge, Y.; Saito, M.; Iwabuchi, S.: Studies on Polymeric Sensitizers. 2. Photocatalytic Activities of Porphyrins Trapped in Polymer Matrices, 193L
Kokubo, N. See Higashi, F., 2743C
Kolawole, E. G. See Olayemi, J. Y., 219L
Kolinsky, M. See Lukas, R., 295C, 1157P
Komai, T. See Kaifu, K., 2361C
Komiyama, M. See Hirai, H., 2581C
Komoroski, R. A. See Dechter, J. J., 631P
Kondo, A.
—; Nakashima, M.; Iwatsuki, S.: Polymerization Behavior of Bistrimethylsilyloxycycloalkenes, 1301C

Kondo, S. See Ogura, K., 843C
Konno, Y. See Matsuo, M., 1531P
Koo, J.-Y. See Gaylord, N. G., 107L
Kops, J. See Jensen, J. P. T., 2763C
Koros, W. J. See Felder, R. M., 1895P
—; Chern, R. T.; Stannett, V; Hopfenberg, H. B.: A Model for Permeation of Mixed Gases and Vapors in Glassy Polymers, 1513P
—; Paul, D. R.: Observations Concerning the Temperature Dependence of the Langmuir Sorption Capacity of Glassy Polymers (Note), 1655P
Kosuge, Y. See Kojima, K., 193L
Koutinas, A. A.
Dechlorination of *N*-Chloro Poly(hexamethylene Adipamide) and *N*-Chloro Poly(ε-Caprolactam) Products to the Corresponding Polyamides, 2269C
Kovacic, P. See Bezoari, M. D., 347L; Hsing, C-F., 973C; Jones, M. B., 89C, 235C; Khoury, I., 395L; Taylor, S. K., 85L
—; England, W. B.: Novel Pathway for Homopolymerization by Nuclear Coupling via Aromatic Radical Cation Initiation, 359L
Kovar, J. See Fortelny, I., 181P
Koyama, T. See Ogata, N., 151C
Kozmiski, S. J. See Harrison, I. R., 487P; Varnell, W. D., 1237P
Kozuka, H. See Takagishi, T., 3237C
Kratochvil, P. See Mrkvickova, L., 1675P
Kraus, M. A.
—; Nemas, M.: New Aromatic Polyamides: Copoly(phosphoramide-Carboxamide)s, 617L
Krause, S. See Iskandar, M., 1659P
—; Lu, Z.-H.: Refractive Index–Temperature Measurements on Anionically Polymerized Polystyrene (Note), 1925P
Kreituss, A.
—; Frisch, H. L.: Free-Volume Estimates in Heterogeneous Polymer Systems. I. Diffusion in Crystalline Ethylene–Propylene Copolymers, 889P
Kricheldorf, H. R.
^{15}N-NMR Spectroscopy 32. Synthesis and Characterization of Polyelectrolytes Based on Polyaminamides, 2195C
Krieger, I. M. See Liu, L-J., 3005C
Krigbaum, K. R.
—; Sasaki, S.: Determination of the Persistence Length of an Aromatic Polyamide-Hydrazide by Small-Angle X-Ray Diffraction, 1339P
Krigbaum, W. R. See Bianchi, E., 863P
Krimm, S. See Cheam, T. C., 423P
Review of *Infrared and Raman Spectroscopy of Polymers*. W. W. Siesler and K. Holland-Moritz, 37L
Kubota, H. See Ogiwara, Y., 457L
Kubota, K. See Higashi, F., 2681C
Kulicke, W.-M.
—; Porter, R. S.: High-Shear Viscometry of Polymer Solutions (Note), 1173P
Kulkarni, M. G.
—; Mashelkar, R. A.: Decomposition Kinetics of Azobisisobutyronitrile in Mixed Solvents: Compensation Effect Confirmed, 507L
Kultys, A. See Podkoscielny, W., 2167C
Kumanotani, J. See Matsumoto, N., 689P
Kumar, D.
Condensation Polymerization of Pyromellitic Dianhydride with Aromatic Diamine in Aprotic Solvent: A Reaction Mechanism, 795C
Kumar, G. S.
—; Kalpagam, V.; Nandi, U. S.; Vasantharajan, V. N.: Biodegradation of Gelatin-*g*-Poly(methyl Acrylate) (Note), 1265C
Kumar, P.
—; Dara, S. S.: Binding Heavy Metal Ions with Polymerized Onion Skin, 397C
Kunert, K. A.
Comparison of Static Mechanical Properties of Crosslinked Polypropylene andPolyethylene, 479L
Kuran, W.
—; Borycki, J.: Polymerization of Acrylonitrile by Catalytic Systems Consisting of Triphenylphosphine and a Lewis Acid, 1251C
Kurata, M. See Kimura, S., 151P; Osaki, K., 517P
Kuresevic, V. See Fles, D., 35C; Meic, Z., 3027C
—; Vukovic, R.; Fles, D.: Participation of Charge-Transfer Complex Monomers in the Copolymerization of Phenylvinyl Alkyl Thioethers and Maleic Anhydride (Note), 595C
Kurita, K. See Imajo, H., 1855C
Kuriyama, I. See Arakawa, K., 2123C
Kurokawa, N.
—; Tabata, M.; Sohma, J.: Production of Polyenyl Radicals by Mechanochemical Method, 355L
Kuroki, N. See Takagishi, T., 3237C
Kurumada, T. See Fujita, T., 609L
Kuwabara, C. See Arai, K., 1885C
Kwei, T. K. See Ting, S. P., 1451C

Lagerkvist, P.
—; Flodin, P.: Formation of Permanently Porous Polyacrylonitrile Gels, 125L
Lam, J. H. W. See Crivello, J. V., 539C
Lando, J. B. See Day, D., 227L; Day, D. R., 165P
Lanska, D. See Jones, M. B., 89C
Larrain, R. R. See Diaz, F. R., 729C
Larrondo, L.
—; Manley, R. S. J.: Electrostatic Fiber Spinning from Polymer Melts. I. Experimental Observations on Fiber Formation and Properties, 909P
—; Manley, R. S. J.: Electrostatic Fiber Spinning from Polymer Melts. II. Examination of the Flow Field in an Electrically Driven Jet, 921P
—; Manley, R. S. J.: Electrostatic Fiber Spinning from Polymer Melts. III. Electrostatic Deformation of a Pendant Drop of Polymer Melt, 933P
Larson, J. See Reigler, P. F., 3247C
Latour, M.
—; Montaner, A.; Galtier, M.; Geneves, G.: Structural Study of Conformational Phases in Poly(vinylidene Fluoride) by Far-Infrared Spectroscopy, 1121P
Leal, L. G. See Fuller, G. G., 531P, 557P
Leborgne, A. See Grenier, D., 33P, 1781C
Leduc, P. See Bataille, P., 75L
Lee, D. M.
—; Blackwell, J.: Cellulose–Hydrazine Complexes, 459P
Lei, G. Y.
Self-Consistency of Fractional Precipitation Method for Determining Molecular Weight Distribution in a Polymer Sample, 389C
Lemstra, P. J. See Smith, P., 877P, 1007P
LeNest, J. F. See Killis, A., 1073P
Leng, L. See Lu, C., 3333C
Lenka, S. See Mishra, M. K., 2457C; Nayak, P. L., 839C
—; Nayak, P. L.; Mishra, M. K.: Dye-Sensitized Photopolymerization. I. Photopolymerization of Ethyl Acrylate by Sodium Fluorescein-Ascorbic Acid System in Aqueous Solution, 2671C
—; Dhal, A. K.: Polymerization of Acrylonitrile Initiated by $K_2S_2O_8$–Fe(II) Redox System (Note), 2115C
—; Nayak, P. L.; Dhal, A. K.: Vinyl Polymerization Initiated by Peroxydiphosphate. III. Polymerization of Methyl Methacrylate Initiated by a Peroxydiphosphate–Silver Ion Redox System (Note), 2111C
Lenz, R. W. See Antoun, S., 1901C
LePostollec, M. See Chance, R. R., 529L
Lepsch, T. C. See Gottlieb, M., 1603P
Lester, P. D. See Alexander, R., 695C
Levelut, A. M. See Roche, E. J., 1P
Levot, R. See Garnett, J. L., 23L
Levy, M. See Almog, Y., 115C
Li, D. See Lu, C., 3333C
Lichti, G.
—; Hawkett, B. S.; Gilbert, R. G.; Napper, D. H.; Sangster, D. F.: Styrene Emulsion Polymerization: Particle-Size Distributions, 925C
Lien, Q. S. See Dreyfuss, P., 427L
Lin, J. S. See Schultz, J. M., 609P

Lin, J-C.
—; Litt, M. H.; Froyer, G.: X-Ray and Thermal Studies of Nylon 5,7, 165C
Lin, M. S.
—; Pearce, E. M.: Polymers with Improved Flammability Characteristics. II. Phenolphthalein Related Copolycarbonates, 2151C
—; Pearce, E. M.: Polymers with Improved Flammability Characteristics. I. Phenolphthalein-Related Homopolymers, 2659C
—; Bulkin, B. J.; Pearce, E. M.: Thermal Degradation Study of Phenolphthalein Polycarbonate, 2771C
Lingelser, J. P. See Ionescu, L., 1033P
Lipson, J. E. G.
—; Guillet, J. E.: Studies of Polar and Nonpolar Probes in the Determination of Infinite-Dilution Solubility Parameters, 1199P
Litt, M. H. See Lin, J-C., 165C
Liu, K-J.
Review of *Synthetic Membranes: Desalination—Volume I*. Albin F. Turbak, Ed. 576L
Review of *Synthetic Membranes: Hyper- and Ultrafiltration Uses—Volume II*. Albin F. Turbak, Ed. 577L
Liu, L-J.
—; Krieger, I. M.: Emulsifier-Free Emulsion Polymerization with Cationic Comonomer, 3005C
Liu, P. See Lu, C., 2091C
Llauro, M-F. See Pichot, C., 2619C
Llorente, M. A.
—; Andrady, A. L.; Mark, J. E.: Model Networks of End-Linked Polydimethylsiloxane Chains. XI. Use of Very Short Network Chains to Improve Ultimate Properties, 621P
—; Mark, J. E.: Strain Birefringence in Ethylene-Propylene Copolymers, 1107P
Lloyd, D. R.
—; Burns, C. M.; Narasimhan, V.: A Comparison of Experimental Techniques for Studying Polymer-Polymer-Solvent Compatibility, 299L
Lohr, D. F. See Halasa, A. F., 1357C
Long, E. R., Jr. See Danieley, N. D., 2443C
Long, M. A. See Garnett, J. L., 23L
Lotz, B. See Wittmann, J. C., 1837P, 1853P
Loucks, G. R. See White, D. M., 1635C
Lovinger, A. J.
—; Keith, H. D.: Multiple-Image Dark-Field Electron Microscopy of Beam-Sensitive Materials (Note), 1163P
Lu, C.
—; Yang, J.; Leng, L.; Feng, X.; Li, D.: Studies of Some Bioactive *N*-*p*-Methacrylamidobenzoic Esters, 3333C
—; Liu, P.; Hu, C.: Synthesis of Polyamides from Active *O,O'*-Diacyl Derivatives of *N*-Hydroxy Compounds and Diamines Under Mild Conditions, 2091C
Lu, Z.-H. See Krause, S., 1925P
Lukas, R.
—; Svetly, J.; Kolinsky, M.: Structure of Chlorinated Poly(vinyl Chloride). X. Conclusions on the Chlorination Mechanism, 295C
—; Paleckova, V.; Svetly, J.; Tyrackova, V.; Kolinsky, M.: Structure of Chlorinated Poly(vinyl Chloride). XI. Effect of Chlorination Conditions on Morphology (Note), 1157P

MacDiarmid, A. G. See Feldblum, A., 173P
Machi, S. See Arakawa, K., 2123C; Kawaguchi, M., 1525C
Machida, S. See Nagai, K., 571C, 773C
MacKnight, W. J. See Neumann, R. M., 369P
Macosko, C. W. See Gottlieb, M., 1603P; Granick, S., 1745P
Madruga, E. L.
—; San Roman, J.: Radical Polymerization in the Presence of Complexing Agents. III. Effect of Low Concentrations of $ZnCl_2$ on the Radical Polymerization of Methyl Methacrylate, 1101C
Maeda, Y.
—; Kanetsuna, H.; Nagata, K.; Matsushige, K.; Takemura, T.: Direct Observation of Phase Transitions of Polyethylene Under High Pressure by a PSPC X-Ray System, 1313P
—; Kanetsuna, H.; Tagashira, K.; Takemura, T.: DTA and X-ray Studies on Extended-Chain Crystals of Polyethylene Under High Pressure, 1325P
Maeshima, T. See Asakura, J-I., 1269C; Yoshihara, M., 49L
Magill, J. H. See Choy, I. C., 2495C
Magoshi, J.
—; Magoshi, Y.; Nakamura, S.: Physical Properties and Structure of Silk. VII. Crystallization of Amorphous Silk Fibroin Induced by Immersion in Methanol (Note), 185P
Magoshi, Y. See Magoshi, J., 185P
Mahadevan, V. See Ibrahim, A. M., 687C, 2651C; Jayakrishnan, A., 1147C, 1311C; Rajendran, G. P., 2891C; Srinivasan, P. R., 2275C
—; Padma, S.; Srinivasan, M.: Preparation and Properties of Novel Polyhydrazides, 1409C
Mahler, W. See Bechtold, M. F., 850C
Majerski, Z. See Zuanic, M., 387L
Malley, P. J. See Bamford, C. H., 239L
Manabe, O. See Shinkai, S., 17L, 603L
Mandal, B. M. See Sen, U. K., 523L
Mandelkern, L. See Dechter, J. J., 631P; Voigt-Martin, I. G., 1769P
—; Glotin, M.; Popli, R.; Benson, R. S.: The Influence of Crystalline Morphology (Supermolecular Structure) on the Dynamic Mechanical Properties of Polyethylene, 435L
Manello, J. S. See White, D. M., 1635C
Manley, R. S. J. See Larrondo, L., 909P, 921P, 933P; Mbachu, R. A. D., 2053C, 2065C, 2079C
Mano, E. B.
—; Calafate, B. A. L.: Electroinitiated Polymerizations of Indene and Acenaphthylene, 3325C
—; Monteiro, E. E. C.: Infrared Study on the Interaction of Poly(vinyl Chloride) and Ketones, 155L
Mansson, P.
—; Westfelt, L.: Grafting of Monodisperse Low-Molecular-Weight Polystyrene onto Cellulose Acetate, 1509C
Maravigna, P. See Foti, S., 1679C
Marechal, E. See Blin, P., 891C; Fradet, A., 2901C
Margomenou-Leonidopoulou, G. See Paleos, C. M., 1427C
Mark, H. F.
Review of *Biochemistry*, 2nd ed., Lubert Stryer, 150L
Review of *Experimental Methods in Polymer Chemistry*. Jan. F. Rabek, 34L
Review of *Macromolecular Chemistry, Volume 1*, A. D. Jenkins and J. F. Kennedy, 376L
Mark, J. E. See Llorente, M. A., 621P, 1107P; Riande, E., 1739P; Sung, P.-H., 507P
Martin, M. See Giddings, J. C., 815P
Martinez, F.
—; Gajardo, I.: Cationic Copolymerization of β-Pinene and Epichlorohydrin, 1533C
Martinez-Salazar, J. See Barham, P. J., 539L
Marvel, C. S. See Chen, P. Y., 619C; Havens, S., 1349C
Mashelkar, R. A. See Kulkarni, M. G., 507L
Mashiko, E. See Miyauchi, S., 1871C
Mashimo, S. See Yagihara, S., 1333P
Dielectric Relaxation Time of Polymers, 213P
Masuoka, T.
—; Yasuda, H.: Plasma Polymerization of Tetrafluoroethylene. III. Reproducibility and Effects of Substrate and Reactor Materials, 2933C
Mathias, L. J. See Kawakami, Y., 629L
Matsuda, K. See Miyauchi, S., 1871C
Matsuda, O. See Kawaguchi, M., 1525C
Matsumoto, A. See Butler, G. B., 167L; Urushido, K., 59L, 245C
—; Iwanami, K.; Oiwa, M.: Factors Favoring Anomalous Head-to-Head Addition in the Radical Polymerization of Allylic Compounds, 497L

—; Kitamura, T.; Oiwa, M.; Butler, G. B.: Further Discussion of the Cyclopolymerization of Acrylic Anhydride in Terms of Ring Size Control, 2531C
—; Iwanami, K.; Oiwa, M.: Studies of the Polymerization of Diallyl Compounds. XXXIV. Further Discussion of the Reaction Selectivity in the Cyclopolymerization of Diallyl Phthalate (Note), 213C
Matsumoto, N.
—; Kumanotani, J.: Polyesters Containing Ring Units in the Main Chain. II. Effects of Size and Mobility of Rings on Molecular Relaxations, 689P
Matsumoto, T. See Okubo, M., 1C, 143L
Matsuo, H. See Ogata, N., 2609C
Matsuo, M.
—; Ozaki, F.; Konno, Y.; Ogita, T.: A Light-Scattering Study of Deformation of Liquid-Crystalline Spherulites of Poly(γ-benzyl-L-glutamate) in an Electric Field, 1531P
Matsuo, T. See Nishijima, T., 65L
Matsushige, K. See Maeda, Y., 1313P
Matsuzaki, K. See Uryu, T., 2313C
Matthews, R. O. See White, D. M., 1635C
Maubert, C. See Boutevin, B., 499C, 511C
Mbachu, R. A. D.
—; Manley, R. S. J.: Degradation by Lignin by Ozone. III. The Fate of the Carbohydrate Matrix During the Degradation of Spruce Protolignin by Ozone, 2079C
—; Manley, R. S. J.: Degradation of Lignin by Ozone. II. Molecular Weights and Molecular Weight Distributions of the Alkali-Soluble Degradation Products, 2065C
—; Manley, R. S. J.: Degradation of Lignin by Ozone. I. The Kinetics of Lignin Degradation of Ozone, 2053C
McCormick, C. L.
—; Park, L. S.: Water-Soluble Copolymers. III. Dextran-*g*-Poly(acrylamides) Control of Grafting Sites and Molecular Weight by Ce(IV)-Induced Initiation in Homogeneous Solutions, 2229C
McCrackin, F. L. See Peterlin, A., 1003P
McDaniel, M. P.
Fracturing Silica-Based Catalysts During Ethylene Polymerization, 1967C
McFay, D. See Quirk, R. P., 1445C
McKinley, S. V. See Tung, L. H., 2027C
Mebkhout, A. See Boutevin, B., 499C
Meic, Z.
—; Vikic-Topic, D.; Vukovic, R.; Kuresevic, V.; Fles, D.: Determination of Equilibrium Constants of CT-Complex Monomers by the ^{13}C NMR Method (Note), 3027C
Meissner, B.
Generalization of the WLF Equation and of the Free-Volume Concept for the Description of Transport Phenomena in the Glassy Region, 137L
Menczel, J.
—; Wunderlich, B.: Heat Capacity Hysteresis of Semicrystalline Macromolecular Glasses, 261L
—; Walsh, J. P., Jr.; Wunderlich, B.: Polymerization of *p*-Acryloyloxybenzoic Acid, 837P
Merlin, A.
—; Fouassier, J-P.: Emulsion Photopolymerization of MMA in the Presence of Saccharide (Note), 2357C
Merriman, H. G.
—; Caruthers, J. M.: Nonlinear Stress Relaxation of a Styrene–Butadiene Random Copolymer, 1055P
Meyer, G. C. See Widmaier, J. M., 463L
Mihaly, L. See Devreux, F., 743P
Mijovic, J.
Review of *Polymer Materials – An Introduction for Technologists and Scientists*, Christopher Hall, 328L
Milder, R. See Nebenzahl, L., 1221P
Millns, W. See Das, C. K., 1835C
Min, K. W. See Cha, C. Y., 1471P
Minakuchi, S. See Toriumi, H., 1167P
Mir, L. See Wales, M., 321L
Mirowski, K. See Zurakowska-Orszagh, J., 363C
Mishina, H. See Torikai, A., 2297C
Mishra, G. C. See Biswas, M., 3081C
Mishra, M. K. See Lenka, S., 2671C; Nayak, P. L., 839C
—; Lenka, S.; Nayak, P. L.: Photopolymerization Initiated by Charge-Transfer Complex. I. Photopolymerization of Methylmethacrylate with the Use of Quinaldine–Bromine and Lutidine–Bromine Charge-Transfer Complexes as Photoinitiator, 2457C
Misra, T.
—; Patra, K. C.; Patel, T.: Small-Angle X-Ray Scattering of Air-Dried Kangaroo Tail Tendon, 3165C
Mitsui, H.
—; Shimizu, Y.: γ Radiolysis of Polyethylene Grafted with Styrene, 1539C
Miyasaka, K. See Tanigami, T., 1865P
Miyauchi, S.
—; Matsuda, K.; Mashiko, E.; Ohkita, K.: New Composite Resistor with PTC Anomaly (Note), 1871C
Moacanin, J. See Cuddihy, E. F., 391L
Moharram, M. A.
—; El Nasr, T. Z. A.; Hakeem, N. A.: X-Ray Diffraction and Infrared Studies on the Effect of Thermal Treatments on Cotton Celluloses I and II, 183L
Momose, T. See Watanabe, T., 599L
Monobe, K. See Yokoyama, F., 91L
Montaner, A. See Latour, M., 1121P
Montaudo, G. See Ballistreri, A., 1397C; Foti, S., 1679C
Monteiro, E. E. C. See Mano, E. B., 155L
Moore, P. W.
—; Clouston, J. G.; Chaplin, R. P.: Gamma Radiation-Initiated Polymerization of Styrene at High Pressure. I. Kinetic Parameters with Intermittent Irradiation, 1659C
—; Clouston, J. G.; Chaplin, R. P.: Gamma Radiation-Initiated Polymerization of Styrene at High Pressure. II. Chain Termination, 1671C
Morawetz, H. See Awad, N. M., 245P
Review of *Developments in Polymer Photochemistry—1*, Norman S. Allen, Ed. 375L
Review of *Ions in Polymers—Advances in Chemistry Series 187*. Adi Eisenberg, Ed. 33L
Review of *The Chain Straighteners*, Frank M. McMillan, 646L
Mori, K.
—; Nakamura, Y.; Kikuchi, I.: Modification of Poly(vinyl Chloride). XLI. Effect of Hydrotalcite on the Stabilization of Poly(vinyl Chloride) by 6-Anilino-1,3,5-Triazine-2,4-Dithiol and Zinc Stearate, 623L
Moriyama, C. See Osawa, Z., 1877C
Mosher, R. A. See O'Reilly, J. M., 1187P
Moustafa, A. B.
—; El-Ghaffar, M. A. A.; Badran, A. S.; Rabie, A. M.: Aqueous Polymerization of Methyl Methacrylate Catalyzed by Copper Metal and Some of Its Compounds, 719C
Mrkvickova, L.
—; Kratochvil, P.: Analysis of the Products of Copolymerization with Chain Branching in the Pregelation Stage, 1675P
Mulvaney, J. E.
—; Gromelski, S.; Rupp, R.: *N*-Vinyl Carbazole Copolymers, 305C
—; Cutler, R. S.; Jensen, R. G.: The Preparation of a Zwitterionic Polymeric Buffer, 103L
Munir, A.
—; Goethals, E. J.: Reactions of Cationic Living Poly(*tert*-Butyl Aziridine), 1985C
Munn, G. E. See Gierke, T. D., 1687P
Murakami, K. See Oikawa, H., 283L
Muraoka, Y. See Suzuki, H., 189P
Mustafa, B. H. See Jenkins, A. D., 1L
Muydinov, M. R. See Barkalov, I. M., 2331C
Myers, M. N. See Giddings, J. C., 815P

Nachman, M. See Bataille, P., 75L
Nagai, K.
—; Machida, S.: Spontaneous Copolymerization of 1,3-Cycloheptadiene with Acrylonitrile in the Presence of Zinc Chloride, 571C
—; Machida, S.; Nonaka, T.: Spontaneous Copolymerization of 1,3-Cyclohexadiene with Polar Vinyl Monomers, 773C
Nagamura, T. See Nishijima, T., 65L
Nagase, Y. See Ikeda, M., 2595C
Nagata, K. See Maeda, Y., 1313P
Nakahira, T. See Iwabuchi, S., 785C; Kojima, K., 193L
Nakajima, T. See Imai, Y., 1421C, 2161C
Nakamura, S. See Magoshi, J., 185P
Nakamura, T. See Ikeda, M., 2595C
Nakamura, Y. See Mori, K., 623L
Nakanishi, F. See Hasegawa, M., 1291C
Nakanishi, H. See Hasegawa, M., 1291C
Nakano, H. See Osawa, Z., 1877C
—; Nishioka, M.; Sangen, O.; Yamamoto, Y.: Catalysis of α,β-Elimination of Serine by Pyridoxal Phosphate–Metal-Ion–Quaternized Poly(4-vinyl pyridine) System: A Serine Dehydratase Model, 2915C
Nakashima, M. See Kondo, A., 1301C
Nakazawa, K. See Inagaki, N., 335L
Nambu, Y.
—; Endo, T.; Okawara, M.: Neighboring Effect of Thiol Group in Acyl Transfer Reaction on a Polymer with a Lipoic Acid Structure, 1937C
Namiki, S. See Hasegawa, M., 1291C
Nanasawa, M. See Kamogawa, H., 2571C, 2943C
Nandi, U. S. See Kumar, G. S., 1265C
Nando, G. B.
—; De, S. K.: Changes in the Network Structure of Rubber Vulcanizate during Goodrich Flexometer Testing, 5L
Napper, D. H. See Ballard, M. J., 533L, 939C; Hawkett, B. S., 3173C; Lichti, G., 925C
Narain, H.
—; Jagadale, S. M.; Ghatge, N. D.: Studies of Redox Polymerization. I. Aqueous Polymerization of Acrylamide by an Ascorbic Acid–Peroxydisulfate System, 1225C
Narasimhan, V. See Lloyd, D. R., 299L
Navard, P.
—; Haudin, J. M.; Dayan, S.; Sixou, P.: DSC Study of Liquid Crystalline Solutions of Cellulose Acetate in Trifluoroacetic Acid, 379L
Nayak, M. C. See Samal, R. K., 487C, 2749C, 2757C
Nayak, P. L. See Kar, S. K., 1581C; Lenka, S., 2111C, 2671C; Mishra, M. K., 2457C; Pradhan, A. K., 831C
—; Lenka, S.; Mishra, M. K.: Vinyl Polymerization Initiated by Peroxydiphosphate. II. Polymerization of Methyl Methacrylate Initiated by a Peroxydiphosphate-Sodium Thiosulfate Redox System (Note), 839C
Nebenzahl, L.
—; Holleran, R.; Milder, R.: Aggregation Studies of Vinyl Chloride and Acrylonitrile-Containing Copolymers, 1221P
Neckers, D. C. See Gupta, S. N., 103C, 855C
Negishi, N. See Ishihara, K., 3039C
—; Ishihara, K.; Shinohara, I.: Adsorption of Photochromic Azo Dye onto Styrene-Divinylbenzene Copolymer, 593L
Nelb, G. W. See Granick, S., 1745P
Nemas, M. See Kraus, M. A., 617L
Neumann, R. M.
—; MacKnight, W. J.: Comment on the T_{β} Relaxation as Observed in Polymers by Means of Thermally Stimulated Current (TSC) Measurements (Note), 369P
Newmark, R. A.
—; Runge, M. L.; Chermack, J. A.: ^{13}C-NMR Sequence Analysis of Polyesters from Pentaerythritol and Caprolactone, 1329C
Nguyen, T-Q. See Imai, Y., 205L, 2989C
Nishi, N. See Kaifu, K., 2361C
Nishide, H. See Kato, M., 1803C
—; Tsuchida, E.: ESR Study on the Structure of the Copper(II) Complexes in Poly(4-Vinylpyridine) Resins (Note), 835C
—; Shinohara, K.; Tsuchida, E.: Radical Copolymerization of Proto-Hemin Dimethyl Ester, 1109C
Nishijima, T.
—; Nagamura, T.; Matsuo, T.: Hydrogen Generation by Visible Light Irradiation of Ruthenium Complexes and Colloidal Platinum Stabilized by Viologen Polymers in Aqueous Solutions, 65L
Nishijima, Y. See Gotoh, T., 1047C
Nishikubo, T.
—; Iizawa, T.; Imagawa, I.; Kobayashi, K.: Study of Photopolymers. XIV. Novel Syntheses of the Polymers with Azidonitrobenzoyl Groups and Their Photochemical and Thermochemical Reactions, 2704C
—; Iizawa, T.; Yamada, M.: Syntheses of Novel Photosensitive Polymers with Pendant Photosensitive Group and Photosensitizer Group, 177L
—; Iizawa, T.; Hasegawa, M.: Synthesis and Photocrosslinking Reaction of the Polymer with Pendant *p*-(2-Benzoyl Vinyl)cinnamate, 113L
Nishimura, J.
—; Furukawa, M.; Yamashita, S.; Inazu, T.; Yoshino, T.: C3 Cyclopolymerization. IV.[1] Cationic Polymerization of 1,3-bis(4-vinylnaphthyl)propane and the Polymer Structure Yielded, 3257C
Nishioka, M. See Nakano, H., 2915C
Nishiyama, T. See Overberger, C. G., 311C, 331C, 349C
Niume, K.
—; Toda, F.; Uno, K.; Hasegawa, M.; Iwakura, Y.: Novel Thermostable Polymers from Bis-*o*-Aminophenylbenzimidazoles and Aromatic Tetracarboxylic Dianhydrides, 1745C
Njuguna, H. See Khanna, Y. P., 2813C
Noggle, J. H. See Sung, H. N., 1593P
Noh, S. K. See Sur, G. S., 223C
Nonaka, T. See Nagai, K., 773C
Nozaki, K. See Yoshihara, M., 49L
Nozakura, S. See Furue, M., 2635C
Nystrom, B. See Roots, J., 479P

O'Brien, D. F.
—; Whitesides, T. H.; Klingbiel, R. T.: The Photopolymerization of Lipid-Diacetylenes in Bimolecular-Layer Membranes, 95L
O'Donnell, J. H. See Bowmer, T. N., 45C, 1167C
O'Driscoll, K. F.
—; Capek, I.: Methyl Methacrylate Copolymerization in the Presence of a Template, 401L
Ogata, N. See Wu, G-c., 343L
—; Sanui, K.; Abe, M.: Charge Transfer Polycondensation of Diethyl Chelidonate with Diamines in the Presence of Polyvinylcarbazole, 1361C
—; Sanui, K.; Tanaka, H.; Matsuo, H.; Iwaki, F.: Molecular Weight Control in Polycondensation of Hydroxyl Diesters with Hexamethylenediamine by Polymer Matrices, 2609C
—; Sanui, K.; Koyama, T.: Synthesis of Aromatic Polyamides Having Pyridine Moiety and their Lyotropic Properties in Solution, 151C
Ogawa, T.
—; Sakai, M.: Column Fractionation of Acrylonitrile-Styrene Copolymers, 1377P
Ogita, T. See Matsuo, M., 1531P
Ogiwara, Y. See Arai, K., 1885C
—; Kanda, M.; Takumi, M.; Kubota, H.: Photosensitized Grafting on Polyolefin Films in Vapor and Liquid Phases, 457L
Ogura, K.
—; Kondo, S.; Tsuda, K.: Preparation and Free Radical Polymerization of Dimethyl-*p*-Vinylphenylsulfonium Tetrafluoroborate (Note), 843C

Ohkita, K. See Miyauchi, S., 1871C
Ohta, H. See Higashi, F., 2743C
Ohtomo, T. See Arita, K., 211L
Ohyabu, M. See Shirai, M., 1847C
Oikawa, H.
—; Murakami, K.: Structure and Properties of Degraded Network Rubber Polymers, 283L
Oiwa, M. See Matsumoto, A., 213C, 497L, 2531C; Tashiro, T., 645C; Urushido, K., 59L, 245C
Okada, T.
—; Hashimoto, K.; Ikushige, T.: Sequence Distributions of Vinyl Chloride-Vinyl Acetate and Vinyl Chloride-Vinyl Propionate Copolymers, 1821C
Okamoto, I. See Okamoto, Y., 451L
Okamoto, J. See Watanabe, T., 599L
Okamoto, Y.
—; Yuki, H.: Anionic Polymerization of *N*-Methacryloylaziridine (Note), 2647C
—; Urakawa, K.; Yuki, H.: Asymmetric Selective Polymerization of Racemic Methacrylates with the Cyclohexylmagnesium Bromide-(−)-Sparteine System, 1385C
—; Okamoto, I.; Yuki, H.: Optical Resolution of Atropisomeric Poly(triphenylmethyl Methacrylate), 451L
Okamura, S. See Hayashi, K., 1435C, 1571C, 1977C
Okawara, M. See Ageishi, K., 1085C; Endo, T., 1091C, 1283C, 1591C; Nambu, Y., 1937C
Okubo, M.
—; Takeya, T.; Tsutsumi, Y.; Kadooka, T.; Matsumoto, T.: Asymmetric Porous Emulsion Film, 1C
—; Ando, M.; Yamada, A.; Katsuta, Y.; Matsumoto, T.: Studies on Suspension and Emulsion. XLVII. Anomalous Composite Polymer Emulsion Particles with Voids Produced by Seeded Emulsion Polymerization, 143L
Olayemi, J. Y.
—; Kolawole, E. G.: Dimerization of Nucleic Acid in Solution, 219L
O'Reilly, J. M.
—; Mosher, R. A.: Pressure-Induced Freezing of Conformational States of Poly(vinyl Chloride), 1187P
Orwoll, R. A.
—; St. Clair, T. L.; Dobbs, K. D.: Phase Behavior of Some Polyamic Acid Plus Ether Systems, 1385P
Osada, Y.
—; Hashidzume, M.: Plasma-Exposed Polymerization of Cyclic Organosiloxanes in the Condensed Phase, 369L
—; Takeuchi, Y,: Water and Protein Permeation Through Polymeric Membrane Having Mechanochemically Expanding and Contracting Pores. Function of Chemical Valve. I. 303L
Osaki, K. See Kimura, S., 151P
—; Kimura, S.; Kurata, M.: Relaxation of Shear and Normal Stresses in Step-Shear Deformation of a Polystyrene Solution. Comparison with the Predictions of the Doi–Edwards Theory, 517P
Osaki, Y. See Takahashi, Y., 1153P
Osawa, Z.
—; Moriyama, C.; Nakano, H.: Reaction of Poly(vinyl Alcohol) with Superoxide Anion, 1877C
Otey, F. H. See Shasha, B. S., 1891C
Otsu, T. See Quach, L., 2405C
—; Quach, L.: Head-to-Head Vinyl Polymers. III. Preparation and Characterization of Head-to-Head Poly(acrylic Acid) and its Esters, 2377C
Ouchi, T.
—; Inamura, M.; Kobayashi, A.; Imoto, M.: Vinyl Polymerization. 403. Polymerization of Vinyl Monomer Initiated with Sodium Poly-*p*-Vinylphenolate, 2561C
Overberger, C. G. See Pavlisko, J. A., 1621C, 1757C
—; Nishiyama, T.: NMR Studies and Conformations of Asymmetric Polyamides Derived from Cyclopropyl Diacids and Diamines, 349C
—; Nishiyama, T.: Synthesis and Optical Properties of Asymmetric Polyamides Derived from Cyclopropyl Diacids and Diamines, 331C
—; Nishiyama, T.: Synthesis of Asymmetric Cyclopropyl Acids and Amines, 311C
Ozaki, F. See Matsuo, M., 1531P

Pace, R. J.
—; Datyner, A.: The Temperature Dependence of the Langmuir Capacity Factor in Glassy Polymers (Note), 1657P
Pachauri, L. S. See Chatterjee, S. K., 2997C
Padias, A. B.
—; Hall, H. K., Jr.: Oligomeric Bishydroxybutyl Terephthalates from Terephthalic Acid, 1021C
Padma, S. See Mahadevan, V., 1409C
Pakula, T.
—; Fischer, E. W.: Instabilities of the Deformation Process in Cold Drawing of Poly(ethylene Terephthalate) and Other Polymers, 1705P
Paleckova, V. See Lukas, R., 1157P
Paleos, C. M.
—; Filippakis, S.E.; Margomenou-Leonidopoulou, G.: Novel Method for the Synthesis of Liquid Crystalline Polymers. Preparation by the Interaction of Poly(acryloyl Chloride) with Mesogenic Compounds, 1427C
Panda, G. See Samal, R. K., 2749C, 2757C
Pandith, R. L. See Chatterjee, S. K., 2997C
Paralikar, K. M.
—; Betrabet, S. M.: The Structures of Cotton Celluloses II and III Investigated by Electron Diffraction Technique, 555L
Park, L. S. See McCormick, C. L., 2229C
Park, Y. W. See Feldblum, A., 173P
Patel, D. L.
—; Gilbert, R. D.: Lyotropic Mesomorphic Formation of Cellulose in Trifluoroacetic Acid–Chlorinated-Alkane Solvent Mixtures at Room Temperature, 1231P
—; Gilbert, R. D.: Mesomorphic Solutions of Cellulose Triacetate in Halogenated Organic Acids and Mixtures of Trifluoroacetic Acid and Dichloromethane, 1449P
Patel, G. N.
—; Bhattacharjee, H. R.; Preziosi, A. F.: The Solid-State Polymerization of Diacetylenes by Reactive Gases: Initiation by Chlorine, 511L
Patel, T. See Misra, T., 3165C
Pater, R. H. See Galanti, A. V., 2243C
Pati, N. C. See Pradhan, A. K., 831C
Patil, A. O.
—; Deshpande, D. D.; Talwar, S. S.; Biswas, A. B.: Photocrosslinking and Thermal Behavior of the Polyesters Containing Conjugated Diacetylenes, 1155C
Patra, K. C. See Misra, T., 3165C
Patterson, G. D. See Jarry, J.-P., 1791P
Patton, C. J. See Felder, R. M., 1895P
Paul, A. M. See Tung, L. H., 2027C
Paul, D. R. See Koros, W. J., 1655P
Pavlinec, J.
—; Borsig, E.: The Effect of Mixed Solvents Pyridine–Carbon Tetrachloride on the Radical Polymerization of Methyl Methacrylate, 2305C
Pavlisko, J. A.
—; Overberger, C. G.: Polyethylenimine Catalysts Containing an Isolated Apolar Binding Site: Solvolysis of *p*-Nitrophenyl Esters, 1621C
—; Overberger, C. G.: Solvolysis of 4-Acyloxy-3-Nitrobenzoic Acid Substrates Catalyzed by Polyethylenimine Derivatives, 1757C
Pearce, E.
Review of *Modification of Polymers*, Charles E. Carraher, Jr., and Minoru Tsuda, 275L
Pearce, E. M. See Khanna, Y. P., 2795C, 2813C, 2831C; Lin, M. S., 2151C, 2659C, 2771C; Ting, S. P., 1451C; Zeldin, M., 917C
Pedersen, S. See Granick, S., 1745P
Pefferkorn, E.
—; Tran, Q.; Varoqui, R.: Adsorption of Charged Diblock Copolymers on Porous Silica, 27C
Pekker, S. See Devreux, F., 743P
Perlman, M. M. See Bamji, S. S., 1365P
Peterlin, A. See Phillips, J. C., 789P

—; Snyder, R. G.: Accordion-Type Laser-Raman Scattering by Drawn Linear Polyethylene, 1727P
—; McCrackin, F. L.: Empirical Relation for Diffusion of Gases in Hydrocarbon Polymers: Interpretation in Terms of Fractional Free Volume, 1003P
Petermann, J. See Schultz, J. M., 609P
Petrariu, I. See Dragan, S., 2865C, 2877C
Pettegrew, J. W. See Wilkie, C. A., 409L
Pham, Q-T. See Pichot, C., 2619C
Phat, L. See Furue, M., 2635C
Phillips, H. H.
—; Kinstle, J. F.; Adcock, J. L.: Synthesis of a Macromolecular Ligand by the Modification of Polystyrene, 175C
Phillips, J. C.
—; Peterlin, A.: Waters, P. F.: Apparatus for Infrared Measurement of Sorption/Desorption in Strained Polymeric Films, 789P
Phillips, P. J.
—; Sorenson, D.: A New Class of Spherulite, 585L
Phuong-Nguyen, H. See Filiatrault, D., 763P
Pichot, C.
—; Llauro, M-F.; Pham, Q-T.: Microstructure of Vinyl Acetate–Butyl Acrylate Copolymers Studied by ^{13}C-NMR Spectroscopy: Influence of Emulsion Polymerization Process, 2619C
Picot, C. See Ionescu, L., 1019P, 1033P
Pietrasanta, Y. See Boutevin, B., 499C, 511C
Pillai, P. K. C.
—; Gupta, B. K.; Goel, M.: Polarization Studies by the TSC Technique on a Blend of Cellulose Acetate and Polyvinyl Acetate, 1461P
Pineri, M. See Roche, E. J., 1P
Piorkowska, E. See Galeski, A., 731P
Pittman, C. U., Jr.
—; Priester, R. D., Jr.; Jayaraman, T. V.: Radical-Initiated Addition Homopolymerization of η^5-(Vinylcyclopentadienyl)tricarbonylmethyltungstnn (Note), 3351C
Pizzi, A.
The Chemistry and Kinetic Behavior of Cu-Cr-As/B Wood Preservatives. I. Fixation of Chromium on Wood, 3093C
Plavljanic, B.
—; Janovic, Z.: Emulsion Polymerization and Copolymerization of Vinyl Benzoate, 1795C
Pochan, D. F. See Pochan, J. M., 143P
Pochan, J. M.
—; Gruber, R. J.; Pochan, D. F.: Dielectric Relaxation Phenomena in a Series of Polyhydroxyether Copolymers of Bisphenol-A—Endcapped Polyethylene Glycol with Epichlorohydrin, 143P
Podkoscielny, W.
—; Kultys, A.: Linear Polythioesters. V. Products of Interfacial Polycondensation of 4,4′-Di(mercaptomethyl)-Benzophenone with Some Aliphatic Acid Dichlorides, 2167C
Polowinski, S.
—; Bortnowska-Barela, B.: Kinetics of Hydrolysis of Side Groups in Polyphenylmethacrylate, 51C
Ponomarev, G. V. See Enikolopyan, N. S., 879C
Popli, R. See Mandelkern, L., 435L
Porter, R. S. See Kulicke, W.-M., 1173P
Prabhu, P.
—; Schindler, A.; Theil, M. H.; Gilbert, R. D.: Synthesis and Properties of ABA Propylene-Ethylene Block Copolymers, 523C
Pradellok, W.
—; Vogl, O.; Gupta, A.: Functional Polymers. XIV. Grafting of 2(2-hydroxy-5-vinylphenyl)2H-benzotriazole onto Polymers with Aliphatic Groups, 3307C
Pradhan, A. K.
—; Pati, N. C.; Nayak, P. L.: Grafting Vinyl Monomers onto Nylon 6. III. Graft Copolymerization of Methyl Methacrylate onto Nylon 6 Using the Fe^{3+}-Thiourea Redox System (Note), 831C
Preston, J. See Bianchi, E., 863P
Preziosi, A. F. See Patel, G. N., 511L
Priester, R. D., Jr. See Pittman, C. U., Jr., 3351C
Prud'homme, R. E. See Aubin, M., 1245P; Grenier, D., 33P, 1781C
Puglisi, C. See Ballistreri, A., 1397C

Quach, L. See Otsu, T., 2377C
—; Otsu, T.: Head-to-Head Vinyl Polymers. V. Preparation and Characterization of Alternating Head-to-Head Copolymers of Alkyl Acrylates with Alkyl Methacrylates, 2405C
Quirk, R. P.
—; McFay, D.: Solvation of Polymeric Organolithium Compounds. Stoichiometry and Heats of interaction of *N,N,N′,N′*-Tetramethylethylenediamine (TMEDA) with Poly(styryl)lithium and Poly(isoprenyl)lithium, 1445C

Rabie, A. M. See Moustafa, A. B., 719C
Radhakrishnan, T. S.
—; Rao, M. R.: Thermal Decomposition of Polybutadienes by Pyrolysis Gas Chromatography, 3197C
Radicevic, R. See Fles, D., 35C
Ragab, Y. A.
—; Butler, G. B.: Structure Study of the Furan–Maleic Anhydride Copolymer, 1175C
Raiter, J.
—; Kohn, D. H.: Copolymerization Studies. Copolymerization of Methyl α-Cyanocrotonate with Styrene, Acrylonitrile, and Vinyl Acetate, 73C
Rajendran, G. P.
—; Mahadevan, V.; Srinivasan, M.: Synthesis and Properties of Poly(dimethylxylylenylamides), 2891C
Rakovski, R. S. See Kefely, A. A., 2175C
Rakovski, S. K. See Kefely, A. A., 2175C
Ramirez, R. S. See Diaz, F. R., 729C
Rao, M. P.
Review of *Contemporary Polymer Chemistry*, Harry R. Allcock and Frederick W. Lampe, 149L
Rao, M. R. See Radhakrishnan, T. S., 3197C
Ray, J. R. See Alvino, W. M., 2551C
Ray, W. H. See Collins, G. L., 1597C
Razumoskii, S. D. See Kefely, A. A., 2175C
Read, R. T. See Bloor, D., 321P; Young, R. J., 293P
Reed, S. F., Jr.
Telechelic Diene Prepolymers. XI. Copolymers with Polymerizable Carboranes (Note), 1863C
Telechelic Diene Prepolymers. XII. Copolymers with Alkenylferrocenes (Note), 1867C
Reeves, R. L.
—; Harkaway, S. A.; Sochor, A. R.: Spectral and Thermodynamic Studies of the Interaction of Binding Site Probes with Poly(vinylpyrrolidone), 2427C
Reibel, L. C. See Kennedy, J. P., 2719C
Reich, S. See Cohen, Y., 599P
—; Cohen, Y.: Phase Separation of Polymer Blends in Thin Films, 1255P
Reigler, P. F.
—; Larson, J.; Bowman, L.: The Nonaqueous, Potentiometric Titration of Free Hydrochloric Acid in Chloride-Containing Polymers, 3247C
Reinhardt, B. A.
—; Arnold, F. E.: Synthesis and Properties of Conjugated Enyne Polysulfones, 271C
Relles, H. M. See White, D. M., 1635C
Revillon, A. See Ballivet-Tkatchenko, D., 1697C
Riande, E.
—; Garcia, M.; Mark, J. E.: Random-Coil Configurations of the Polyformals. VI. Dipole Moments of the Stereochemically Variable Polymer Prepared from 4-methyl-1,3-dioxolane, 1739P
Richardson, A.
—; Ward, I. M.: Production and Properties of Fibers Spun from Nylon 6/Lithium Chloride Mixtures, 1549P
Rigdahl, M.
—; Eisenberg, A.: Viscoelastic Properties of Sulfonated Styrene Ionomers, 1641P

Robertson, R. E.
Thermal Density Fluctuations in Polymer Glasses (Note), 1277P
Roby, C. See Cohen-Addad, J. P., 1395P
Roche, E. J.
—; Pineri, M.; Duplessix, R.; Levelut, A. M.: Small-Angle Scattering Studies of Nafion Membranes, 1P
Rooney, J. M.
Synthesis of a Block Copolymer Containing Polyisobutylene and Polyethylene Oxide Segments (Note), 2119C
Roots, J.
—; Nystrom, B.: Application of Scaling Concepts to Sedimentation Phenomena in Semidilute Macromolecular Solutions, 479P
Rudin, A. See Cameron, G. G., 1799P; Elsdon, W. L., 483L; Henderson, A. M., 1707C, 1721C
Runge, M. L. See Newmark, R. A., 1329C
Runt, J. P. See Varnell, W. D., 1923P
Rupp, R. See Mulvaney, J. E., 305C

Sadiq, A. See Khwaja, Y., 499P
Saeki, S.
—; Holste, J. C.; Bonner, D. C.: Sorption of Organic Vapors by Polystyrene, 307P
Sahu, G. See Kar, S. K., 1581C
St. Clair, T. L. See Orwoll, R. A., 1385P
Saito, M. See Kojima, K., 193L
Saito, O. See Iwabuchi, S., 785C
Saito, S. See Arai, K., 1203C; Tazuke, S., 11L; Yano, O., 221P
Sakaguchi, M.
—; Kashiwabara, H.: Application of Spin-Labeling Technique to the Study of Molecular Motion at the Surface of Polypropylene (Note), 371P
Sakai, M. See Ogawa, T., 1377P
Samal, R. K.
—; Das, R. R.; Nayak, M. C.; Suryanarayana, G. V.; Panda, G.; Das, D. P.: Acidic Peroxo Salts: A New Class of Initiators for Vinyl Polymerization. I. Kinetics of Polymerization of Acrylonitrile Initiated by Potassium Monopersulfate and Catalyzed by Ag(I), 2749C
—; Nayak, M. C.; Suryanarayan, G. V.; Panda, G.; Das, D. P.: Kinetics of Polymerization of Acrylonitrile Initiated by Acidic Permanganate/Thioacetamide Redox System, 2757C
—; Suryanarayana, G. V.; Das, D. P.; Samal, S.; Nayak, M. C.: Polymerization of Acrylonitrile: Kinetics of the Reaction Initiated by the Fe^{2+}/BrO_3^- Redox System, 487C
Samal, S. See Samal, R. K., 487C
Samuels, R. J.
Solid State Characterization of the Structure of Chitosan Films, 1081P
Sanford, T. J.
—; Allendoerfer, R. D.; Kang, E. T.; Ehrlich, P.; Schaefer, J.: Magic-Angle ^{13}C NMR of Solid Polyphenylacetylenes (Note), 1151P
Sangen, O. See Nakano, H., 2915C
Sangster, D. F. See Lichti, G., 925C
San Roman, J. See Madruga, E. L., 1101C
Santhanalakshmi, K. N. See Kishore, K., 637L, 2367C
Sanui, K. See Ogata, N., 151C, 1361C, 2609C; Wu, G-c., 343L
Sasaki, S. See Krigbaum, K. R., 1339P
Sasaki, T. See Kato, M., 1803C
Sato, M.
—; Yokoyama, M.: Preparation of Phosphorus-Containing Polymers. XXIV. Phenoxaphosphine-Containing Polybenzimidazoles and Polybenzoxazoles (Note), 591C
—; Tada, Y.; Yokoyama, M.: Preparation of Phosphorus-Containing Polymers XXV. Polyamide-Imides that Contain Phenoxaphosphine Rings, 1037C
Sato, S. See Imai, Y., 1261C
Sato, Y. See Imai, Y., 3023C; Yano, O., 221P
Scamporrino, E. See Ballistreri, A., 1397C
Schaefer, J. See Sanford, T. J., 1151P
Scheinbeim, J. I. See Trent, J. S., 315L
Schindler, A. See Prabhu, P., 523C
Schluenz, R. W. See White, D. M., 1635C
Schott, M. See Chance, R. R., 529L
Schue, F. See Aubert, P., 955C
Schuerch, C. See Ito, H., 43L
Schultz, J. M.
—; Lin, J. S.; Hendricks, R. W.; Petermann, J.; Gohil, R. M.: Annealing of Polypropylene Films Crystallized from a Highly Extended Melt, 609P
Schunn, R. A. See Bechtold, M. F., 850C
Scola, D. A. See Galanti, A. V., 451C, 2243C
Sedgwick, R. D.
—; Al-Sultan, Y. Y.; Abushihada, A. M.: Degradation of Low-Density Polyethylene in the Presence of Water and Deuterium Oxide, 2007C
Seguchi, T. See Arakawa, K., 2123C
Sekine, Y. See Ikeda, M., 2595C
Sekizuka, M. See Higashi, F., 2681C
Sen, U. K.
—; Mandal, B. M.; Bhattacharyya, S. N.: On the Use of the Slope of the Huggins Viscosity Equation for the Determination of Molecular Weights of Copolymers, 523L
Serafini, T. See Antoon, M. K., 1567P
Shand, M. L. See Chance, R. R., 529L
Sharma, A. K. See Yasuda, H., 1285P
Shasha, B. S.
—; Trimnell, D.; Otey, F. H.: Encapsulation of Pesticides in a Starch-Calcium Adduct, 1891C
Shen, D. Y. See Venkatesh, G. M., 1475P
Shibasaki, Y.
—; Fukuda, K.: Solid-State Polymerization of Long-Chain Vinyl Compounds. V. Two-Step Postpolymerization of Octadecyl Acryate by Temperature Increase and by Stepwise γ-Ray Irradiation, 257C
—; Fukuda, K.: Solid-State Polymerization of Long-Chain Vinyl Compounds. VI. In-Source Polymerization of Octadecyl Acrylate by γ-Ray Irradiation, 443C
—; Fukuda, K.: Solid-State Polymerization of Long-Chain Vinyl Compounds. IV. Effects of Chain Length on the Polymorphic Behavior and Postpolymerization of *n*-Alkyl Methacrylates (Erratum), 849C
Shimada, H. See Isoda, S., 1293P
Shimizu, H. See Imai, Y., 3023C
Shimizu, T.
—; Iida, S.; Imai, N.: Additivity Rule for Ca^{2+} Ion Activity in Solutions of Maleic Acid Copolymer (Note), 1171P
Shimizu, Y. See Mitsui, H., 1539C
Shinkai, S.
—; Tsuji, H.; Sone, T.; Manabe, O.: Asymmetric Reduction by NADH Model Compounds Bound to Polystyrene Beads. Influence of Spacer on the Optical Yield, 17L
—; Tsuji, H.; Harada, A.; Manabe, O.: Catalysis of Mutarotation of Tetramethyl-D-Glucose by Polymer-Bound 2-Pyridone. On the Pseudodilution Effect of Polymer Chains, 603L
Shinohara, I. See Ishihara, K., 3039C; Negishi, N., 593L; Watanabe, M., 331L
Shinohara, K. See Nishide, H., 1109C
Shiobara, T. See Hasegawa, M., 1291C
Shirai, M.
—; Ohyabu, M.; Tanaka, M.: Interaction Between Dyes and Polyelectrolytes. XII. Excitation Energy Transfer Between Bound Dyes, 1847C
Shopov, D. M. See Kefely, A. A., 2175C
Shukla, J. S.
—; Tiwari, R. K.: Aqueous Polymerization of Methacrylamide, 1517C
Shyam, R. See Beg, M. N., 1811C
Sierra, P. See Boutevin, B., 511C
Silberberg, A. See Weiss, N., 1505P
Simon, A.
—; Grobler, A.: Some Contributions to the Characterization of Active Sites in Mg-Supported Ziegler–Natta Catalysts (Erratum), 217C

—; Grobler, A.: Some Contributions to the Characterization of Active Sites in Mg-Supported Ziegler–Natta Catalysts (Erratum), 3357C
Sixou, P. See Navard, P., 379L
Sledz, J. See Aubert, P., 955C
Smirnov, B. R. See Enikolopyan, N. S., 879C
Smith, J. S. See Khanna, Y. P., 2813C
Smith, P.
—; Lemstra, P. J.: Tensile Strength of Highly Oriented Polyethylene (Note), 1007P
—; Lemstra, P. J.; Booij, H. C.: Ultradrawing of High-Molecular-Weight Polyethylene Cast from Solution. II. Influence of Initial Polymer Concentration, 877P
Smith, R. A. See Hogen-Esch, T. E., 309L
Smith, T. E. See Cheng, H. N., 29L
Snyder, R. G. See Peterlin, A., 1727P
Sochor, A. R. See Reeves, R. L., 2427C
Sohma, J. See Kurokawa, N., 355L
Sohrab, S. H.
—; Williams, F. A.: Extinction of Diffusion Flames Adjacent to Flat Surface of Burning Polymers, 2591C
Sokolov, V. G. See Kochervinsky, V. V., 1197C
Sone, T. See Shinkai, S., 17L
Sorenson, D. See Phillips, P. J., 585L
Sorvik, E. See Hjertberg, T., 363L
Spassky, N. See Grenier, D., 33P, 1781C
Srinivasan, M. See Ibrahim, A. M., 687C, 2651C; Mahadevan, V., 1409C; Rajendran, G. P., 2891C; Srinivasan, P. R., 2275C
Srinivasan, P. R.
—; Mahadevan, V.; Srinivasan, M.: Preparation and Properties of Some Cardopolyamides, 2275C
Stafford, J. W.
Multifunctional Polycondensation and Gelation: A Kinetic Approach, 3219C
Stahl, G. A.
Copolymerization Parameters of Methyl Methacrylate and Acrylic Acid, 371C
Stannett, V. See Koros, W. J., 1513P
Stannett, V. T.
Review of *The Chemistry and Technology of Cellulosic Copolymers*. A. Hebeish and J. T. Guthrie, 576L
Starkweather, H. W., Jr.
—; Jones, G. A.: Crystalline Transitions in Powders of Nylon 66 Crystallized from Solution, 467P
—; Barkley, J. R.: Effect of Water on the Secondary Dielectric Relaxations in Nylon 66, 1211P
Stein, R. S. See Tabar, R. J., 49P
Comment on "Incompatible Blends: Thermal Effects in a Model System" (Note), 1281P
Stoiljkovich, D.
—; Jovanovich, S.: Mechanism of the High-Pressure Free Radical Polymerization of Ethylene, 741C
Suda, Y. See Inaki, Y., 2519C
Summerfield, G. C. See Jahshan, S. N., 1801P
Effects of Small Differences Between Tagged and Normal Molecules on Small-Angle Neutron Scattering (Note), 1011P
Sung, H. N.
—; Noggle, J. H.: Carbon-13 NMR of Poly(vinyl Acetate) and Ethylene–Vinyl Acetate Copolymer, 1593P
Sung, P.-H.
—; Mark, J. E.: Model Polyurethane Elastomers Prepared from Noncrystallizable Poly(propylene Oxide) Chains, 507P
Sur, G. S.
—; Noh, S. K.; Choi, S. K.: Polymerization of *N*-Acryloyl Pyrrolidone and Synthesis of Graft Copolymer by Using the Mechanism of Initiation of Anionic Ring-Opening Polymerization, 223C
Suryanarayan, G. V. See Samal, R. K., 2757C
Suryanarayana, G. V. See Samal, R. K., 487C, 2749C
Suzuki, H.
—; Muraoka, Y.; Inagaki, H.: Conformation of Linear Polyethylene in 1-Chloronaphthalene: Light Scattering Characterization of Polymers. IV, 189P
Suzuki, S. See Hayase, S., 2185C, 2541C, 2969C
Svetly, J. See Lukas, R., 295C, 1157P
Szekely-Pecsi, Z.
—; Vancso-Szmercsanyi, I.; Gaer, F.; Varga, J.; Belina, K.: Metal-Containing Coordination Polymers. XI. Crystallization and Melting Behavior of a Semicrystalline Polyester and Its Mg (II) Complexes, 703P
Szeto, R.
—; Hess, D. W.: Phase Separation in Plasma-Deposited Polysiloxane Films, 119L
Szewczyk, P. See Jedlinski, Z., 749C

Tabar, R. J.
—; Wasiak, A.; Hong, S. D.; Yuasa, T.; Stein, R. S.: Small-Angle Light Scattering by Random Assemblies of Incomplete Spherulites. Systems with Partial Degree of Volume Filling, 49P
Tabata, M. See Kurokawa, N., 355L
Tabata, Y. See Watanabe, T., 599L
Tabata. U. See Kawaguchi, M., 1525C
Tachibana, M. See Hayashi, K., 1571C
Tada, Y. See Sato, M., 1037C
Tadokoro, H. See Takahashi, Y., 1153P
Tagashira, K. See Maeda, Y., 1325P
Taguchi, Y. See Higashi, F., 2743C, 3345C
Takagishi, T.
—; Kozuka, H.; Kuroki, N.: Binding of Methyl Orange and Its Homologs by Polyion Complexes in Aqueous Solution, 3237C
Takahashi, T. See Imai, Y., 2837C
Takahashi, Y.
—; Osaki, Y.; Tadokoro, H.: Planar Zigzag Modification of Polyoxacyclobutane (Modification IV) and Its Disordered Structure (Note), 1153P
Takasawa, R. See Imai, Y., 1261C
Takayanagi, M.
—; Katayose, T.: *N*-Substituted Poly(*p*-Phenylene Terephthalamide), 1133C
Takayanagi, Y. See Kamogawa, H., 2943C
Takeda, T. See Yano, O., 221P
Takekoshi, T. See White, D. M., 1635C
Takemoto, K. See Inaki, Y., 2519C; Kita, Y., 477C, 1733C, 2347C, 3315C
Takemura, T. See Maeda, Y., 1313P, 1325P
Takeuchi, K. See Hirai, H., 2581C
Takeuchi, Y., See Osada, Y., 303L
Takeya, T. See Okubo, M., 1C
Takumi, M. See Ogiwara, Y., 457L
Talwar, S. S. See Patil, A. O., 1155C
Tanabe, T. See Tazuke, S., 11L
—; Koinuma, H.; Hirai, H.: Polymerization of Coordinated Monomers. XVIII. Sequence Distribution in Methyl Acrylate–Styrene Copolymers Prepared in the Presence of Zinc Chloride, 3293C
Tanaka, A. See Yano, O., 221P
Tanaka, H. See Ogata, N., 2609C; Wu, G-c., 343L
Tanaka, M. See Egawa, H., 201L; Shirai, M., 1847C
Tanaka, Y. See Hayashi, K., 1435C, 1571C
Tanigami, T.
—; Miyasaka, K.: Small-Angle X-Ray Scattering of Isotactic Poly(4-methyl-1-pentene), 1865P
Tashiro, T.
Reactions of Hydroxymethylated 2-Methoxy- and 2-Methyl-4,6-Diamino-*s*-Triazines with Urea, 1553C
—; Oiwa, M.: Reactions of 2-Methoxy- and 2-Substituted 4,6-Diamino-*s*-Triazines with Formaldehyde: Kinetics and Adaptability of the Rate Constants to Hammett and Taft Equations, 645C
Taylor, S. K.
—; Bennett, S. G.; Khoury, I.; Kovacic, P.: Poly(*p*-Phenylene) from *p*-Dibromobenzene, Magnesium, and 1,4-Dichloro-2-Butene, 85L
Tazuke, S. See Inoue, T., 2857C
—; Inoue, T.; Tanabe, T.; Hirota, S.; Saito, S.: Synthesis of polymers having trans-1,2-Di-9-Carbazolylcyclobutane structure, 11L
Teramoto, A. See Hashizume, J., 1405P

Terui, K. See Uryu, T., 2313C
Teyssie, P. See Fayt, R., 1269P
Teyssie, Ph. See Broze, G., 415L; Fayt, R., 79L
Theil, M. H. See Prabhu, P., 523C
Thijs, L. See Gupta, S. N., 855C
Ting, S. P.
—; Bulkin, B. J.; Pearce, E. M.; Kwei, T. K.: Compatibility Studies of Styrene and Hydroxyl Containing Styrene Copolymers with Poly(ethylene Oxide), 1451C
Tiwari, R. K. See Shukla, J. S., 1517C
Tkac, A.
Radical Processes in Polymer Burning and Its Retardation. I. ESR Methods for Studying the Thermal Decomposition of Polymers in the Preflame and Flame Zones, 1475C
Radical Processes in Polymer Burning and Its Retardation. II. An ESR Study of Flame Retardation of Polypropylene, 1495C
Toda, F. See Niume, K., 1745C
Toda, T. See Fujita, T., 609L
Todo, Y. See Kamogawa, H., 2571C
Tokarzewski, L.
—; Dziewiecka, B.: Synthesis and Characterization of an Azopolymer Containing both Aromatic and Aliphatic Fragments in Chain (Note), 1577C
Torikai, A.
—; Adachi, T.; Fueki, K.: Elementary Radical Formation and Conversion Processes in γ-Irradiated Polyvinylchloride, 2925C
—; Mishina, H.: Formation and Thermal-Induced Decay of Radical Ions in Polymer Matrices, 2297C
Toriumi, H.
—; Minakuchi, S.; Uematsu, I.; Uematsu, Y.: Concentration and Temperature Dependence of the Helical Twisting Power of Poly(γ-benzyl L-glutamate) Liquid Crystals in *m*-Cresol (Note), 1167P
Tramontini, M. See Andreani, F., 443L
Tran, Q. See Pefferkorn, E., 27C
Trent, J. S.
—; Scheinbeim, J. I.; Couchman, P. R.: Electron Microscopy of PS/PMMA and Rubber-Modified Polymer Blends: Use of Ruthenium Tetroxide as a New Staining Agent, 315L
Trimnell, D. See Shasha, B. S., 1891C
Trochimczuk, W. See Gajek, R., 1663P
Tsao, G. T. See Dale, B. E., 999C
Tsuchida, E. See Kato, M., 1803C; Nishide, H., 835C, 1109C
Tsuchikura, A. See Watanabe, M., 331L
Tsuda, K. See Ogura, K., 843C
Tsuji, H. See Shinkai, S., 17L, 603L
Tsunooka, M. See Egawa, H., 201L
Tsurumi, Y. See Arita, K., 211L
Tsutsumi, Y. See Ishida, S-I., 1609C; Okubo, M., 1C
Tudos, F. See Iván, B., 9C, 679C
—; Kelen, T.; Turcsanyi, B.; Kennedy, J. P.: Analysis of the Linear Methods for Determining Copolymerization Reactivity Ratios. VI. A Comprehensive Critical Reexamination of Oxonium Ion Copolymerizations, 1119C
Tung, L. H.
Branching Kinetics in Copolymerization of Styrene with a Chain-Transfer Monomer, 3209C
Calculation of Molecular Weight Distribution of Thermally Polymerized Polystyrene, 2419C
—; Hu, A. T.; McKinley, S. V.; Paul, A. M.: Preparation of Polystyrene with Long Chain Branches via Free Radical Polymerization, 2027C
Turcsanyi, B. See Tudos, F., 1119C
Tyrackova, V. See Lukas, R., 1157P

Ueda, M. See Imai, Y., 205L, 583C, 1261C, 1421C, 2161C, 2837C, 2989C, 3023C, 3285C
—; Harada, T.; Aoyama, S.; Imai, Y.: Synthesis of Polyamides from Active Diacyl Derivatives of 3-Hydroxy-1,2-Benzisoxazole and Diamines Under Mild Conditions, 1061C
Ueda, T. See Egawa, H., 201L
Uematsu, I. See Toriumi, H., 1167P; Watanabe, J., 653P, 1817P
Uematsu, Y. See Toriumi, H., 1167P
Uno, K. See Niume, K., 1745C
Uno, T. See Kita, Y., 477C, 1733C, 2347C, 3315C
Urakawa, K. See Okamoto, Y., 1385C
Urushido, K.
—; Matsumoto, A.; Oiwa, M.: Polymerization of Allyl Esters of Unsaturated Acids. VIII. Highly Enhanced Polymerizability of Allyl Maleates by the Use of Morpholine, 59L
—; Matsumoto, A.; Oiwa, M.: Polymerization of Allyl Esters of Unsaturated Acids. VII. Copolymerization of Methyl Allyl Maleate and Fumarate with Styrene, 245C
Uryu, T.
—; Hagino, A.; Terui, K.; Matsuzaki, K.: Graft Copolymerization of Anhydro Sugar Derivatives from Macromolecular Halides, 2313C

Vancso-Szmercsanyi, I. See Szekely-Pecsi, Z., 703P
Van De Mark, M. R. See Ellis, T. M., 2451C
Vander Sande, J. B. See Argon, A. S., 253P
Van Der Weij, F. W.
Kinetics and Mechanism of Urethane Formation Catalyzed by Organotin Compounds. I. The Reaction of Phenyl Isocyanate with Methanol in Dibutyl Ether Under the Action of Dibutyltin Diacetate, 381C
Kinetics and Mechanism of Urethane Formation Catalyzed by Organotin Compounds. II. The Reaction of Phenyl Isocyanate with Methanol in DMF and Cyclohexane under the Action of Dibutyltin Diacetate, 3063C
Van Laeken, A. See Dilks, A., 2979C
Vantelon, J. P. See Gaboriaud, F., 139C
Van Vliet, T. See Weiss, N., 1505P
Varga, J. See Szekely-Pecsi, Z., 703P
Varnell, W. D. See Harrison, I. R., 487P
—; Harrison, I. R.; Kozmiski, S. J.: SAXS Determination of the Amorphous Surface Layer Thickness of Polymer Single Crystals, 1237P
—; Runt, J. P.; Harrison, I. R.: SAXS Determination of the Maximum Amorphous Surface Layer Thickness of POM Single Crystals (Note), 1923P
—; Harrison, I. R.; Wang, J.-I.: Small-Angle X-Ray Scattering Studies of Isothermally Crystallized Bulk Polyethylene, 1577P
Varoqui, R. See Pefferkorn, E., 27C
Vasantharajan, V. N. See Kumar, G. S., 1265C
Vasile, C.
—; Cascaval, C. N.; Barbu, P.: Thermal Degradation of Vinyl Alcohol/Vinyl Acetate Copolymers. III. Study of the Reaction Products, 907C
—; Calugaru, E. M.; Bodonea, S. F.: Thermoxidative Degradation of Poly(vinyl Alcohol) Under Dynamic Thermogravimetric Conditions. II. Influence of the Hydrolysis Degree, 897C
Venkatarao, K. See Durairaj, B., 2105C
Venkatesh, G. M. See Khan, A. H., 589P
—; Shen, D. Y.; Hsu, S. L.: Spectroscopic Study of Rigid-Rod Polymers. I. Structures of Model Compounds, 1475P
Vikic-Topic, D. See Meic, Z., 3027C
Vitalini, D. See Ballistreri, A., 1397C
Vitus, D. M. See Cheng, H. N., 29L
Vofsi, D. See Bikson, B., 23P, 361P
Vogl, O. See Deits, W., 403C; Pradellok, W., 3307C
Voigt-Martin, I. G.
—; Mandelkern, L.: A Quantitative Electron-Microscopic Study of a Linear Polyethylene Fraction Crystallized at Different Temperatures, 1769P
von Meerwall, E.
—; Ferguson, R. D.: Anisotropy of NMR Relaxation, and Diffusion, of Penetrants in Stretched *cis*-Polyisoprene, 77P
Vukovic, R. See Fles, D., 35C; Kuresevic, V., 595C; Meic, Z., 3027C

Wada, M. See Hayase, S., 2185C, 2541C, 2969C

Wada, Y. See Yano, O., 221P
Wales, M.
—; Mir, L.: The Motionless "Ultracentrifuge", 321L
Walsh, E. K. See Aharoni, S. M., 2287C
Walsh, J. P., Jr. See Menczel, J., 837P
Wang, C. H. See Cavanaugh, D. B., 1273P, 1911P
—; Cavanaugh, D. B.; Hagashigaki, Y.: Brillouin Scattering Studies of Poly(vinylidene Fluoride) Films Subject to Uniaxial Stretching, 941P
Wang, J.-I. See Harrison, I. R., 487P; Varnell, W. D., 1577P
Wang, T. T.
Aging Behavior of Piezoelectric Poly(vinylidene Fluoride) Films Irradiated by γ Rays, 289L
Ward, I. M. See Capaccio, G., 667P, 1435P, 1489P; Richardson, A., 1549P
Warfel, D. R. See Hulse, G. E., 655C
Wasiak, A. See Tabar, R. J., 49P
Watanabe, J.
—; Gehani, R.; Uematsu, I.: A Structure with an Irregular Layer Lattice in Poly(γ-methyl L-glutamate-co-γ-benzyl L-glutamate) Film, 1817P
—; Imai, K.; Gehani, R.; Uematsu, I.: Structural Differences Between Two Crystal Modifications of Poly(γ-benzyl L-glutamate), 653P
Watanabe, M. See Chau, N., 1279C
—; Tsuchikura, A.; Kamiya, T.; Shinohara, I.: Electrically Conductive TCNQ Salt of Elastometric Polycation, 331L
Watanabe, T. See Kawaguchi, M., 1525C
—; Momose, T.; Ishigaki, I.; Tabata, Y.; Okamoto, J.: Radiation-Induced Copolymerization of Methyl Trifluoroacrylate with Fluoroolefin, 599L
Watanabe, Y. See Arakawa, K., 2123C
Waters, P. F. See Phillips, J. C., 789P
Weiss, N.
—; Van Vliet, T.; Silberberg, A.: Influence of Polymerization Initiation Rate on Permeability of Aqueous Polyacrylamide Gels, 1505P
Weiss, P.
Review of *Polymer Surfaces (Cambridge Solid State Science Series)*, by B. W. Cherry, 419L
Review of *Principles of Polymerization*, 2nd ed. George Odian, 519L
Wesson, J. P.
—; Williams, T. C.: Organosilane Polymers. III. Block Copolymers, 65C
Westerkamp, A. See Klein, J., 707C
Westfelt, L. See Mansson, P., 1509C
Whicher, S. J.
—; Brash, J. L.: Anionic Polymerization of Styrene Sulfonic Acid Derivatives, 1995C
White, D. M.
—; Takekoshi, T.; Williams, F. J.; Relles, H. M.; Donahue, P. E.; Klopfer, H. J.; Loucks, G. R.; Manello, J. S.; Matthews, R. O.; Schluenz, R. W.: Polyetherimides Via Nitro-Displacement Polymerization: Monomer Synthesis and ^{13}C-NMR Analysis of Monomers and Polymers, 1635C
Reactions of Poly(phenylene Oxide)s with Quinones. I. The Quinone-Coupling Reaction Between Low-Molecular-Weight Poly(2,6-Dimethyl-1,4-Phenylene Oxide) and 3,3′,5,5′-Tetramethyl-4,4′-Diphenoquinone, 1367C
White, J. R.
Site-Model Theory of Nonlinear Viscoelasticity, 1371P
Whitesides, T. H. See O'Brien, D. F., 95L
Whitte, W. M.
—; Kang, E. T.; Ehrlich, P.; Carroll, J. B., Jr.; Allendoerfer, R. D.: Hyperfine Structure Observed in EPR Spectra of Polyphenylacetylene Solutions, 1011C
Widmaier, J. M.
—; Hubert, J.; Meyer, G. C.: Anionic Synthesis of Semi-2-Interpenetrating Polymer Networks, 463L
Wilding, M. A. See Capaccio, G., 1489P
Wiles, D. M. See Durmis, J., 549L
Wilkie, C. A.
—; Pettegrew, J. W.; Brown, C. E.: Pyrolysis Reactions of Poly(methyl Methacrylate) and Red Phosphorus: An Investigation with Cross-Polarization, Magic Angle NMR Spectroscopy, 409L
Williams, F. See Adur, A. M., 53L, 669C
Williams, F. A. See Sohrab, S. H., 2591C
Williams, F. J. See White, D. M., 1635C
Williams, T. C. See Wesson, J. P., 65C
Willing, R. I. See Hodgkin, J. H., 1239C
Wilson, F. C. See Gierke, T. D., 1687P
Winzor, D. J. See Bowmer, T. N., 1167C
Wittmann, J. C.
—; Lotz, B.: Epitaxial Crystallization of Aliphatic Polyesters on Trioxane and Various Aromatic Hydrocarbons, 1853P
—; Lotz, B.: Epitaxial Crystallization of Polyethylene on Organic Substrates: A Reappraisal of the Mode of Action of Selected Nucleating Agents, 1837P
Wnek, G. See Feldblum, A., 173P
Wondraczek, R. H.
Review of *Cationic Polymerisation, Advances in Polymer Science—34/35*. A. Gandini and H. Cheradame, 575L
Wong, S. P. See Chen, F. C., 971P
Wool, R. P.
Measurements of Infrared Frequency Shifts in Stressed Polymers, 449P
Worsfold, D. J. See Black, P. E., 1841C
Wu, G-c.
—; Tanaka, H.; Sanui, K.; Ogata, N.: Synthesis of Aromatic Polyamide by a Direct Polycondensation with Triphenylphosphine, 343L
Wunderlich, B. See Menczel, J., 261L, 837P

Yagihara, S.
—; Mashimo, S.: Dielectric Relaxation and Glass Transition Temperature of Copolymers, 1333P
Yamada, A. See Okubo, M., 143L
Yamada, M. See Nishikubo, T., 177L
Yamakita, H. See Hayakawa, K., 3145C
Yamamoto, M. See Gotoh, T., 1047C
Yamamoto, Y. See Nakano, H., 2915C
Yamanaka, S. See Furue, M., 2635C
Yamashita, S. See Nishimura, J., 3257C
Yamashita, Y. See Kawakami, Y., 629L
Yamazaki, N. See Endo, T., 1283C
Yang, J. See Lu, C., 3333C
Yano, O.
—; Saito, S.; Sato, Y.; Takeda, T.; Tanaka, A.; Wada, Y.: Dielectric Loss of Polyethylene at Very Low Temperatures in the Frequency Range from 1 kHz to 100 MHz, 221P
Yasuda, H. See Masuoka, T., 2933C
—; Sharma, A. K.; Yasuda, T.: Effect of Orientation and Mobility of Polymer Molecules at Surfaces on Contact Angle and Its Hysteresis, 1285P
Yasuda, T. See Yasuda, H., 1285P
Yokoyama, F.
—; Monobe, K.: Low-Temperature Form of Urea-Polyethylene Complex, 91L
Yokoyama, M. See Sato, M., 591C, 1037C
Yong-Xia, X. See Yu-Fu, L., 3069C
Yoshihara, M. See Asakura, J-I., 1269C
—; Nozaki, K.; Fujihara, H.; Maeshima, T.: Asymmetric Induction in Free Radical Addition of Thiols to Olefins, 49L
Yoshino, T. See Nishimura, J., 3257C
Yoshioka, T. See Fujita, T., 609L, 1273C
Young, K. See Chen, F. C., 971P; Choy, C. L., 335P
Young, R. J. See Batchelder, D. N., 677P; Bloor, D., 321P
—; Read, R. T.; Batchelder, D. N.; Bloor, D.: Structure and Morphology of Heavily Deformed Single Crystals of a Polydiacetylene. I. Electron Microscopy and X-Ray Diffraction, 293P
Yu, C. C. See Havens, S., 1349C
Yuasa, T. See Tabar, R. J., 49P
Yu-Fu, L.
—; Yong-Xia, X.; Dong-Peng, X.; Guang-Liang, L.: Surface Reaction of Particulate Silica with Polydimethylsiloxanes, 3069C
Yuki, H. See Okamoto, Y., 451L, 1385C, 2647C
Yumoto, T. See Hayakawa, K., 3145C
Yurugi, T. See Hasegawa, M., 1291C

Zagainov, V. M. See Kochervinsky, V. V., 1197C

Zaikov, G. E. See Kefely, A. A., 2175C
Zeldin, M.
—; Jo, W. H.; Pearce, E. M.: Synthesis and Thermal Properties of Crosslinkable Phosphazene Copolymers, 917C
Zelenev, Yu. V. See Kochervinsky, V. V., 1197C
Zentel, R.
Review of *The Physics and Chemistry of Liquid Crystal Devices*, Gerald J. Sprokel, Ed. 89L
Zivny, A. See Fortelny, I., 181P
Zlatkevich, L. Y.
—; Crabb, N. T.: Radiothermoluminescence Study of Low-Temperature Transitions in Polyethylene, 1177P
Zuanic, M.
—; Majerski, Z.; Janovic, Z.: Poly(1-Vinyladamantane), 387L
Zurakowska-Orszagh, J.
—; Mirowski, K.; Kaim, A.: Solid-State Polymerization of Acrylamide and Its Derivatives Complexed with Lewis Acids. I. Synthesis of Complexes, 363C

Publication Agreement

Under U.S. law, the transfer of copyright from the author should be explicitly stated in writing to enable the publisher to disseminate the author's work to the fullest extent. Please complete a copy of the following Publication Agreement and *include it with all submissions to this journal.* Please note that if the manuscript was a work made for hire, this agreement must be signed by the employer, as author.

Publication Agreement

The undersigned author has submitted a manuscript entitled_____

_____

for publication in_____, published by John Wiley & Sons, Inc.

A. The author transfers to John Wiley & Sons, Inc. the exclusive rights comprised in the copyright of the article, if the article is accepted for publication, except that the author retains the following:

1. All proprietary rights, other than copyright, such as patent rights.
2. The right to make copies of all or part of the work for the author's use in classroom teaching.
3. The right to use, after publication, all or part of this material in a book by the author.
4. The right to make copies of the work for internal distribution within the institution which employs the author.
5. The right to use figures and tables from the work, and up to 250 words of text, for any purpose.
6. The right to make oral presentation of the material in any forum.
7. The right to veto or approve permission granted by the publisher to a third party to republish all or a substantial part of the article.

In the case of work prepared under U.S. Government contract, the U.S. Government may reproduce, royalty-free, all or portions of the article and may authorize others to do so, for official U.S. Government purposes only, if the contract so requires.

The author agrees that all copies made under any of the above conditions will include notice of the copyright of the publisher.

B. The author warrants that the manuscript is the author's original work. If the work was prepared jointly the author agrees to inform co-authors of the terms of this agreement. It is submitted only to this journal, and has not been published before. (If excerpts from copyrighted works are included, the author will obtain written permission from the copyright owners and show credit to the sources in the manuscript.) The author also warrants that the article contains no libelous or unlawful statements, and does not infringe on the rights of others.

_____
Author's signature and date

Check one:
_____Employer; work made for hire
_____Work of the U.S. Government
_____Author's own work

_____
Typed or printed name

_____
Institution or company

Note to Government Employees

A work prepared by a government employee as part of his/her official duties is called a "work of the U.S. Government," and is not copyrightable. If it is not part of the employee's official duties it may be copyrighted. If this is a work of the U.S. Government, the author may cross out Section A of this agreement and attach a copy of applicable policy of author's agency.

If the work was prepared jointly, and any co-author is not a U.S. Government employee, that author must be delegated by the co-authors to sign the *complete* agreement.

Subject Index to Volume 19

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 19, 1981. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number. Notes and Errata are indicated by the letters N and E, respectively, in parentheses following the page number.

Acenaphthalene, polymerization of, 3325C
Acetylene, mechanochemical polymerization of, 355L
—, plasma polarized, 2979C
Acidic permanganate/thioacetamide redox system, 2757C
Acrylamide, DSC studies of thermal, polymerization, 2367C
—, Lewis acid complexes, 363C
—, N-hydroxyethyl-N-methyl-, use of, in macromonomer synthesis, 629L
—, UV-irradiated, thermal polymerization of, DSC studies on, 637L
Acrylates, head-to-head polymerization, 2405C
Acrylate–styrene, alternating copolymers, 2581C
Acrylic achydride, polymerization, 2531C
Acrylic acid, 371C
—, grafting of, onto polyolefin films, 457L
Acrylic anhydride, cyclopolymerization of, 167L
Acrylic polymers, reactions of, 2877C
Acrylonitrile, acid peroxo salts initiated polymerization, 2749C
—, copolymer with styrene, alternating, monomer sequence in, 211L
—, redox initiated polymerization, 2757C
—, redox polymerization, 487C
N-Acryloyl pyrrolidone, 223C
Activity coefficients, in polystyrene solutions, 307P
Adhesion, between glass and polybutadiene, 427L
Adhesion of elastomers, network formation in, 1619P, 1635P
Adsorption, of photochromic azo dye, onto styrene-divinylbenzene copolymer, 593L
—, Temkin isotherm, 2451C
Aggregation of vinylchloride–acrylonitrile copolymers, 1221P
Aging behavior, of piezoelectric poly(vinylidene fluoride) films irradiated by γ rays, 289L
n-Alkylacrylate, polymerization, 443C
Alkylation, 89C
N-Alkylene biscitraconimides, 451C
Alloxan polymers, 1091C
Allyl esters, of unsaturated acids, polymerization of, 59L
Allyl esters of unsaturated acids, polymerization, 245C
Allylic compounds, radical polymerization of, anomalous head-to-head addition in, 497L
Allyl maleates and fumarates, polymerization of, 59L
m-Allyl methacrylate, polymerization, 257C
Alternating copolymer, of styrene with acrylonitrile, monomer sequence in, 211L
Alternating copolymerization, 2581C
Alternating head-to-head (h-h) copolymers, 2405C
Alternating radical copolymerization, 239L
Aluminum sesquihalide-methyl acrylate-styrene system, alternating copolymerization in, 239L
Amine catalyzed isomerization of itaconic to citraconic anhydride, 2243C
Amine hindered, photostabilization of PP by, 549L
Anhydride-cured epoxy resin, 549C
1,6-Anhydro sugars, substituted, polymerization of, 43L
1,6-Anhydro-2,3,4-tri-O-(*p*-bromobenzyl)-β-D-glucopyranose, polymerization of, 43L
6-Anilino-1,3,5-triazine-2,4-dithiol, stabilization of PVC by, effect of hydrotalcite on, 623L
Anionic oligomerization, of 2-(2-pyridyl)propene, stereochemistry of, 309L
—, of vinyl monomers, stereochemistry of, 309L
Anionic polymerization, 57C, 869C, 1287C(N), 1357C
—, of *N*-methacryloylaziridine, 2647C(N)
—, of styrene sulfonic acid, 1995C
Anionic ring-opening polymerization, 223C
Anionic synthesis of semi-2 interpenetrating polymer networks, 463L
Anisotropic rodlike structures, light scattering from, 59P
Annealing, effect on fine structure of poly(4-methyl-1-pentene), 1865P
Annealing of polyethylene, effects of, 1435P
Anomalous composite polymer emulsion particles with voids produced by seeded emulsion polymerization, 143L
Anomalous head-to-head addition, in the radical polymerization of allylic compounds, 497L
Aromatic nuclei, polymerization of, 347L, 395L
Aromatic polyamides, 151C, 617L
—, flammability of, 2831C
—, synthesis and characterization of, 2795C
—, synthesis of, by a direct polycondensation with triphenylphosphine, 343L
—, thermal degradation of, 2813C
Aromatic polymers, 1167C
Aromatic radical cation initiation, nuclear coupling via, homopolymerization by, 359L
Arylaluminium, cationic polymerization initiates, 2735C
Asymmetric films, 1C
Asymmetric induction, 1269C(N)
—, in free radical addition of thiols to olefins, 49L
Asymmetric polyamides, conformations, 349C
—, nmr studies, 349C
—, optical properties, 331C
—, synthesis of, 331C
Asymmetric reduction by NADH model compounds bound to polystyrene beads, 17L
Asymmetric selective polymerization, 1385C
Atropisomeric poly(triphenylmethyl methacrylate), optical resolution of, 451L
Auger scanning electron microprobe, 119L
Azoaromatic polymer, 3039C
Azobisisobutyronitrile decomposition, solvent effects on, 507L
Azo dyes, metal complexed, aggregation of, in cellulose fibers, 131L
Azopolymer, synthesis and characterization, 1577C(N)

Bansil, R. 353P
Base-base interactions, 3315C
Benzils, improved syntheses, 1349C
Benzoin methyl ether, as photosensitizer, 201L
Benzophenone, as photosensitizer, 201L
p-Benzoylperoxybenzoic acid *tert*-butylester (BPE), 103C
p-(2-Benzoyl vinyl)cinnamate groups, pendant, photosensitive polymers containing, 113L
Bibenzoxazole polymers, 427C
Bimolecular-layer membranes, photopolymerization of lipid-diacetylenes in, 95L
Binding site probes with poly(vinylpyrrolidone), 2427C
Bioactive *N*-*p*-methacrylamidobenzoic esters, 3333C

Biodegradable polymers, 1265C(N)
Birefringence, optical, in two-dimensional flow of concentrated polymer solutions, 557P
—, of polybutadiene in shear and elongation, 151P
—, of polychlorotrifluoroethylene, 991P
—, of polystyrene films, 599P
—, of spherulites in electric field, 1531P
—, in step-shear deformation of concentrated polystyrene solution, 517P
—, of stressed networks of ethylene–propylene copolymers, 1107P
Bisamines, poly(β-aminoketone)s by condensation of bis(β-dialkylaminoketone)s with, 443L
Biscitraconimides, 451C
Bis(β-dialkylaminoketone)s, poly(β-aminoketone)s by condensation of bisamines with, 443L
Bishydroxybutyl terephthalates, 1021C
Bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate, photostabilization of PP by, 549L
Bistrimethylsilyloxycycloalkenes, 1301C
1,3-Bis(4-vinylnaphthyl)propane, polymerization of, 3257C
Black-reinforced SBR, cured, FTIR spectrum of, 189L
Blends, of cellulose with vinyl polymer, thermally stimulated current in, 1461P
—, compatibility and thermal effects in, 1281P(N)
—, LDPE/PS, emulsifying effects of poly(styrene-*b*-hydrogenated butadiene) on, 79L
—, of polyethylene and polypropylene, 1047P
—, of polyethylene–polystyrene, with copolymer emulsifier, 1269P(N)
—, of polylactone with poly(vinyl halides), 1245P
—, polymer, electron microscopy of, 315L
—, of polystyrene–poly(vinylmethyl ether), phase separation in films of, 1255P
—, small angle scattering in, 1801P(E)
Block copolymer containing polyisobutylene and polyethylene oxide, 2119C(N)
Block copolymers, 27C, 65C, 523C
—, isobutylene-styrene, 2735C
—, polysulfone-amines, 3023C(L)
Bonds, chemical, effect of number of, on glass-polybutadiene adhesion, 427L
Book reviews, 33L, 34L, 35L, 37L, 89L, 149L, 150L, 151L, 275L, 276L, 278L, 279L, 325L, 326L, 327L, 328L, 375L, 376L, 419L, 469L, 519L, 520L, 575L, 576L, 577L, 643L, 644L, 645L, 646L
Boron trifluoride dibutyl etherate, initiations of trioxane-ethylene oxide copolymerization, 1597C
Brabender plastography, 415L
Branching kinetics in copolymerization of styrene, 3209C
Brillouin scattering, studies of deformed poly(ethylene terephthalate), 1911P
—, study of relaxation, 1791P
Broad distribution polymers, concentration effects in GPC of, 483L
Buffer, polymeric, zwitterionic, 103L
Burning and regression rates, apparatus for study of, 1131P
Burning polymers, extinction of diffusion flames, 2591C
Butadiene, cationic polymerization, 1435C
1,3-Butadiene, anionic polymerization, 1357C
Butyl branches, in PVC, 363L
t-Butyl cyanoacetate, polycondensation of α,α'-dichloro-*p*-xylene with, 205L

$^{14}C_1$ in adhesion studies, 427L
Cadoxen, 999C
Carbazole-based polyacrylates, synthesis of, 2017C
Carbazole-based polymeric azodye, 3155C
1-Carbomethoxy-3-cyanobutadiene, 629C
Carbon-functional silylated silicic acid, 759C
Carborane polymerization, 1863C(N)
Carboxamides, copolymers with phosphoramides or phosphoramides, as new polyamides, 617L
Carboxy-telechelic polymers, neutralization of, halato polymers by, 415L
Cardopolyamides, preparation and properties of, 2275C
Castor oil tris(thioglycolate), as polythiol, 505L
Catalysis, of mutarotation of tetramethyl-D-glucose by polymer-bound 2-pyridone, 603L
Catalysis of α,β-elimination of serine, 2915C
Catalysts, photo-, porphyrins trapped in polymer matrices as, 193L
Cationic polymerization, 539C, 669C, 695C, 1047C, 2719C, 2727C, 2735C
—, dinitrosyl iron complex, 1697C
—, of 1-vinyladamantane, 387L
Cation initiation, aromatic radical, nuclear coupling via, homopolymerization by, 359L
Cellulose, 999C
—, Ce(IV) initiated grafting reactions, 3137C
—, hydrazine complexes of, 459P
—, lyotropic mesophases of, 1231P
Cellulose acetate, 1509C
—, liquid crystalline solutions of, in TFA, 379L
Cellulose acetate-*g*-styrene, 1509C
Cellulose fibers, crystalline aggregation of dyes in, 131L
Cellulose II + III, cotton, structures of, studied by electron diffraction technique, 555L
Cellulose-*g*-methylmethacrylate, 1581C(N)
Celluloses, cotton, thermal treatment of, 183L
Cellulose triacetate, liquid-crystalline solutions of, 1449P
Cerium complexed azo dyes, aggregation of, in cellulose fibers, 131L
Chain conformation, of aromatic polyamide–hydrazide in solution, 863P
—, computer simulation of correlations in self-avoiding walk, 499P
—, of linear polyethylene in 1-chloronaphthalene, 189P
—, in polyethylene crystals, 423P
—, of polyethylene, Raman scattering and defects in, 1727P
—, of polyformals, 1739P
—, in polymorphs of poly(vinylidene fluoride), 1121P
—, of polyoxacyclobutane, 1153P(N)
Chain dimensions, of linear chain polymers in solution from x-ray scattering, 1339P
Chain dynamics, in concentrated solutions, network theory of, 531P
Chain dynamics and thermal expansivity of polyethylene, 971P
Chain entanglements, in extension of polyethylene, 877P
—, in flow of concentrated polymer solutions, 557P
Chain mobility, in solid and molten polyethylene, 803P
Chain motion, in polyethylene, 971P
—, of polymer in concentrated solutions, 517P
—, in polymer solutions (theory), 849P
Chain orientation, in polystyrene films, 599P
Chain transfer constants, 891C
Chain transfer monomer, vinylbenzylthiol, 3209C
Chain transfer reactions, 879C
Charge-mosaic membranes, preparation and properties of, 1663P
Charge transfer complex, 35C, 595C(N), 3027C(N)
Chemical microstructure, 993C
—, of furan–maleic anhydride copolymer, 1175C
—, of polypentadiene, 955C
Chemical modification of poly(*N*-vinylcarbazole), 235L
Chemical valve, function of, 303L
Chitin, acylation of, 2361C(N)
Chitosan, structural study of, 1081P
Chlorine gas, solid-state polymerization of diacetylenes initiated by, 511L
N-Chloro poly(ϵ-caprolactam), dechlorination of, 2269C
N-Chloro poly(hexamethylene adipamide), dechlorination of, 2269C
Cinnamates, *p*-(2-benzoyl vinyl)-, pendant, photosensitive polymers containing, 113L
2-(Cinnamoyloxy)ethyl methacrylate, copolymerization of N-(nitroaryl)methacrylamides with, 177L
^{13}C-NMR, branching in PVC investigated by, 363L
—, of plasma polymerized ethane, ethylene, and acetylene, 2979C

—, sequence analysis, 1329C
Combustion, 1921C
—, extinction of diffusion flames, 2591C
Compact macromolecules, sedimentation rate in, 561L
Compatability studies, styrene and PEO, 1451C
Compatibility, solvent-polymer-polymer compatibility, 299L
Compatibility of cross linked polymers, 1767C
Compatibility of polyethylene–polystyrene in blends with copolymer emulsifier, 1269P(N)
Complexing agents, 1101C
Complex-silanol catalysts, 2969C
Composite resistor based on *n*-alkylacrylates, 1871C(N)
Concentration dependence, of the sedimentation rate, 561L, 567L
Concentration effects, in the gel permeation chromatography of broad distribution polymers, 483L
Conduction, in polyacetylenes, mechanism of, 249L
Conductivity, of polyacetylene at microwave frequencies, 173P
Conformation, of copolymers in solution from small-angle neutron scattering, 1033P
Conformational state of polymer chains, from measurements of Brillouin scattering, 1273P(N)
Conformational transitions, in polymer chains, 213P
Conformations of asymmetric polyamides, 349C
Contact angle, of water on polymer, 1285P
Cooperative interactions, 203C
Copolyamides, alternating rigid-flexible, liquid-crystalline and solid solution behavior of, 281P
Copolycarbonates, 403C
—, alternating, 403C
Copolymer, maleic acid–ethyl vinyl ether, Ca^{2+} ion activity in solutions of, 1171P(N)
Copolymerization, 35C, 73C, 195C, 245C, 371C, 571C, 595C(N), 759C, 773C, 985C, 993C, 1109C, 1119C, 1269C(N), 2943C, 3027C(N)
—, alternating, radical, 239L
—, of bistrimethylsilyloxycycloalkenes, 1301C
—, branching kinetics, 3209C
—, butadiene and vinyl chloride, 1571C
—, cationic, 1533C, 1597C
—, charge transfer, 1361C
—, of 1,3-cycloheptadiene, 571C
—, donor-acceptor interactions, 1301C
—, methylacrylate–styrene, 3293C
—, moderated, determination of termination rate by constants, 1L
—, α-olefins and perfluorovinyl, acetic acid, 1525C
—, of β-pinene and epichlorohydrin, 1533C
—, radiation induced, 1525C, 1571C
—, radical, alternating, 239L
—, trioxane, 1597C
—, of trioxane and ethylene oxide, 1597C
Copolymerization mechanism, of crosslinked vinyl polymers, 1675P
Copolymers, 305C, 403C
—, acrylic acid–naphthylacrylamide, sorption on polystyrene latex, 245P
—, acrylonitrile-styrene, characterization and fractionation of, 1377P
—, block, neutron scattering from dilute solutions of, 1019P
—, butadiene–styrene as emulsifier in blends of, 1269P(N)
—, ethylene–propylene, adhesive bonding to polybutadiene of, 1635P
—, ethylene–propylene, sorption and diffusion in, 889P
—, ethylene–propylene, strain birefringence in networks of, 1107P
—, ethylene–vinyl acetate, NMR of, 1593P
—, methyl methacrylate-divinyl monomers, chain branching in, 1675P
—, methyl methacrylate–styrene, dielectric relaxation of, 1333P
—, polystyrene–polyisoprene block, neutron scattering by, 1033P
—, random phenolic type, 2997C
—, sequence distribution by C^{13}, 1821C
—, styrene–butadiene block, crazing in, 253P
—, styrene–butadiene, stress and volume relaxations of, 1055P
—, styrene–butadiene–styrene block, transition in, 1659P(N)
—, vinylchloride–acrylonitrile, aggregation of, 1221P
Copoly(phosphoramide-carboxamide)s, 617L
Copoly(vinyl alcohol-styrenesulfonic acid) resin, 1885C
Copper(II) complexes in poly(4-vinylpyridine) resins, 835C(N)
Cotton celluloses, thermal treatment of, 183L
Cotton celluloses II and III, structures of, investigated by electron diffraction technique, 555L
Coupling, nuclear, homopolymerization by, via aromatic radical cation initiation, 359L
CPMA-NMR, ^{13}C- and ^{31}P-, 409L
Crack propagation, in polyethylene, 749P
Craze deformation, analysis of stresses in, 1759P
Craze initiation, in poly(methyl methacrylate), 1423P
Crazing, in styrene–butadiene block copolymers, 253P
Critical temperature, in systems of two monodisperse polystyrenes in cyclohexane, 1405P
Crosslinked PE and PP, comparison of static mechanical properties of, 479L
Cross linked polymer-plasticizer compatability, 1767C
Crosslinked resins, 1239C
Crosslinking, in copolymerization of methyl methacrylate with difunctional monomer, 1675P
Crosslinking of linear polyethylene, 655C
Crosslinking reactions, 917C
Cross-polarization, magic angle NMR spectroscopy (CPMA-NMR), 409L
Cryogenic relaxation in polycarbonate, 295L
Crystal defects, and accordion-type Raman scattering in polyethylene, 1727P
Crystal faults in polyglutamate films, 1817P
Crystalline aggregation of dyes in cellulose fibers, direct evidence of, by electron diffraction, 131L
Crystalline and amorphous contributions to NMR of polyethylene, 109P
Crystalline morphology, influence of, on the dynamic mechanical properties of polyethylene, 435L
Crystalline polymers, semi, heat capacity hysteresis in, 261L
Crystalline transitions, in nylon 66, 467P
Crystallinity and crystal orientation, in nylon 6, 121P
Crystallinity and solvent diffusion in polyolefins, 889P
Crystallinity and thermal expansion of oriented polymers, 335P
Crystallites, in chlorosulfonated polyethylene, 23P
—, in polyethylene, distortion by chlorination of, 361P
Crystallization, epitaxial, of linear polyesters on trioxane and hydrocarbons, 1853P
—, epitaxial, of polyethylene on organic substrates, 1837P
—, isothermal, of bulk polyethylene, 1577P
—, in networks of ethylene–propylene copolymers, 1107P
—, of poly(butylene adipate)–Mg(II) complexes, 703P
—, of polyethylene, 539L
—, of poly(α-Methyl-α-*N*-propyl-β-propiolactones), 33P
—, process and morphology, in polyethylene, 1769P
—, of spherulites, model for light scattering pattern during, 49P
Crystal size distribution, in polyethylene, 667P
Crystal stability under mechanical stress, theory of, 1873P
Crystal structure, of poly(γ-benzyl L-glutamate), 653P
Cu-pyridine, as catalyst for oxidative coupling polymerization, 227L

Cure reactions, 619C
—, effect of carbon on sulfuration in rubber, 1835C
Curing reaction mechanisms, 549C
Cyclization, 271C
1,3-Cyclohexadiene, 773C
Cyclohexanone-formaldehyde (CF) resin, 3181C
Cyclohexene oxide, polymerization of, 2185C, 2541C, 2969C
Cyclopentadienylation of PVC, 9C
Cyclopolycondensation, 1261C(N)
—, in preparation of polypyrazoles, 1421C
Cyclopolymerization, 213C(N)
—, of acrylic and methacrylic anhydrides, 167L
—, of acrylic anhydride, 2531C
Cyclopropyl acids, 311C
Cyclopropyl amines, 311C

1,9-Decadiyne, oxidative coupling of, 227L
Dechlorination, 2269C
Decomposition kinetics, of azobisisobutyronitrile in mixed solvents, 507L
Decomposition mechanism, 907C
Deformation, accompanied by volume dilation, 1055P
—, and crystal stability, statistical mechanical treatment of, 1873P
—, of melt droplet in electric field, 933P
—, of polydiacetylene singie crystals, 293P
—, of polymers, transitions in, 1705P
—, in viscoelastic solids, theory of, 1371P
Degradation, of low-density polyethylene, 2007C
—, of polyethylene, 667P
—, of vinyl alcohol/vinyl acetate copolymers, 907C
Degradation of chloride-containing polymers, 3247C
Degraded network rubber polymers, structure and properties of, 283L
Dehydrochlorination of poly(vinyl chloride), 679C
Density fluctuations, below the glass transition, 1277P(N)
Dextran–*g*-polyacrylamides, 2229C
Diacetylenes, lipid-, photopolymerization of, 95L
—, polymerization of, 227L
—, solid-state polymerization of, initiation by Cl_2, 511L
Diallyl phthalate, 213C(N)
Diamino-*s*-triazines, 645C
4,6-Diamino-*s*-triazine reaction with urea, 1553C
Diaryliodonium salt/ascorbate redox couple, 539C
p-Dibromobenzene, Grignard reagent from poly(*p*-phenylene) prepared from, 85L
2,5-Dibromopyrrole, 1-substituted, pyrrole polymers from, 395L
2,5-Dibromoselenophene, Grignard reagent from, polymers formed by, coupling of, 347L
1,2-Di-9-carbazolylcyclobutane, trans- structure, polymers having, 11L
cis-1,4-Dichloro-2-butene, poly(*p*-phenylene) prepared using, 85L
α,α'-Dichloro-*p*-xylene, polycondensation of *t*-butyl cyanoacetate with, 205L
1,3-Dicyano-1,3-butadiene, 629C
Dielectric behavior, of polychlorotrifluoroethylene, 991P
Dielectric constant, anisotropic, of polyacetylene, 743P
—, of polyacetylene at microwave frequencies, 173P
—, of poly(4-methyl-1,3-dioxolane), 1739P
Dielectric loss, of oxidized polyethylene at low temperature, 221P
Dielectric relaxation, of amorphous polymers, temperature dependence of, 213P
—, of methyl methacrylate–styrene copolymers, 1333P
—, in nylon 66, 1211P
—, of polyesters with rings in chain backbone, 689P
—, of polyhydroxyether copolymers, 143P
Differential scanning calorimetry, of blends of polylactone with poly(vinyl halides), 1245P
—, of chlorosulfonated polyethylene, 23P
—, of copolyamides, 281P
—, of heterotactic PMMA, 1353P
—, of liquid crystalline polyesters, 951P
—, of nylon 66, 467P
—, of poly(butylene adipate)–Mg II complexes, 703P
—, of polyesters with rings in chain backbone, 689P
—, of polyethylene, 1577P
—, of polymerizing *p*-acryloylbenzoic acid, 837P
—, of poly(vinyl chloride), 1187P
—, of styrene–butadiene–styrene block copolymer, 1659P(N)
Differential thermal analysis, of polyethylene under high pressure, 1325P
Diffusion, of gases in polyethylenes and rubber, 1003P
Diffusion coefficients, of ring polymers (theory), 849P
Diffusion of penetrants, in polyethylene, polypropylene, and copolymers, 889P
—, in stretched polyisoprene, 77P
Dimerization of nucleic acid in solution, 219L
4-*N*,*N*-dimethylaminobenzene diazonium tetrafluoroborate, as photosensitizers, 201L
Dimethyl-*p*-vinylphenylsulfonium tetrafluoroborate, 843C(N)
α,ω-Diphenylpolyisobutylene, synthesis and characterization of, 2727C
Dipole moments and chain structure, of polyformals, 1739P
Dispersion polymerization, 115C
Displacement polymerization, 1635C
Distribution coefficient, for macromolecules in porous media, 405P
Distribution of molecular weight and chemical composition in acrylonitrile-styrene copolymer, 1377P
Divalentions, interaction of DNA with, 219L
Divinyl sulfones, 583C
DNA, interaction of Ca^{2+} and Mg^{2+}, 219L
1,11-Dodecadiyne, oxidative coupling of, 227L
Doping, in polyacetylenes, mechanism of, 249L
Drawing, effect on piezoelectric current in poly(vinylidene fluoride) of, 1365P
—, morphology of polyethylene affected by, 1489P
Drawing and orientation in poly(vinylidene fluoride) films, 941P
Drawn polymers, orientation distribution functions in, 93P
DSC, 95L, 261L
—, study of liquid crystalline solutions of cellulose acetate in trifluoroacetic acid by, 379L
DSC analysis, of PE-urea complex, 91L
—, of UV-irradiated acrylamide, 637L
DVB-styrene copolymer, adsorption of photochromic dye onto, 593L
Dyes, crystalline aggregation of, in cellulose fibers, 131L
Dynamic mechanical properties, of annealed polyethylene, 1435P
—, of chitosan, 1081P
—, of nylon 66, 467P
—, of polyurethanes, 1073P
Dynamic thermogravimetric analysis, of degradation kinetics, 1799P(N)
Dynamic viscoelasticity, in poly(dimethyl siloxane) networks, 1745P

Effect of surfactant, 115C
Elastomeric fibers, 523C
Elastomeric polycation, TCNQ electrically conductive, 331L
Elastomers, segmented polyurethane, casting of thick sheets of, 391L
—, Young's modulus of, estimation of, using TMA for, 475L
Electrically conductive TCNQ salt of elastometric polycation, 331L
Electroactive polymers, 203C
Electroinitiated polymerizations, 3325C
Electron diffraction, aggregation of dyes in cellulose fibers evidenced by, 131L
—, cotton celluloses II + III structures studied by, 555L
Electronic absorption spectra, of rigid-rod model compounds, 1475P
Electron microscopy, of beam-sensitive samples with multiple imaging, 1163P(N)

—, of crazes in styrene–butadiene block copolymers, 253P
—, of deformed polydiacetylene, 293P
—, of epitaxial crystals of polyethylene, 1837P
—, of linear polyethylene, 1769P
—, negative stain, 95L
—, of polypropylene, 609P
—, of PS/PMMA and rubber-modified polymer blends, 315L
Electron microscopy of epitaxial crystals of polyesters, 1853P
Electron paramagnetic resonance, 249L
Electron spin resonance, of radicals in polyisobutylene, 1141P
—, of spin-labeled polypropylene, 371P(N)
Electron transfer catalyst, 1085C
Electrostatic spinning of crystalline polymer fibers, 909P, 921P, 933P
Emulsifying effect of poly(hydrogenated butadiene-*b*-styrene) copolymers in LDPE/PS blends, 79L
Emulsion copolymerization kinetics, 939C
Emulsion particle size distribution, 925C
Emulsion photopolymerization of MMA, 2357C(N)
Emulsion polymerization, 925C, 1203C, 2619C
—, with cationic comonomer, 3005C
—, microstructure, 2619C
—, radical capture efficiencies in, 3173C
—, seeded, of styrene, 143L
Emulsion polymerization kinetics, Smith–Ewart equations for, steady-state solutions for, 533L
Encapsulation of pesticides, 1891C
Energy transfer between polymer bound dyes, 1847C
Environmental crazing, of poly(methyl methacrylate), 1423P
Enyne polymers, 271C
Episulfide group, polymers containing, crosslinking of, 201L
2,3-Epithiopropyl methacrylate, polymers and copolymers of, 201L
Epoxy copolymers, dielectric relaxation in, 143P
Epoxy films, glass-filled, effects of moisture on, 197P
Epoxy resin, crosslinked, interaction of sorbed water with, 1567P
Epoxy resins, 549C
—, effects of curing on T_g and moisture absorption of, 2443C
EPR, 249L
EPR spectroscopy, 1011C
Errata, 217C, 849C, 850C, 1801P, 1875C, 3357C
ESCA, 1319C
—, applied to characterization/weathering phenomena, 2843C
—, molecular core binding, 1945C
—, for nitrogen and oxygen functionalities in polymers, 1945C
—, peroxy identification, 1319C
—, relaxation energies, 1945C
ESR spectroscopy, 1217C
Esterification kinetics, 2901C
Esterolytic polymer catalysis, 1621C
Esterolytic polymer catalysts, 1757C
Ethane, plasma polarized, 2979C
Ethyl acrylate, 1C
—, copolymer of 2,3-epithiopropyl methacrylate with, 201L
Ethylene, plasma polarized, 2979C
Ethylene–propylene terpolymers, 1217C
Excluded volume effects on polymer reaction rates, 1841C
Extinction of diffusion flames, above poly(methyl methacrylate), polyoxymethylene, polyethylene, and polystyrene, 2591C

Ferric sodium tartrate, 999C
Fibers of Nylon 6 containing LiCl, spinning and properties of, 1549P
Fibroin, induced crystallization in, 185P(N)
Field-flow fractionation, thermal, 815P
Filled polymers, irreversible effects of moisture on glass-filled epoxy film, 197P
Films, polysiloxane, plasma-deposited, phase separation in, 119L
Flammability of aromatic polyamides, 2831C
Flexometer test, Goodrich, changes in rubber vulcanizate network structure during, 5L
Flory–Huggins χ parameter, gas chromatographic determination of, 1199P
Flory–Huggins parameter and separation factor in ternary systems, 1405P
Fluorocarbon ether, 427C
Fluoroolefin, copolymerization of methyl trifluoroacrylate with, radiation-induced, 599L
Fold length, initial of melt-crystallized PE, 539L
Formaldehyde-diamino-s-triazine polymerization, 645C
Fourier transform infrared, 119L
—, spectrum of cured, black-reinforced SBR, 189L
Fractional precipitation, 389C
Fracture, mechanism of, 749P
Free radicals, stabilization of, 609L
Free-volume concept, for the description of transport phenomena in the glassy region, 137L
Free volume in ethylene–propylene copolymers, 889P
FTIR, 119L, 189L
Fumaric acid, allyl ester of, polymerization of, effects of morpholine on, 59L
Fungi, biodegradation of polycaprolactones by, 159L
Furan–maleic anhydride copolymer, 1175C

Gas chromatographic study of polymer–solvent interactions, 1199P
GC, 401L
—, of PS, prepared by seeded emulsion polymerization technique, 143L
Gelation and surface growth of films of polyethylene–polypropylene blends, 1047P
Gelation in polycondensation reactions, 3219C
Gel formation, 1197C
Gel permeation chromatography, 707C
—, of acrylonitrile–styrene copolymers, 1377P
—, concentration dependence of distribution between pores and bulk, 405P
—, of degraded polyethylene, 667P
Glass, adhesion between polybutadiene and, 427L
—, polymeric, heat capacity hysteresis in, 261L
Glass transition, of heterotactic PMMA, 1353P
—, of methyl methacrylate–styrene copolymers, 1333P
—, orientational loss above the, 1273P(N)
—, of polystyrene from refractive index measurements, 1925P(N)
—, sorption isotherm near T_g, 1655P(N)
—, in styrene–butadiene–styrene block copolymer, 1659P(N)
—, temperature of polystyrene oligomers, effect of molecular weight, 1925P(N)
Glassy polymers, finite element analysis of crazing in, 1759P
—, gas sorption in, 1657P(N)
—, permeation of mixed gases in, 1513P
—, sorption of SO_2 in, 1895P
—, thermal density fluctuations in, 1277P(N)
Glassy region, transport phenomena in, 137L
Glow discharge, polymerization of cyclic organosiloxanes by, 369L
—, system, inductively coupled, polymers prepared from CF_4 and CH_4 in, 335L
D-Glucose, tetramethyl-, mutarotation of, catalyzed by polymer-bound 2-pyridone, 603L
Goodrich flexometer test, changes in rubber vulcanizate network structure during, 5L
GPC, 363L, 707C
—, of broad distribution polymers, concentration effects in, 483L
—, comparison with turbidimetric titration, 299L
Graft copolymerization, 831C(N), 2215C, 2313C, 2331C, 2749C, 3137C
Graft copolymers, 223C, 1265C(N)
Grafting, photoinduced, on polyolefin films, 457L
Grafting of 2(2-hydroxy-5-vinylphenyl)2H-benzotriazole, 3307C
Grafting reactions, 855C, 985C, 1509C, 1581C(N), 1689C, 3307C
—, γ-radiolysis induced, 1539C

Graft polymerization, 57C, 2229C

Halato-telechelic polymers, 415L
N-(halophenyl) Maleisoimides, hydrolytic conversion of, 2103C(N)
Head-to-head addition, anomalous, in radical polymerization of allylic compounds, 497L
Head-to-head vinyl polymers, 2377C, 2405C
Heat capacity hysteresis, of semicrystalline macromolecular glasses, 261L
Heat capacity of heterotactic PMMA, 1353P
Heats of interaction, 1445C
Hindered amine, photostabilization of PP by, 549L
Homopolymerization by nuclear coupling via aromatic radical cation initiation, 359L
Huggins viscosity equation, for the determination of molecular weights of copolymers, 523L
Hydrogen generation, viologen polymers in visible light effected, from H_2O, 65L
Hydrolysis kinetics, 51C
Hydrolytic stability, 427C
Hydrotalcite, effect of, on stabilization of PVC, 623L
Hydroxyapatite, 127C
3-Hydroxy-1,2-benzisoxazole, 1061C
Hydroxybenzoic acid, polyarylesters, 2681C
N-2-Hydroxyethylpiperazine-*N'*-2-ethane sulfonic acid, acrylic ester of, sodium salt, 103L

Immobilized trypsin, 3333C
Indene, polymerization of, 3325C
Inductively coupled glow discharge system, polymers prepared from tetrafluoromethane and methane in an, 335L
Infrared spectra, of chitosan, 1081P
—, of chlorinated polyethylene, 361P
—, of chlorosulfonated polyethylene, 23P
—, of epoxy composite under hydrolytic attack, 197P
—, of epoxy with sorbed water, 1567P
—, of phosphoric acid adducts of polyamides, 1827P
—, of poly(*t*-butyl acrylate), 1805P
—, of polyethylene and denterated polyethylene, 423P
—, of poly(vinyl chloride), 1187P
—, of poly(vinylidene fluoride), 1121P
—, of solvent-treated poly(ethylene terephthalate), 589P
—, of stressed polypropylene, 449P
—, of thermally polymerized *p*-acryloylbenzoic acid, 837P
Infrared spectroscopy, of sorbed vapor in films, 789P
Infrared study on the interaction of poly(vinyl chloride) and ketones, 155L
Inhibitors, effects of, on thermal polymerization of β-pinene, 53L
Initiation reactions, redox catalysis, 499C
Inorganic precipitate membrane, 1811C
Intramolecular curing reactions, 271C
Intramolecular cyclization, 619C
Intrinsic viscosities, of copolyamides, 281P
Intrinsic viscosity, of aromatic polyamide–hydrazide, 863P
—, of polyolefins, 763P, 773P
—, of stiff chains, effect of polydispersity on, 181P(N)
—, of vinylchloride–acrylonitrile copolymers, 1221P
Ionic clustering, in perfluorosulfonic acid ionomer, 1687P
Ion pairs, 869C
IPNs, semi-2, anionic synthesis of, 463L
—, semi-2, containing ABA poly(styrene-b-isoprene), 463L
γ-Irradiated organic crystals, ESR studies of, 3047C
Irradiated piezoelectric films, of poly(vinylidene fluoride), aging of, 289L
γ-Irradiation of trisubstituted vinylsilane, 3145C
IR studies, on thermal treatment of cotton celluloses, 183L
Isomerization, in polyacetylenes, mechanism of, 249L
Isotactic PMMA, effect of, on copolymerization of MMA with styrene, 401L
Itaconic anhydride, amine catalyzed isomerization of, 2243C

Kangaroo tail tendon, 3165C
Ketones, interaction with PVC, IR study of, 155L
Kinetics, of emulsion polymerization, Smith–Ewart equations for, steady-state solutions for, 533L
—, of polymerization of ethyl acrylate, 2671C
$K_2S_2O_8$–Fe(II) redox system, 2115C(N)

Ladder-type polymers, 1745C
Lamellar morphological structure, of HTP, and its dependence on ion content, 415L
Letters, 3023C
Light scattering, from anisotropic rodlike texture, 59P
—, Brillouin spectra of stretched poly(vinylidene fluoride), 941P
—, of polyethylene in 1-chloronaphthalene, 189P
—, small-angle, from growing spherulites, 49P
—, from solutions of polyamide–hydrazide, 863P
—, in solutions of RNA, laser-induced changes in, 273P
—, from solutions of vinylchloride–acrylonitrile copolymers, 1221P
—, from spherulites in electric field, 1531P
Lignin degradation, molecular weight and distribution of degradation products, 2065C
—, of ozone, 2053C
—, selectivity, 2079C
Lipid-diacetylenes, photopolymerization of, 95L
Liquid crystal, 1133C
Liquid-crystalline phases, molecular dynamics and rheology in, 229P
Liquid-crystalline polyesters, thermal behavior of, 951P
Liquid crystalline polymer, trifluoroacetoxypropyl cellulose as, 495L
Liquid-crystalline polymers, of *p*-acryloylbenzoic acid, 837P
Liquid crystalline solutions, cellulose acetate in TFA, 379L
—, of cellulose triacetate, 1449P
Liquid crystal polymers, 1901C
Liquid crystals, lyotropic, of copolyamides, 281P
—, of poly(γ-benzyl L-glutamate), 1167P(N)
Long chain branches, 2027C
Lyotropic properties, 151C
Lyotropic trifluoroacetoxypropyl cellulose, 495L

Macromolecular ligand, 175C
Macromonomers, synthesis of, using N-hydroxyethyl-N-methacrylamide in, 629L
Macroreticular redox resins, 785C
Maleic acid, allyl ester of, polymerization of, effects of morpholine on, 59L
Maleic anhydride, 35C
—, homopolymerization of, radical-induced, 107L
Mechanical properties, of monolayer polydiacetylene fibers, 165P
—, of Nylon 6 fibers spun from LiCl mixture, 1549P
—, of polyethylene–polystyrene blends with copolymer emulsifier, 1269P(N)
—, tensile strength of polyethylene, 1007P(N)
Mechanical properties of drawn polymers, 1873P
Mechanical properties of polymers, by a microwave resonant technique, 75L
Mechanochemical polymerization, of acetylene, 355L
Melt, electrostatic deformation of pendant drop of, 933P
Melt-crystallized polyethylene, initial fold length of, 539L
Melting behavior, of annealed polyethylene, 1435P
—, of polylactone–poly(vinyl halide) blends, 1245P
—, of polypropiolactones prepared with different initiators, 33P
Melt spinning, in electric field, 921P
—, flow field in electrically driven jet, 921P
Melt spinning in electric field, 909P
Membranes, bimolecular, photopolymerization of lipid-diacetylenes in, 95L

—, charge-mosaic, preparation and properties of, 1663P
—, porous, permeation of proteins and H_2O in, 303L
Membrane selectivity, Eisenman–Sherry model, 1811C
l-Menthyl mercaptoacetate, reaction of, with α-methylstyrene, 49L
l-Menthyl methacrylate, reactions of thiols with, 49L
Mesomorphism, of cellulose in solution, 1231P
Metalation, 57C
Metal complex azo dyes, 131L
Metal ion binding, 397C
Metallic ion adsorption, 785C
Methacrylamide, aqueous polymerization of, 1517C
—, $KBrO_3$-TGA redox initiated, 1517C
Methacrylic acid, grafting of, onto polyolefin films, 457L
Methacrylic anhydride, cyclopolymerization of, 167L
N-Methacryloylaziridine, anionic polymerization, 2647C(N)
Methallyl esters, radical polymerization of, anomalous head-to-head addition in, 497L
Methane, polymers prepared from CF_4 and, 335L
Methyl acrylate-styrene-aluminum sesquichloride system, alternating copolymerization in, 239L
Methyl α-cyanocrotonate, 73C
α-Methyl-α-ethyl-β-propiolactone, 1781C
Methyl methacrylate, 371C
—, grafting of, onto polyolefin films, 457L
Methyl methacrylate copolymerization, in the presence of a template, 401L
Methyl methacrylate polymerization, 1101C
—, effect of mixed solvents, 2305C
α-Methylstyrene, reaction of *l*-menthyl mercaptoacetate with, 49L
Methyl trifluoroacrylate, copolymerization of fluoroolefin with, radiation-induced, 599L
Microemulsions, 1585C(N)
Microstructure of vinyl acetate–butyl acrylate copolymers, 2619C
Microwave properties, of polyacetylene, 173P
Microwave resonant technique, in determination of polymer mechanical properties, 75L
MMA, copolymerized with styrene, in presence of isotactic PMMA, 401L
Mobility, solvent, in macromolecular solutions, 561L, 567L
Mobility of polymer molecules, in interfaces of gels, 1285P
Modification, chemical, of poly(*N*-vinylcarbazole), 235L
—, of poly(vinyl chloride), 623L
Molecular design of multicomponent polymer systems, 79L
Molecular motion, in polyesters with rings in chain backbone, 689P
—, in polyethylene, effect of supermolecular structure on, 631P
—, in polyhydroxyether copolymers, 143P
Molecular orientations, in polyolefin solutions, 763P, 773P
Molecular relaxation, in polyethylene by radiothermoluminescence, 1177P
Molecular weight determination, 389C
Molecular weight distribution, and hydrodynamic behavior of stiff chains, 181P(N)
—, neutron scattering affected by, 1019P
—, by thermal field-flow method, 815P
Molecular weights, of polymers, Huggins viscosity equation used to determine, 523L
Monomer sequence distribution in alternating acrylonitrile-styrene copolymers, analysis of by ^{13}C-NMR, 211L
Morpholine, effects of, on polymerizability of allyl maleates, 59L
Morphology, of annealed polyethylene, 1435P
—, of beam-sensitive polymers by multiple-imaging electron microscopy, 1163P(N)
—, of cellulose triacetate liquid crystals, 1449P
—, of charge-mosaic membranes, from polyethylene-copolymer blends, 1663P
—, of chitosan films, 1081P
—, of chlorinated poly(vinyl chloride), 1157P(N)
—, crystalline, of PE, effect of, on dynamic mechanical properties, 435L
—, of deformed polydiacetylene, 677P
—, of drawn polyethylene from Raman spectroscopy, 1489P
—, of fibers, from polydiacetylene monolayers, 165P
—, of films of polystyrene blends, 1255P
—, of oriented polypropylene films, 609P
—, of perfluorinated membrane resin, 1687P
—, of polydiacetylene under deformation, 293P
—, of telechelic polymers, 415L
Motionless "ultracentrifuge", 321L
Multicomponent polymer systems, molecular design in, 79L
Mutarotation, of tetramethyl-D-glucose, catalyzed by polymer-bound 2-pyridone, 603L

NADH, redox reagents, 1591C
NADH model compounds, bound to PS beads, asymmetric reduction by, 17L
Nafion membranes, small-angle scattering from, 1P
Neighboring effect in polymer catalysis, 1937C
Networks, in adhesive joints, formation of, 1619P, 1635P
—, of end-linked polydimethylsiloxane, 621P
—, epoxy–water interactions in, 1567P
—, of ethylene–propylene copolymers, elasticity and birefringence of, 1107P
—, experimental tests of theoretical models of, 1603P
—, of model polyurethanes, 507P
—, permeability of polyacrylamide gels, 1505P
—, of poly(dimethyl siloxane), dynamic mechanical properties of, 1745P
—, of poly(dimethyl siloxane), stress–strain behavior in, 1603P
—, Raman spectra of polyacrylamide gels, 353P
—, temperature and salt effects on viscoelasticity of polyurethane, 1073P
—, theory of stress–strain relations in, 829P
Network structure of rubber vulcanizate, changes in, during Goodrich flexometer testing, 5L
Network theory, of concentrated polymer solutions, 531P, 557P
Neutron scattering, from normal and tagged (deuterated) polymers, 1011P(N)
—, in polymer with ionic sidechains (Nafion), 1P
—, from solutions of block copolymers, 1019P, 1033P
N-Hydroxyethyl-N-methylmethacrylamide, and its use in the macromonomer synthesis, 629L
Nitro-displacement polymerization, 1635C
Nitrosyl complexes, 1697C
NMR, 103L
—, ^{13}C, 29L, 167L
—, ^{13}C-, branching in PVC investigated by, 363L
—, ^{13}C-, monomer sequence study in alternating copolymers by, 211L
—, CPMA-, 409L
—, ^{1}H, 29L, 167L
NMR studies, asymmetric polyamides, 349C
N,N′-bis(3-aminopropyl)piperazine, polycation prepared from, 331L
N-(Nitroaryl)acrylamides, copolymerization of 2-(cinnamoyloxy)ethyl methacrylate with, 177L
^{15}N-NMR of polyaminamides, 2195C
1,8-Nonadiyne, oxidative coupling of, 227L
N-oxyl biradical copolymers with xylylene, effect of, on photooxidation of polypropylene, 609L
Nuclear coupling, homopolymerization by, via aromatic radical cation initiation, 359L
Nuclear magnetic resonance, of chlorinated polyethylene, 361P
—, of linear and branched polyethylenes, 631P
—, magic-angle spectra of polyphenylacetylene, 1151P(N)
—, of polyesters with rings in chain backbone, 689P
—, of polyethylene, 109P
—, of *cis*-polyisoprene with penetrants, 77P
—, of poly(vinyl acetate) and ethylene–vinyl acetate copolymer, 1593P
—, of solid and molten polyethylene, 803P
Nuclear magnetic resonance and transitions in polymers, 13P

Nuclear magnetic resonance study, of demixing in polyisobutylene solutions, 1395P
Nucleation of spherulites, computer modeling of, 721P, 731P
Nuclei, aromatic, polymerization of, 347L
Nucleic acid, dimerization of, 219L
Nucleic acid bases, polymer containing, 477C
N-Vinyl pyrrolidone, cationic polymerization of, 29L
—, free radical polymerization of, 29L
Nylon 6, 831C(N)
—, drawing behavior of, 1705P
—, five-line model for x-ray scans of, 121P
—, viscosity measurements in $SbCl_3$, 2287C
Nylon 5,7, 165C
—, thermal studies, 165C
—, x-ray studies, 165C
Nylon 66, crystalline transitions in, 467P
—, dielectric relaxations and water in, 1211P
—, ESCA studies of natural weathering of, 2843C
Nylon 6 and 66, semicrystalline, heat capacity hysteresis in, 261L
Nylon 6–lithium chloride mixtures, fibers spun from, 1549P

Octadecyl acrylate, 257C, 443C
Olefins, thiol addition to, asymmetric induction in, 49L
α-Olefins copolymerization, 1525C
Oligomerization, anionic, of 2-(2-pyridyl)propene, stereochemistry of, 309L
—, anionic, of vinyl monomers, stereochemistry of, 309L
Oligomerization of styrene, 1957C
Onion skin, 397C
Optically active polyesters, 1781C
Optical microscopy, of anisotropic phases of copolyamides, 281P
—, of polyethylene–polystyrene blends emulsified with copolymer, 1269P(N)
—, of polymerizinc *p*-acryloylbenzoic acid, 837P
Optical resolution, of atropisomeric poly(triphenylmethyl methacrylate), 451L
Optical spectroscopy, of deformed polydiacetylene, 677P
Organometallic polymers, 3351C(N)
Organosilane polymers, 65C
Organotin catalysts for polyurethane formation, 3063C
Orientation distribution functions, for uniaxially drawn polymers, 93P
Orientation in stretched films of poly(ethylene terephthalate), Brillouin scattering study of, 1911P
Oxidation, photo-, of PP, effect of copolymers of xylylene with N-oxyl biradical on, 609L
Oxidation catalyst, 287C
Oxidative coupling, Cu-pyridine catalyst for, 227L
—, polymerization of diacetylenes by, 227L
Oxidative degradation of polybenzimidazole, 601C

PE, blends with PS, emulsifying effects of poly(styrene-*b*-hydrogenated butadiene) on, 79L
Perfluorinated resin membranes, morphology of, 1687P
Perfluorovinyl acetic acid, 1525C
Permeability, of polyacrylamide gels, 1505P
Permeable polymer coils with heavy segments, sedimentation rate in, 567L
Permeation, of mixed gases in glassy polymers, 1513P
—, of water and proteins, in porous membranes, 303L
Peroxydiphosphate–silver ion redox system, 2111C(N)
Peroxydiphosphate–sodium thiosulfate redox system, 839C(N)
PE-urea complex, low-temperature form of, 91L
Phase equilibria, in concentrated polyisobutylene–toluene system, 1395P
—, in solutions of polyamide–hydrazide, 863P
—, in ternary systems of monodisperse polystyrenes and cyclohexane, 1405P
Phase separation, in plasma-deposited polysiloxane films, 119L
—, in polyamic acid–ether systems, 1385P
—, of polymer blends in films, 1255P
Phase structure, of aromatic polyimide (Kapton), 1293P
Phase-transfer-catalyzed polycondensation, 2989C
Phase-transfer-catalyzed polycondensation of α,α′-dichloro-*p*-xylene with *t*-butyl cyanoacetate, 205L
Phase transitions, in copolyamide liquid crystals and solid solutions, 281P
Phenol–formaldehyde reactions, computer simulation, 1609C
Phenolphthalein related copolycarbonates, 2151C
Phenoxaphosphine rings, 1037C
Phenoxazinyl group, polymer containing, 2571C
p-Phenylene diacrylic acid dimethyl ester, 1291C
Phenylvinyl alkyl ethers, 35C
2-Phenylvinyl alkyl ethers, 595C(N)
Phosphoramidate, copolymers with carboxamides, as new polyamides, 617L
Phosphoramide, copolymers with carboxamides, as new polyamides, 617L
Phosphoric acid adducts of nylon 6 and poly(*p*-benzamide), 1827P
Phosphorus-containing polymers, 591C(N), 1037C
Photocatalytic activities of porphyrins trapped in polymer matrices, 193L
Photochemical reactions on polymers containing thymine bases, 1733C
Photochromic dye, adsorption of, onto styrene-DVB copolymer, 593L
Photoconductive polymers, 305C
—, trans-1,2-di-9-carbazolylcyclobutane structure containing, 11L
Photocrosslinking, 1155C
—, of polymers bearing episulfide groups, in the solid phase, 201L
Photocuring, 855C
Photodegradation, 1167C
Photodimerization, 1733C
—, of oligo- and polyethyleneimine derivatives, 2519C
—, of thymine bases, 3315C
—, of thymine, 2347C
Photoinduced grafting, of vinyl monomers, on polyolefin films, 457L
Photoinitiated polymerization, 103C
Photoirradiation, effect of, on adsorption of photochromic dye onto styrene-DVB copolymer, 593L
Photon correlation spectroscopy, of polymer solutions, 1471P(N)
Photooxidation, of PP, effect of copolymers of xylylene with N-oxyl biradical on, 609L
Photopolymerization, 1291C
—, of ethyl acrylate by sodium fluorescein-ascorbic acid system, 2671C
—, of methyl methacrylate, 2457C
Photopolymerization of lipid-diacetylenes in bimolecular-layer membranes, 95L
Photopolymers, 2704C
Photoreduction of polymers, 2635C
Photoregulated binding ability, 3039C
Photosensitive groups, polymers containing, 177L
Photosensitive polymers, 2704C
—, containing pendant *p*-(2-benzoyl vinyl)cinnamate groups, 113L
—, with pendant photosensitive group and photosensitizer group, 177L
Photosensitizer, 855C
Photosensitizer groups, polymers containing, 177L
Photosensitizers, 201L
Photostabilization, of polypropylene, by a hindered amine, 549L
Piezoelectric films, of poly(vinylidene fluoride), γ-irradiated, aging of, 289L
Piezoelectricity, of poly(vinylidene fluoride), 1365P
β-Pinene, thermal polymerization of, effects of inhibitors on, 53L
Plasma-deposited polysiloxane films, phase separation in, 119L
Plasma-exposed polymerization, of cyclic organosiloxanes in the condensed phase, 369L

Plasma polymerization, 2129C, 2689C
—, of tetrafluoroethylene, 2933C
Platinum, colloidal, viologen polymers stabilized, in visible light, H_2 generation from H_2O, 65L
PMMA, isotactic, effect of, on copolymerization of MMA with styrene, 401L
—, reaction of red phosphorus with, 409L
Polarizability, of RNA in strong optical field, 273P
Polarization study, by thermally stimulated current technique, 1461P
Polarizing microscopy, of spherulites deformed in electric field, 1531P
Polyacetylene, anisotropy of dielectric constant of, 743P
—, as example of an organic metal, 249L
—, microwave properties of, 173P
Polyacetylenes, 1155C
Polyacrylamide, effect of initiation rate on gel permeability of, 1505P
—, high shear viscosity of solutions of, 1173P(N)
—, Raman spectra of, 353P
Polyacrylamide analysis by aqueous, 707C
Poly(acrylic acid), head-to-head polymerization, 2377C
Polyacrylonitrile, reactions of, 2865C
Polyacrylonitrile gels, permanently porous, 125L
Polyamic acid, 795C
—, phase behavior in concentrated solutions of, 1385P
Polyamide, catalysts, 3345C(N)
—, liquid crystals, 151C
—, new synthetic routes, 2091C
Polyamide-acids, solution properties of, 2551C
Polyamide containing pyridine, 151C
Polyamide-esters, preparation and properties of, 3285C
Polyamide-hydrazide, persistence length in solutions of, 1339P
Polyamide-imides, 1037C
Polyamide preparations, 1061C
Polyamides, 1061C
—, aromatic, by direct polycondensation in presence of $(C_6H_5)_3P$, 343L
—, asymmetric, 311C
—, copoly(phosphoramidate-carboxamide)s as, 617L
—, copoly(phosphoramide-carboxamide)s as, 617L
—, crystalline stoichiometric adducts of phosphoric acid with, 1827P
—, from *N*-hydroxy compounds, 2091C
—, phenolphthalein containing, 2659C
—, preparation of, 2743C
Polyaminamides, preparation and characterization of, 2195C
Poly(*β*-aminoketone)s, by polycondensation of bis(*β*-dialkylaminoketone)s with bisamines, 443L
Poly-2-(2-azido-5-nitrobenzoyloxy)ethylmethacrylate (P-II-A), 2704C
Poly-2-(4-azido-3-nitrobenzoyloxy)ethylmethacrylate (P-II-B), 2704C
Polybenzimidazole, 591C(N), 601C
Polybenzoxazoles, 591C(N)
Polybenzoylenebenzimidazoquinazolines, 1745C
Poly(γ-benzyl L-glutamate), crystal modifications of, 653P
—, deformation of spherulites in electric field, 1531P
—, liquid crystals, helical twisting, power of, 1167P(N)
Poly(1-benzyl-2,5-pyrrolylene), synthesis and properties of, 395L
Polybiscitraconimides, 451C
Polybutadiene, adhesion between glass and, 427L
—, hypersonic relaxation in, 1791P
—, infinite dilution solubility parameter of, 1199P
—, interfacial adhesive bonding of ethylene-propylene copolymer with, 1635P
—, pyrolysis gas chromotography of, 3197C
—, radiation induced polymerization, 1977C
—, self-adhesive bonding of, 1619P
—, stress relaxation at large deformation, 151P
—, telechelic, 415L
—, thermal decomposition of, 3197C
Poly(butadiene-co-acrylonitule), infinite dilution solubility parameter of, 1199P
Poly(*t*-butyl acrylate), molecular vibrations in, 1805P
Poly(*t*-butyl aziridine), reactions of, 1985C
Poly(butylene adipate)–Mg II complexes, melting behavior of, 703P
Poly(butylene terephthalate), 1021C
Poly(caprolactone), semicrystalline, heat capacity hysteresis in, 261L
Polycaprolactones, biodegradation of, by fungi, 159L
Polycarbonate, cryogenic relaxation in, 295L
—, degradation of phenolphthalein containing, 2771C
—, drawing behavior of, 1705P
—, permeability of mixed gases in, 1513P
—, phenolphthalein containing, 2659C
Polycation, TCNQ salt, electrically conductive, 331L
Polychlorinated polyesters, 729C
Polychloroprene, infinite dilution solubility parameter of, 1199P
Poly(chlorotrifluoroethylene), dielectric loss and anisotropy in, 991P
Polycondensation, of diethyl chelidonate (DEC), 1361C
—, phase-transfer-catalyzed, 2989C
Polycondensation and gelation, 3219C
Polycondensation reaction, 2743C
—, molecular weight control in, 2609C
—, novel, 2091C
—, with triphenyl phosphite and pyridine, 3345C(N)
Polydiacetylene, deformation of crystals, 293P
—, monolayer fibers of, 165P
—, resonance Raman and optical spectroscopy of, 677P
—, spectroscopy of, 321P
Polydiacetylenes, structure of, in solution, 529L
Poly(2,6-dimethyl-1,4-phenylene oxide), 1367C
—, photo-oxidation of, 2763C
Poly(dimethyl siloxane), bimodal networks of, 621P
—, elastic properties of networks of, 1603P
—, stress relaxation and viscoelasticity in networks of, 1745P
Polydimethylxylylenylamides, 2891C
—, synthesis and properties of, 2891C
Polydispersity of polymers, determined from autocorrelation function, 1471P(N)
Poly(1,11-dodecadiyne), and related polymers, synthesis and characterization of, 227L
Polyelectrolyte adsorption, 127C
Polyelectrolyte-dye interactions, 1847C
Polyelectrolyte effect, 2287C
Polyelectrolytes, 27C, 127C, 287C
—, concentration dependence of enthalpy of dilution and apparent molal volume of, 1015P(N)
—, maleic acid copolymer, Ca^{2+} ion activity in solutions of, 1171P(N)
Polyenyl radicals, production of, by mechanochemical method, 355L
Poly(2,3-epithiopropyl methacrylate), 201L
Polyester, thermotropic, 1901C
Polyesterification kinetics, 2901C
Polyesterification kinetics of, 3123C
Polyesters, 729C
—, containing conjugated diacetylenes, 1155C
—, derived from *p*-hydroxyphenzoic acids, 2681C
—, epitaxial crystallization of, 1853P
—, mesophase transitions in, 951P
—, phenolphthalein containing, 2659C
—, with rings in chain backbone, molecular relaxations of, 689P
Polyetherimides, 1635C
Polyethers, 749C
Poly(ether urethanes), synthesis and characterization, 2651C(N)
Polyethylene, 655C
—, amorphous surface layer thickness from x-ray diffraction, 1237P
—, chain dimensions in 1-chloronaphthalene, 189P
—, chain folding in, 423P
—, crosslinked, static mechanical properties of, 479L
—, crystallinity after chlorination, 361P
—, crystallization temperature and morphology of, 1769P

—, crystal size distribution, 667P
—, diffusion of gases in, 1003P
—, dynamic mechanical properties of, effect of crystalline morphology on, 435L
—, effect of chlorosulfonation on crystallinity of, 23P
—, electrostatic fiber spinning of, 909P
—, environmental stress cracking of, 749P
—, epitaxial crystallization of, 1837P
—, ESCA studies of natural weathering of, 2843C
—, high pressure of DTA and x-ray diffraction, 1325P
—, light scattering in 1-chloronaphthalene solutions of, 189P
—, melt-crystallized, initial fold length of, 539L
—, molecular motions in crystalline and noncrystalline components, 109P
—, molecular relaxation in, 1177P
—, morphology of blends of, 1047P
—, NMR of, 631P
—, order in melt-crystallization of, 1577P
—, oriented linear, morphology of, 1489P
—, oxidized, low-temperature dielectric loss of, 221P
—, peak broadening of SAXS of, 487P
—, phase transition under high pressure of, 1313P
—, radiation induced oxidation, 2123C(N)
—, radiation-thermal degradation, 2041C
—, radical decay in, 983P
—, Raman scattering and crystal defects in, 1727P
—, silica-based catalysts, 1967C
—, solid and molten, NMR of, 803P
—, sorption and diffusion of solvents in, 889P
—, stress, sorption of vapor in, 789P
—, tensile strength and Young's modules of, 1007P(N)
—, ultradrawn, 877P
Poly(ethylene-co-propylene), self-adhesive bonding of, 1619P
Poly(ethylene-co-vinylacetate), infinite dilution solubility parameter of, 1199P
Polyethylene degradation, 2007C
Polyethylene films, photoinduced grafting of vinyl monomers onto, 457L
Polyethyleneimines containing thymine bases, 2519C
Poly[ethylene methylene bis(4-phenyl-carbamate)-*g*-acrylonitrile], 57C
Poly(ethylene oxide), 1451C
—, hydroxyl terminated, 2119C(N)
—, semicrystalline, heat capacity hysteresis in, 261L
Polyethylene-*co*-propylene, radiation induced oxidation, 2123C(N)
Polyethylene-*g*-styrene, 1539C, 1689C
Poly(ethylene terephthalate), Brillouin light scattering in, 1911P
—, Brillouin scattering from, 1273P(N)
—, drawing behavior of, 1705P
—, semicrystalline, heat capacity hysteresis in, 261L
—, solvent interactions with films of, 589P
Polyethylenimine, 1757C
Polyethylenimine catalysts, 1621C, 1757C
Poly(9-ethyl-3-vinylcarbazole), properties of, 2857C
Polyhydrazides, 1409C
—, preparation & properties, 1409C
Poly(hydrogenated butadiene-*b*-styrene), emulsifying effects of, in LDPE/PS blends, 79L
Poly(*N*-2-hydroxyethylpiperazine-*N'*-2-ethane sulfonic acid, acrylic ester of, sodium salt), 103L
Polyimide, 451C, 795C
—, reaction kinetics, 2255C
—, synthesis, 1635C, 2105C
Polyimide-carbonates, 1855C(N)
Polyimide (Kapton), molecular aggregation in, 1293P
—, sorption and transport of SO_2 in, 1895P
Polyimides derived from bis-*N*-hydroxyimides, 1855C(N)
Polyimide synthesis, 2255C
Polyimide-urethanes, 1855C(N)
Polyion complexes, binding of organic anionic dyes, 3237C
Polyisobutylene, irradiated, ESR of radicals in, 1141P
—, NMR study of demixing in concentrated solutions of, 1395P
—, phenol terminated, 2119C(N)
—, terminally functional, 2719C
Polyisoprene, cis-, new class of spherulite in, 585L
—, hypersonic relaxation in, 1791P
—, stretched, NMR and diffusion of penetrants in, 77P
Poly(isoprenyl)lithium, 1445C
Polymer adsorption in platinum, 2451C
Polymer blends, 1451C, 1801P(E)
—, electron microscopy of, 315L
Polymer-bonded nitroxyl radicals, 807C
Polymer catalysis, 1621C, 1757C
—, acyl transfer reactions, 1937C
—, hydrolysis of dextrin, 1885C
—, oxidation, 287C
Polymer combustion, 1921C
Polymer degradation, lignin, 2053C
—, radiation-thermal, 2041C
Polymer flammability, 2151C, 2659C, 2771C
Polymeric azides, preparation and reactions, 1337C
—, preparation and reactions of, 3269C
Polymeric azodyes, 3039C
Polymeric buffer, zwitterionic, 103L
Polymeric catalysis, 2915C
Polymeric liquids, 3.4 power law of viscosity of, 265L
Polymeric organolithiums, 1445C
Polymeric porphyrins, 1109C
Polymeric supports, 3333C
Polymeric triazoles, 3269C
Polymeric 1,2,3-triazoles, 1337C
Polymerization, of allyl esters of unsaturated acids, 59L
—, of aromatic nuclei, 973C
—, of diallyl compounds, 213C(N)
—, of dimethyl-*p*-vinylphenylsulfonium tetrafluoroborate, 843C(N)
—, of diphenoquinodimethanes, 1273C(N)
—, of ethylene, 741C
—, initiation rate and gel permeability of polyacrylamide, 1505P
—, of methyl methacrylate, 719C
—, of pentafluorobenzene, 2129C
—, plasma initiated, 119L
—, of propenylbenzene derivatives, 695C
Polymer matrices, 2297C
—, polycondensation reactions in, 2609C
—, porphyrins trapped in, photocatalytic activities of, 193L
Polymer-polymer-solvent compatibility, 299L
Polymer pyrolysis, ESR methods in study of, 1475C
Polymer reactions, 2865C, 2877C
—, effect of excluded volume, 1841C
—, poly(*t*-butyl aziridine), 1985C
Polymer solubilities in microemulsions, 1585C(N)
Polymer surfaces, 1319C
Poly(4-methyl-1,3-dioxolane), dipole moments of, 1739P
Poly(α-methyl-α-ethyl-β-propiolactones), 1781C
Poly(γ-methyl L-glutamate-co-γ-benzyl L-glutamate), x-ray diffraction in films of, 1817P
Poly(methyl methacrylate), combustion, 1921C
—, craze initiation in, 1423P
—, heterotactic, glass transition and heat capacity of, 1353P
—, kinetics of burning of, 1131P
—, as seed in emulsion polymerization of styrene, 143L
Poly(methyl methacrylate)/PS blends, electron microscopy of, 315L
Poly(4-methyl-1-pentene), x-ray scattering of, 1865P
Poly(α-Methyl-α-*N*-propyl-β-propiolactones), effect of initiator on crystallization of, 33P
Poly(N-vinyl pyrrolidone), tacticity of, 29L
Polyolefin films, photoinduced grafting of vinyl monomers onto, 457L
Polyolefins, intrinsic viscosity and chain conformation of, 763P
—, intrinsic viscosity and solvent steric hindrance by, 773P
Poly(olefin sulfone)s, 45C
Poly(olefin-*g*-TFE), 2331C
Polyoxacyclobutane, planar zigzag modification of, 1153P(N)

Poly(*p*-oxybenzoate)oligomers, mesophases of, 837P
Poly(*N*-oxyimide)s, 687C
Polyoxymethylene, x-ray diffraction of, 1923P(N)
Polypentadiene, 955C
Polyphenylacetylene, 1011C
—, magic-angle ^{13}C NMR of, 1151P(N)
Poly(*p*-phenylene), 89C, 235C
—, from *p*-dibromobenzene, magnesium, and 1,4-dichloro-2-butene, 85L
—, ESR studies, 235C
Poly(*p*-phenylene benzbisoxazole) (PBO), spectra of model compounds for, 1475P
Poly(*p*-phenylene benzbisthiazole) (PBT), spectra of model compounds for, 1475P
Poly(phenylene oxide)s, coupling reactions, 1367C
—, ESCA studies of natural weathering of, 2843C
—, reactions with quinones, 1367C
Poly(*p*-phenylene terephthalamide), 1133C
Polyphenylmethacrylate, 51C
Poly(1-phenyl-2,5-pyrrolylene), synthesis and properties of, 395L
Polyphosphazenes, 917C
—, thermomechanical transitions in, 2495C
Polyphthalimidines, synthesis of, 2837C
Poly(β-pinene), 669C
Polypropylene, 1475C
—, combustion, 1475C, 1921C
—, crosslinked, static mechanical properties of, 479L
—, drawing behavior of, 1705P
—, electrostatic fiber spinning of, 909P
—, ESR study of flame retardations in combustion of, 1495C
—, grafting of p-styryl diphenyl phosphine on, radiation-induced, 23L
—, microstructure of oriented films of, 609P
—, morphology of blends of, 1047P
—, photooxidation of, effect of copolymers of xylylene with N-oxyl biradical on, 609L
—, photostabilization of, by hindered amine, 549L
—, sorption and diffusion of solvents in, 889P
—, spin-labeled, ESR of, 371P(N)
—, vibrational frequency shifts under stress in, 449P
Polypropylene films, photoinduced grafting of vinyl monomers onto, 457L
Polypyrazoles, preparation and properties, 1421C, 2161C
Poly(pyridinyl radical), 1591C
Polyquinazolones, 1261C(N)
Polyquinoxalines, intermediates, 1349C
Poly(2,5-selenienylene), synthesis and properties of, 347L
Polysiloxane films, plasma-deposited, phase separation in, 119L
Polystyrene, blends with LDPE, emulsifying effects of poly(styrene-*b*-hydrogenated butadiene) on, 79L
—, crosslinked beads, grafting of p-styryl diphenyl phosphine on, radiation-induced, 23L
—, crosslinked resin, 175C
—, degradation, 2175C
—, gel point, 195C
—, high shear viscosity of solutions of, 1173P(N)
—, molecular ordering in films of, 599P
—, molecular weight distribution in thermal polymerization of, 2419C
—, phase equilibria in ternary systems of, 1405P
—, photo oxidation of, 2763C
—, with random long chain branches, 2027C
—, reaction with ozone in CCl_4, 2175C
—, shear stress and birefringence in concentrated solutions of, 517P
—, sorption of organic vapors by, 307P
—, viscoelastic properties of sulfonated ionomers of, 1641P
Polystyrene beads, NADH model compounds bound to, asymmetric reduction by, 17L
Polystyrene-*g*-bicyclic acetals, 2313C
Polystyrene chelates, 175C
Poly(styrene-*b*-hydrogenated butadiene), emulsifying effects of, in LDPE/PS blends, 79L
Polystyrene latex, sorption of acrylic acid–naphthylacrylamide copolymers on, 245P
Polystyrene/PMMA blends, electron microscopy of, 315L
Polystyrene–polyisoprene block copolymers, conformation of, 1033P
Poly(styryl)lithium, 1445C
Polysulfonamide, 1197C
Polysulfone-amines, synthesis of, 3023C(L)
Polysulfones, 271C
—, ESCA studies of natural weathering of, 2843C
Polysulfone-sulfides, 583C
Poly(terephthaloyl *p*-amino benzyhydrazide) X-500, molecular conformation of, 863P
Polytetrafluoroethylene, effect of ionizing radiation, 2465C
—, surface modification, 819C
Poly[(tetramethyl-*p*-silphenylene) siloxane], thermal degradation of, 2595C
Polythioesters, preparation of, 2167C
Polythiol, castor oil tris(thioglycolate) as, 505L
Poly[trans-1(3-vinyl-9-carbazolyl)-2-(9-carbazolyl)cyclobutane], 2857C
Poly(triphenylmethyl methacrylate), atropisomeric, optical resolution of, 451L
Poly(trisubstituted vinylsilane), 3145C
Polyurea–carbonates, 1279C(N)
Polyurethane, 57C, 139C
—, crosslinking reactions, 3181C
—, elastomer, segmented, casting of thick sheets of, 391L
—, kinetics and mechanism in formation of, 3063C
Polyurethane elastomers, of controlled molecular structure, 507P
Polyurethane networks, glass transition and viscoelasticity of, 1073P
Poly(vinyl acetate) and ethylene–vinyl acetate copolymers, NMR of, 1593P
Poly(1-vinyladamantane), 387L
Poly(vinyl alcohol), reactions with superoxide, 1877C
Poly(vinyl alcohol-*g*-hydroxyalkyl methacrylates), 2215C
Polyvinylbenzophenone, 203C
Poly(vinylbenzophenone-co-styrene), 203C
Poly(*N*-vinylcarbazole), chemical modification of, 235L
Poly(*N*-vinylcarbazole-3,6-diphthalimide) of improved thermal stability, synthesis of, 235L
Poly(vinyl chloride), 295C, 495C, 679C
—, branching in, 363L
—, butyl branches in, 363L
—, chlorinated structure, 295C
—, conformational states of, 1187P
—, conformation of, 375P
—, degradation, 495C
—, effect of chlorination on morphology of, 1157P(N)
—, hydrochloric acid determination, 3247C
—, γ-irradiated, 2925C
—, radiation-thermal degradation, 2041C
Poly(vinyl fluoride), semicrystalline, heat capacity hysteresis in, 261L
Poly(vinylidene chloride), conformation of, 393P
—, hydrochloric acid termination, 3247C
Poly(vinylidene fluoride), far-infrared spectra of three crystalline forms of, 1121P
—, light scattering and chain orientation of, 941P
—, piezoelectric films of, γ-irradiated, aging of, 289L
—, stretched, piezoelectric effect in, 1365P
Poly(1-vinylimidazole) resin, 1803C
Poly(vinyl pyridine)/poly(styrene sulfonate), 27C
Poly(4-vinyl pyridine) resins, 835C(N)
Poly(vinyl pyridinium fluoride)s, 127C
Poly(vinyl pyrrolidone), binding, site studies of, 2427C
Poly(vinylsulfonium salt), 843C(N)
Porous membranes, H_2O and protein permeation in, 303L
Porous polyacrylonitrile gels, formation of permanently, 125L
Porous silica, 27C
Porphyrins, trapped in polymer matrices, photocatalytic activities of, 193L
Power law, 3.4, of viscosity, of polymeric liquids, on the basis of the tube model, 265L
Propylene–ethylene ABA block copolymers, 523C
Protein permeation, in porous membranes, 303L

Pseudodilution effect of polymer chains, 603L
p-Styryl diphenyl phosphine, radiation grafting of, on synthetic polymers, 23L
PVC, char formation, 1397C
—, combustion, 1397C
—, grafting of p-styryl diphenyl phosphine on, radiation-induced, 23L
—, interaction with ketones, IR study of, 155L
—, smoke suppression by metal oxides, 1397C
—, stabilization of, 623L
—, thermal stability, 9C
Pyridine-Cu, as catalyst for oxidative coupling polymerization, 227L
2-Pyridone, polymer-bound, mutarotation of tetramethyl-D-glucose catalyzed by, 603L
2-(2-Pyridyl)propene, stereoregular oligomerization of, anionic, 309L
Pyrolysis, 139C, 601C
Pyrolysis reactions of poly(methyl methacrylate) and red phosphorus, 409L
Pyrrole polymers, synthesis and properties of, 395L

Radiation degradation, 45C
Radiation grafting, of p-styryl diphenyl phosphine to synthetic polymers, 23L
Radiation-induced copolymerization, of methyl trifluoroacrylate, with fluoroolefin, 599L
Radiation-induced grafting, 1689C
Radiation-induced oxidation, 2123C(N)
Radiation-induced polymerization, 1047C
—, butadiene, 1435C
—, of butadiene, 1977C
Radiation-sensitive polymers, electron microscopy of, 1163P(N)
Radical cation initiation, aromatic, nuclear coupling via, homopolymerization by, 359L
Radical-induced homopolymerization of maleic anhydride, cationic intermediates in, 107L
Radical ions, formation and decay of, 2297C
Radical processes in polymer burning, 1475C, 1495C
Radicals, cage effects in recombination of, 983P
—, in polyisobutylene, ESR of, 1141P
Radiothermoluminescence, of polyethylene, 1177P
Raman photoselection, in polydiacetylene structure determinations, 529L
Raman spectra, of deformed polydiacetylene, 677P
—, of oriented polyethylene, 1489P
—, of polyacrylamide, 353P
—, of poly(*t*-butyl acrylate), 1805P
—, of polydiacetylene, 321P
Random walk, self-avoiding, time dependent step–step correlations, 499P
Rate constants, termination, determination of, 1L
Reactions of PVC, 9C
Reactions on crosslinked resins, 1239C
Reactive gases, solid-state polymerization of diacetylenes initiated by, 511L
Reactivity ratios, 993C, 1119C
—, calculation of, 3019C(N)
Redox catalysis, 499C, 511C
Redox cationic polymerization, 539C
Redox initiation reactions, 487C
Redox polymerization, 839C(N), 1147C, 1225C, 1311C
—, acrylonitrile–methyl methoxylate, 1311C
Redox system, $KBrO_3$-TGA, 1517C
—, $K_2S_2O_8$–Fe(II) acrylonitrile, 2115C(N)
—, peroxydiphosphate–silver ion, 2111C(N)
—, propanedinitrile-Mn(III)-AcOH, 1311C
—, propanedinitrile-Mn(III)-H_2SO_4, 1311C
—, V^{5+}–thiourea, 1581C(N)
Reduction of polymers, 1091C
Refractive index of polystyrene, effect of temperature and molecular weight, 1925P(N)
Relaxation, cryogenic, in polycarbonate, 295L
—, hypersonic, in polybutadiene and polyisoprene, 1791P
—, of polymer, in dilute solution (theory), 849P
—, from thermally stimulated current measurements, 369P(N)
Resolution, optical, of atropisomeric poly(triphenylmethyl methacrylate), 451L
Resonance, microwave, in determination of polymer mechanical properties, 75L
Ribonucleic acid, laser-induced changes in light scattering from, 273P
Rigid backbone polymers, 495L
Ring-opening polymerization, 1283C(N)
Ring size, in cyclopolymerized acrylic and methacrylic anhydrides, 167L
Rotating sector technique, 1659C
Rouse–Zimm theory for polymer solutions, 849P
Rubber, diffusion of gases in, 1003P
Rubber-modified polymer blends, electron microscopy of, 315L
Rubber polymers, degraded, network, structure and properties of, 283L
—, network, degraded, structure and properties of, 283L
Rubber vulcanizate, changes in network structure of, during Goodrich flexometer test, 5L
Rubbery polymers, diffusion of penetrants in, 77P
—, molecular theory of elasticity of, 829P
Rubbery products, from castor oil tris(thioglycolate), 505L
Ruthenium complexes, viologen polymer stabilzed, in visible light, H_2 generation from H_2O, 65L
Ruthenium tetroxide, use of, as a new staining agent, 315L

SBR, black-reinforced, cured, FTIR spectrum of, 189L
Scaling concepts, applied to concentration-dependent sedimentation phenomena, 479P
Scanning Auger electron microprobe, 119L
Scanning electron microscopy, visualization of biodegradation of polycaprolactones by fungi by, 159L
Scattering, small angle, in blends, 1801P(E)
Schotten-Baumann reaction, with poly(*N*-vinylcarbazole)-diamine hydrochloride, 235L
Second virial coefficient, of polyethylene in 1-chloronaphthalene, 189P
Sedimentation coefficient, of stiff chains, effect of polydispersity on, 181P(N)
Sedimentation rate, in compact macromolecules, concentration dependence of, 561L
—, in permeable polymer coils, concentration dependence of, 567L
Sedimentation velocity, in semidilute polymer solutions, 479P
Seeded emulsion polymerization technique, 143L
Segmented polyurethane elastomer, casting of thick sheets of, 391L
Selective metal ion adsorption, 1803C
SEM, 159L
Semiconductor polymer, organic, 331L
Semicrystalline polymers, heat capacity hysteresis in, 261L
Semi-2 IPNs, anionic synthesis of, 463L
Sensitive groups, photo-, polymers containing, 177L
Sensitizer groups, photo-, polymers containing, 177L
Separation, of mixtures of monodisperse polystyrenes, 1405P
—, by thermal field-flow fractionation, 815P
Sequence analysis of polyesters, 1329C
Sequence distribution, in methylacrylate–styrene copolymers, 3293C
—, of vinyl chloride–vinyl acetate, 1821C
—, of vinyl chloride–vinyl propionate, 1821C
Serine dehydratase model, 2915C
Silane coupling agents, 549C
Silica, reaction with polydimethylsiloxane, 3069C
Silica filler, 549C
Silicic acid, 759C, 850C(E)
Siloxanes, organo-, cyclic, polymerization of, by glow discharge, 369L
Slope of Huggins viscosity equation, use of, to determine polymer molecular weights, 523L
Small-angle scattering, 1801P(E)
Small-angle x-ray scattering, 3165C
Smith–Ewart equations, in the steady state, solving of, 533L
Smith–Ewart theory, 939C
Smoke suppression by metal oxides, 1397C

Sodium fluorescein–ascorbic acid redox system, 2671C
Sodium poly-*p*-vinylphenolate initiated vinyl polymerizations, 2561C
Solid phase, crosslinking of polymers bearing episulfide groups in, 201L
Solid-state polymerization, 257C, 363C, 443C, 849C(E), 1291C
—, of diacetylenes, by reactive gases, 511L
Solitons, radicals, and ions, in polyacetylenes, 249L
Solubility parameters, infinite dilution, 1199P
Solvation of polymeric organolithium compounds, 1445C
Solvent and temperature, effect of, on the cyclopolymerization of acrylic and methacrylic anhydrides, 167L
Solvent effects, on azobisisobutyronitrile decomposition, 507L
Solvent interaction, with polystyrene, 307P
Solvent-polymer-polymer compatibility, 299L
Solvent steric hindrance, in polyolefin solutions, 773P
Sorption, of acrylic acid–naphthylacrylamide copolymers on polystyrene latex, 245P
—, of gases in polycarbonate, 1513P
—, of gas in glassy polymers, 1655P(N), 1657P(N)
—, of organic vapors by polystyrene, 307P
—, and transport of SO_2 in Kapton polyimide, 1895P
—, of vapor in films, apparatus for, 789P
—, of water in epoxy copolymers, 143P
—, of water in epoxy network, 1567P
—, of water in nylon 66, dielectric relaxations and, 1211P
—, of water in polymer with ionic sidechains (Nafion), 1P
Spectroscopic study, of rigid-rod model compounds, 1475P
Spectroscopy, of polydiacetylene, 321P
Spherulite, in cis-polyisoprene, new class of, 585L
Spherulites, computer simulation of growth of, 721P, 731P
—, light scattering study of deformation of, 1531P
—, small-angle light scattering from, 49P
Spiro ortho ester polymerization, 1283C(N)
Stability, thermal, of γ-irradiated piezoelectric poly(vinylidene fluoride) films, 289L
Stabilization, photo-, of PP, by hindered amine, 549L
Stabilization of poly(vinyl chloride) by 6-anilino-1,3,5-triazine-2,4-dithiol and zinc stearate, effect of hydrotalcite on, 623L
Stabilizers, for PP, *N*-oxyl radical copolymers with xylylene as, 609L
Stable free radicals, 609L
Staining agent, for electron microscopy, RuO_4 as, 315L
Starch–calcium adduct, encapsulation of pesticides in, 1891C
Starch-*g*—polystyrene, copolymers by Cobalt-60 irradiation, 1707C
—, effect of solvent, 1707C
—, ESR study of effect of solvent, 1721C
Static mechanical properties, of crosslinked polypropylene and polyethylene, comparison of, 479L
Statistical mechanics, chain dynamics in concentrated solutions, 531P
—, conformational properties of poly(vinyl chloride), 375P
—, conformational properties of poly(vinylidene chloride), 393P
—, crystal stability and mechanical properties of drawn polymers, 1873P
—, dynamics of rodlike polymers in concentrated solutions, 229P
Steady-state solution, of Smith–Ewart equations, for emulsion polymerization kinetics, 533L
Stereochemistry, of anionic oligomerization of vinyl monomers, 309L
Stereoregular oligomers of 2-(2-pyridyl)propene, preparation of, 309L
Stereoregular polymers, 955C
Stereoselective polymerization, catalysis by cyclohexylmagnesium bromide-sparteine, 1385C
—, of methacrylates, 1385C
Stress and sorption behavior of films, apparatus for study of, 789P
Stress and volume relaxations of crosslinked styrene–butadiene copolymer, 1055P
Stress crazing, of poly(methyl methacrylate), 1423P
Stresses in crazing, analysis of, 1759P
Stress–optical relations, in polybutadiene, 151P
Stress relaxation, in poly(dimethyl siloxane) networks, 1745P
—, in step-shear deformation of polystyrene solution, 517P
—, in sulfonated polystyrene ionomers, 1641P
Stress–strain relations, in bimodal networks of poly(dimethyl siloxane), 621P
—, in model polyurethane networks, 507P
—, in poly(dimethyl siloxane) networks, 1603P
—, in styrene–butadiene block copolymers, 253P
—, and transitions, in drawing of amorphous polymers, 1705P
Structure, of polydiacetylenes in solution, 529L
Styrene, copolymerized with MMA, in presence of isotactic PMMA, 401L
—, copolymer with acrylonitrile, alternating, monomer sequence in, 211L
—, emulsion polymerization of, seed, by PMMA, 143L
—, linear dimers of substituted, 1957C
—, polymerization, chain termination, 1671C
—, polymerization, kinetic parameters, 1659C
—, 2-pyridone copolymers with, mutarotation of tetramethyl-D-glucose catalyzed by, 603L
—, γ-radiation initiated polymerization, 1659C
Styrene–acrylate, alternating copolymers, 2581C
Styrene-DVB copolymer, adsorption of photochromic dye onto, 593L
Styrene-methyl acrylate-aluminum sesquichloride system, alternating copolymerization in, 239L
Styrene sulfonic acid, anionic polymerization, 1995C
Substituted butadienes, 629C
N-Substituted polyamides, 1133C
Sulfonium polymers, 843C(N)
Sulfuration in rubber, 1835C
Surface characterization, of Ziegler–Natta catalyst, 135P
Surface hydrophilicity and melting of polymer, 1285P
Swelling, of bimodal networks of polydimethylsiloxane, 621P
—, of model polyurethane networks, 507P

Tacticity of poly(N-vinyl pyrrolidone), 29L
TCNQ, salts of polycations, semiconductors from, 331L
Telechelic polymers, carboxy- and halato-, 415L
Telechelic prepolymers, of alkenylferrocenes, 1867C(N)
—, of carboranes, 1863C(N)
Telomerization kinetics, 499C
Temperature, effect of, on cyclopolymerization of acrylic and methacrylic anhydrides, 167L
Template polymerization, 1803C
Termination rate constants, determination of, by moderated copolymerization, 1L
Termination reactions, 499C
Tetrafluorobenzene, plasma polymerization, 2689C
Tetrafluoroethylene, copolymerization of methyl trifluoroacrylate with, radiation-induced, 599L
—, grafting, 2331C
—, plasma polymerization of, 2933C
Tetrafluoromethane, polymers prepared from methane and, 335L
Tetra-*p*-hydroxyphenylporphyrin, 193L
Tetramethyl-D-glucose, mutarotation of, catalyzed by polymer-bound 2-pyridone, 603L
Tetra-*p*-methylphenylporphyrin, 193L
Tetraphenylporphyrin, 193L
Tg, crosslinked polymers, 1767C
Thermal decomposition, of polymers, 1475C
—, of polyurethanes, 1679C
Thermal degradation, of polybenzimidazole, 601C
—, of polyurethane, 139C
Thermal expansivity, of oriented polymers, 335P

—, of polymer crystals, 971P
Thermally polymerized polystyrene, 2419C
Thermally stable polymers, 1037C, 1745C
Thermally stimulated current, 1461P
Thermally stimulated relaxation, 369P(N)
Thermal polymerization, of β-pinene, effects of inhibitors on, 53L
—, of UV-irradiated acrylamide, 637L
Thermal polymerization of acrylamide, 2367C
Thermal properties of polyphosphazenes, 917C
Thermal rearrangements of polybutadienes, 1073C
Thermal stability, of γ-irradiated piezoelectric poly(vinylidene fluoride) films, 289L
Thermodynamic parameters, for mesomorphic polyesters, 951P
—, in polyelectrolyte solutions, 1015P(N)
Thermodynamics of polymer–solute interactions, from gas chromatography, 1199P
Thermogravimetric analysis, 139C
—, of polymerizing *p*-acryloylbenzoic acid, 837P
Thermogravimetric study, of polymer degradation, 1799P(N)
Thermooxidative stability, 427C
Thermosetting resins, 1609C
—, molecular weight distribution, 1609C
—, phenol-formaldehyde, 1609C
Thermotropic and lyotropic trifluoroacetoxypropyl cellulose, 495L
Thermotropic liquid crystals, 1901C
Thermotropic polymers, 1427C
—, interactions in, 1427C
Thermoxidative degradation of poly(vinyl alcohol), 897C
Thiocyanoacrylates, preparation of, 2655C(N)
Thioethers, 595C(N)
Thiols, addition to olefins, asymmetric induction in, 49L
Thymine, polymer containing, 1733C
Thymine bases, 477C
—, in polymethyl methacrylate film, 2347C
TMA, estimation of Young's modulus of elastomers using, 475L
Topochemical polymerization, 1291C
Totally aromatic polyurethanes, 1679C
Transfer reactions, redox catalysis, 499C
Transitions and NMR spectra of polymers, 13P
Transitions in linear polyethylene, 109P
Transmission electron microscopy, 143L, 315L
Transport of salt through charge-mosaic membranes, 1663P
Transport phenomena, in glassy region, 137L
Triazine-containing polymers, 1553C
Trifluoroacetic acid, cellulose acetate solutions in, as liquid crystals, 379L
Trifluoroacetoxypropyl cellulose, thermotropic and lyotropic, 495L
Trifluoroethylene, copolymerization of methyl trifluoroacrylate with, radiation-induced, 599L
Triphenylphosphine, synthesis of aromatic polyamides in presence of, 343L
Triphenylphosphine–Lewis acid catalyst, 1251C
Tris(thioglycolate), of castor oil, as polythiol, 505L
Tube model, 265L
—, as basis of 3.4 power law of polymeric liquid viscosity, 265L
Turbidimetric titration, comparison with GPC, 299L

"Ultracentrifuge," motionless, 321L
Ultradrawing, of polyethylene, 877P
Ultraviolet-absorbing monomers, 2943C
Urea-polyethylene complex, low-temperature form of, 91L
Urethanes, organotin catalysis, 381C
UV and radiation grafting of p-styryl diphenyl phosphine to synthetic polymers, 23L
UV-irradiated acrylamide, thermal polymerization of, DSC studies on, 637L
UV stabilization of polypropylene, 807C

Vibrational spectra, of rigid-rod model compounds, 1475P
1-Vinyladamantane, cationic polymerization of, 387L
Vinylbenzoate, copolymerization, 1795C
—, emulsion polymerization, 1795C
Vinylbenzophenones, 2943C
p-Vinylbenzoyl-*p*-*tert*-butyl perbenzoate, 855C
Vinylbenzyl azide, 1337C
Vinylbenzylthiol, chain-transfer monomer, 3209C
N-Vinyl carbazole, 305C
—, stereospecific polymerization, 3081C
η^5-(Vinylcyclopentadienyl)tricarbonylmethyltungsten aA, polymerization of, 3351C(N)
Vinyl fluoride, copolymerization of methyl trifluoroacrylate with, radiation-induced, 599L
Vinylidene fluoride, copolymerization of methyl trifluoroacrylate with, radiation-induced, 599L
Vinyl naphthalene, 891C
Vinyl phenanthrene, 891C
p-Vinylphenol, 1451C
Vinylphenyl hexafluorodimethyl carbinol, 1451C
Vinylphenyl trifluoromethyl carbinol, 1451C
p-Vinylphenyl trifluoromethyl carbinol, 1451C
Viologen-containing vinyl polymers, 2635C
Viologen polymers, 1085C
—, in visible light generation of H_2 from H_2O, 65L
Viscoelasticity, of concentrated solutions of rodlike polymers, 229P
—, nonlinear, theory of, 1371P
Viscoelastic propeties, of sulfonated styrene ionomers, 1641P
Viscometry, 363L
Viscosity, of polymeric liquids, 3.4 power law of, 265L
—, of polymer solutions of high shear rates, 1173P(N)
Vulcanization, 1835C
Vulcanized rubber, changes in network structure of, during Goodrich flexometer test, 5L

Water and protein permeation through polymeric membrane having mechanochemically expanding and contracting pores, 303L
WLF equation, generalization of, 137L
Wood, reactions with Cu-Cr-As ondis, 3093C

X-ray diffraction, of annealed polyethylene, 1435P
—, of aromatic polyamide-hydrazide solutions, 1339P
—, of cellulose–hydrazine complexes, 459P
—, of chitosan, 1081P
—, of chlorosulfonated polyethylene, 23P
—, corrections for peak-broadening in small-angle scattering from polyethylene, 487P
—, of deformed polydiacetylene, 293P
—, of drawn films of polypropylene, 609P
—, and infrared studies on the effect of thermal treatments on cotton celluloses, 183L
—, of isothermally crystallized bulk polyethylene, 1577P
—, of monolayer fibers of polydiacetylene, 165P
—, of nylon 6, model for analysis of, 121P
—, of nylon 66, 467P
—, of perfluorosulfonic acid ionomer "Nafion", 1687P
—, of PE-urea complex, 91L
—, of phosphoric acid adducts of polyamides, 1827P
—, of poly(γ-benzyl L-glutamate), 653P
—, of poly(butylene adipate)–Mg II complexes, 703P
—, of polychlorotrifluoroethylene, 991P
—, of polyethylene, 487P, 1237P
—, of polyethylene under high pressure, 1325P
—, of polyglutamates, 1817P
—, of polyimide (Kapton) film, 1293P
—, of polymer with ionic sidechains (Nafion), 1P
—, of poly(4-methyl-1-pentene), 1865P
—, of polyoxacyclobutane, 1153P(N)
—, of polyoxymethylene, 1923P(N)
—, of silk fibroin, 185P(N)
—, study of high pressure phase transition in polyethylene, 1313P
Xylylene, copolymers with N-oxyl biradical, effect of, on photooxidation of PP, 609L

Young's modulus, estimation of, of elastomers, using thermomechanical analyzer, 475L
Ziegler–Natta catalyst, ESCA analysis of, 135P
Ziegler–Natta Catalysts, 217C(E), 3357C(E)
Zinc stearate, stabilization of PVC by, effect of hydrotalcite on, 623L
Zwitterionic polymeric buffer, preparation of, 103L

Journal of Polymer Science

Polymer Chemistry Edition

Volume 19, 1981

Board of Editors: **H. MARK • C. G. OVERBERGER**

Advisory Editors: **J. J. HERMANS • H. W. MELVILLE • G. SMETS**

Editor: **C. G. OVERBERGER**

Associate Editor: **E. M. PEARCE**

Advisory Board:

T. ALFREY, JR.
Midland, MI

W. J. BAILEY
College Park, MD

N. M. BIKALES
Washington, DC

F. A. BOVEY
Murray Hill, NJ

G. B. BUTLER
Gainesville, FL

S. BYWATER
Ottawa, Canada

W. H. DALY
Baton Rouge, LA

J. ECONOMY
San Jose, CA

N. M. EMANUEL
Moscow, USSR

E. M. FETTES
Morris, IL

N. D. FIELD
Paramus, NJ

K. C. FRISCH
Detroit, MI

J. FURUKAWA
Kyoto, Japan

W. E. GIBBS
Leominster, MA

A. R. GILBERT
Schenectady, NY

M. GOODMAN
La Jolla, CA

J. E. GUILLET
Toronto, Canada

H. HALL
Tucson, AZ

B. T. HUANG
Changchun, Jilin, China

V. A. KABANOV
Moscow, USSR

O. KAUDER
Brooklyn, N.Y.

J. P. KENNEDY
Akron, OH

J. LAL
Akron, OH

A. LEDWITH
Liverpool, England

R. W. LENZ
Amherst, MA

M. LITT
Cleveland, OH

E. MANO
Rio de Janeiro, Brazil

C. S. MARVEL
Tucson, AZ

F. R. MAYO
Menlo Park, CA

G. MONTAUDO
Catania, Italy

H. MORAWETZ
Brooklyn, NY

M. MORTON
Akron, OH

J. E. MULVANEY
Tucson, AZ

S. NOZAKURA
Osaka, Japan

K. F. O'DRISCOLL
Ontario, Canada

S. OKAMURA
Kyoto, Japan

R. PARISER
Wilmington, DE

P. PINO
Zurich, Switzerland

C. C. PRICE
Philadelphia, PA

B. RANBY
Stockholm, Sweden

H. RINGSDORF
Mainz, Germany

J. C. SALAMONE
Lowell, MA

C. SCHUERCH
Syracuse, NY

W. H. SHARKEY
Wilmington, DE

C. I. SIMIONESCU
Jassey, Romania

V. T. STANNETT
Raleigh, NC

J. K. STILLE
Fort Collins, CO

M. SZWARC
La Jolla, CA

E. J. VANDENBERG
Wilmington, DE

D. VOFSI
Rehovat, Israel

O. VOGL
Amherst, MA

P. WEISS
Warren, MI

F. H. WINSLOW
Murray Hill, NJ

an Interscience® Publication
published by JOHN WILEY & SONS

The *Journal of Polymer Science* is published as follows: *Polymer Chemistry Edition*, monthly; *Polymer Physics Edition*, monthly; *Polymer Letters Edition*, monthly; *Polymer Symposia*, irregularly.

Published monthly (one volume per year) by John Wiley & Sons, Inc. Copyright © 1981 by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright Law without permission of the copyright owner is unlawful. Second-class postage paid at New York, New York, and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc., (21 Congress Street, Salem, MA 01970). (The fee for articles published prior to 1978 is $1.00 per article.) This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price (1982): $685.00 per volume. Postage and handling outside U.S.A.: $66.00. Please allow 4 weeks for change of address. Back volumes, microfilm, and microfiche are available for previous years. Request price list from publisher.

Claims for undelivered copies must be made no later than three months following month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Journal of Polymer Science: Polymer Chemistry Edition

Contents, Volume 19, 1981

Issue 1, January 1981

Asymmetric Porous Emulsion Film
M. Okubo, T. Takeya, Y. Tsutsumi, T. Kadooka, and T. Matsumoto 1

Cyclopentadienylation of PVC: Characterization and Thermal and Thermooxidative Degradation Studies
B. Iván, J. P. Kennedy, T. Kelen, and F. Tüdős 9

Adsorption of Charged Diblock Copolymers on Porous Silica
E. Pefferkorn, Q. Tran, and R. Varoqui 27

The Influence of Steric Factors on the Mechanism of Copolymerization of Phenylvinyl Alkyl Ethers and Maleic Anhydride
D. Fleš, R. Vuković, V. Kurešević, and R. Radičevic 35

Propagation/Depropagation Equilibrium and Structural Factors in the Radiation Degradation of Poly(olefin Sulfone)s
T. N. Bowmer and J. H. O'Donnell 45

Kinetics of Hydrolysis of Side Groups in Polyphenylmethacrylate
S. Połowiński and B. Bortnowska-Bareła 51

Anionic Synthesis of Poly[ethylene Methylene Bis(4-Phenyl-Carbamate)-*g*-Acrylonitrile]
K. Adibi, M. H. George, and J. A. Barrie 57

Organosilane Polymers. III. Block Copolymers
J. P. Wesson and T. C. Williams 65

Copolymerization Studies. Copolymerization of Methyl α-Cyanocrotonate with Styrene, Acrylonitrile, and Vinyl Acetate
J. Raiter and D. H. Kohn 73

Polymerization of Aromatic Nuclei. XXVI. Poly(*p*-Phenylene): Friedel–Crafts Alkylation, Molecular Weight, and Propagation Mechanism
M. B. Jones, P. Kovacic, and D. Lanska 89

Studies on the Vinyl Polymerization Photoinitiated by *p*-Benzoylperoxybenzoic Acid *tert*-Butylester
S. N. Gupta, I. Gupta, and D. C. Neckers 103

Dispersion Polymerization of Styrene: Effect of Surfactant
Y. Almog and M. Levy 115

The Adsorption of Fluoride Containing Polyelectrolytes on Hydroxyapatite
T. Bartels and J. Arends 127

Thermal Degradation of Polyurethane Based on MDI and Propoxylated Trimethylol Propane
F. Gaboriaud and J. P. Vantelon 139

Synthesis of Aromatic Polyamides Having Pyridine Moiety and their Lyotropic Properties in Solution
N. Ogata, K. Sanui, and T. Koyama 151

X-Ray and Thermal Studies on Nylon 5,7
J. Lin, M. H. Litt, and G. Froyer 165

The Synthesis of a Macromolecular Ligand by the Modification of Polystyrene
H. H. Phillips, J. F. Kinstle, and J. L. Adcock 175

Kinetics of Crosslinking Copolymerization of Styrene with Symmetric Divinyl Compounds
J. K. Fink 195

Electron Transfer Reactions to Electroactive Polymers
B. L. Funt, L-C. Hsu, and P. M. Hoang 203

NOTES

Studies of the Polymerization of Diallyl Compounds. XXXIV. Further Discussion of the Reaction Selectivity in the Cyclopolymerization of Diallyl Phthalate
A. Matsumoto, K. Iwanami, and M. Oiwa 213

ERRATUM

Some Contributions to the Characterization of Active Sites in Mg-Supported Ziegler-Natta Catalysts
A. Simon and A. Grobler 217

Information for Contributors 219

Issue 2, February 1981

Polymerization of *N*-Acryloyl Pyrrolidone and Synthesis of Graft Copolymer by Using the Mechanism of Initiation of Anionic Ring-Opening Polymerization
G. S. Sur, S. K. Noh, and S. K. Choi 223

Polymerization of Aromatic Nuclei. XXV. ESR and Chemical Studies on the Radical Cation Nature of Poly(*p*-Phenylene)
M. B. Jones, P. Kovacic, and R. F. Howe 235

Polymerization of Allyl Esters of Unsaturated Acids. VII. Copolymerization of Methyl Allyl Maleate and Fumarate with Styrene
K. Urushido, A. Matsumoto, and M. Oiwa 245

Solid-State Polymerization of Long-Chain Vinyl Compounds. V. Two-Step Postpolymerization of Octadecyl Acrylate by Temperature Increase and by Stepwise γ-Ray Irradiation
Y. Shibasaki and K. Fukuda 257

Synthesis and Properties of Conjugated Enyne Polysulfones
B. A. Reinhardt and F. E. Arnold 271

Catalysis by Cationic Polyelectrolytes and Micelles in Bisulfite Oxidation
O.-K. Kim 287

Structure of Chlorinated Poly(vinyl Chloride). X. Conclusions on the Chlorination Mechanism
R. Lukáš, J. Světlý, and M. Kolínský 295

N-Vinyl Carbazole Copolymers
J. E. Mulvaney, S. Gromelski, and R. Rupp 305

Synthesis of Asymmetric Cyclopropyl Acids and Amines
C. G. Overberger and T. Nishiyama 311

Synthesis and Optical Properties of Asymmetric Polyamides Derived from Cyclopropyl Diacids and Diamines
C. G. Overberger and T. Nishiyama 331

NMR Studies and Conformation of Asymmetric Polyamides Derived from Cyclopropyl Diacids and Diamines
C. G. Overberger and T. Nishiyama 349

Solid-State Polymerization of Acrylamide and Its Derivatives Complexed with Lewis Acids. I. Synthesis of Complexes
J. Żurakowska-Orszagh, K. Mirowski, and A. Kaim 363

Copolymerization Parameters of Methyl Methacrylate and Acrylic Acid
G. A. Stahl 371

Kinetics and Mechanism of Urethane Formation Catalyzed by Organotin Compounds. I. The Reaction of Phenyl Isocyanate with Methanol in Dibutyl Ether Under the Action of Dibutylin Diacetate
F. W. Van der Weij 381

Self-Consistency of Fractional Precipitation Method for Determining Molecular Weight Distribution in a Polymer Sample
G. Y. Lei 389

Binding Heavy Metal Ions with Polymerized Onion Skin
P. Kumar and S. S. Dara 397

Functional Polymers. IX. Polycarbonates and Alternating Copolycarbonates of Bithionol
W. Deits and O. Vogl 403

Hydrolytically Stable Fluorocarbon Ether Bibenzoxazole Polymers
R. C. Evers, T. Abraham, and J. L. Burkett 427

Solid-State Polymerization of Long-Chain Vinyl Compounds. VI. In-Source Polymerization of Octadecyl Acrylate by γ-Ray Irradiation
Y. Shibasaki and K. Fukuda 443

The Synthesis of Biscitraconimides and Polybiscitraconimides
A. V. Galanti and D. A. Scola 451

Functional Monomers and Polymers. LXXXVI. Photochemical Reactions on Synthetic Polymers with Pendant Thymine Bases: Effect of Solvents
Y. Kita, T. Uno, Y. Inaki, and K. Takemoto 477

Polymerization of Acrylonitrile: Kinetics of the Reaction Initiated by the Fe^{2+}/BrO^{-}_{3} Redox System
R. K. Samal, G. V. Suryanarayana, D. P. Das, S. Samal, and M. C. Nayak 487

Condensed Phase Aromatization During Degradation of Poly(vinyl Chloride)
S. K. Brauman and I. J. Chen 495

Telomerization Kinetics by Redox Catalysis
B. Boutevin, C. Maubert, A. Mebkhout, and Y. Pietrasanta 499

Telomerization Kinetics by Redox Catalysis: A Study of Reactions Leading to Telomers with Low Degrees of Polymerization
B. Boutevin, C. Maubert, Y. Pietrasanta, and P. Sierra 511

Synthesis and Properties of ABA Propylene-Ethylene Block Copolymers
P. Prabhu, A. Schindler, M. H. Theil, and R. D. Gilbert 523

Redox Cationic Polymerization: The Diaryliodonium Salt/Ascorbic Redox Couple
J. V. Crivello and J. H. W. Lam 539

Crosslinking Mechanism of an Anhydride-Cured Epoxy Resin as Studied by Fourier Transform Infrared Spectroscopy
M. K. Antoon and J. L. Koenig 549

Spontaneous Copolymerization of 1,3-Cycloheptadiene with Acrylonitrile in the Presence of Zinc Chloride
K. Nagai and S. Machida 571

Synthesis of Polysulfone-Sulfides by Polyadditions of Diothols to Divinyl Sulfones
Y. Imai, Y. Asamidori, T. Inoue, and M. Ueda 583

NOTES

Preparation of Phosphorus-Containing Polymers. XXIV. Phenoxaphosphine-Containing Polybenzimidazoles and Polybenzoxazoles
M. Sato and M. Yokoyama 591

The Participation of Charge-Transfer Complex Monomers in the Copolymerization of Phenylvinyl Alkyl Thioethers and Maleic Anhydride
V. Kurešević, R. Vuković, and D. Fleš 595

Issue 3, March 1981

Stepwise Thermal Degradation of a Polybenzimidazole Foam
D. A. Chatfield and I. N. Einhorn 601

New Processable Esters Curable by Intramolecular Cyclization. XVIII
P. Y. Chen and C. S. Marvel 619

Synthesis and Polymerization of the Four 1,3-Di(cyano and/or Carbomethoxy)-Substituted Butadienes
K. Ahn and H. K. Hall, Jr. 629

Reactions of 2-Methoxy- and 2-Substituted 4,6-Diamino-s-Triazines with Formaldehyde: Kinetics and Adaptability of the Rate Constants to Hammett and Taft Equations
T. Tashiro and M. Oiwa 645

Chemistry of Dicumyl Peroxide-Induced Crosslinking of Linear Polyethylene
G. E. Hulse, R. J. Kersting, and D. R. Warfel 655

Radiation-Induced Cationic Polymerization of β-Pinene
A. M. Adur and F. Williams 669

Controlled Introduction of Allylic Chlorines into Poly(vinyl Chloride)
B. Iván, J. P. Kennedy, T. Kelen, and F. Tüdos 679

Synthesis and Properties of Novel Poly(*N*-Oxyimide)s
A. M. Ibrahim, V. Mahadevan, and M. Srinivasan 687

Cationic Oligomerization and Polymerization of Some Propenylbenzene Derivatives
R. Alexander, A. Jefferson, and P. D. Lester 695

Peculiarities of Polyacrylamide Analysis by Aqueous GPC
J. Klein and A. Westerkamp 707

Aqueous Polymerization of Methyl Methacrylate Catalyzed by Copper Metal and Some of Its Compounds
A. B. Moustafa, M. A. Abd El-Ghaffar, A. S. Badran, and A. M. Rabie 719

Synthesis and Characterization of Polyesters Derived from Polychlorinated Aromatic Diacids
F. Díaz, R. R. Larraín, A. Fresno, and R. S. Ramirez 729

The Mechanism of the High-Pressure Free Radical Polymerization of Ethylene
D. Stoiljkovich and S. Jovanovich 741

Polymerization of Chlorophenyl Glycidyl Ethers. VIII. Initiation of the Polymerization of *p*-Chlorophenyl Glycidyl Ether and Phenyl Glycidyl Ether by the System Aluminum Isopropoxide and Zinc Chloride (1:1)
Z. Jedliński, M. Bero, P. Szewczyk, and A. Dworak 749

Silylation of Water Glass. II. Synthesis and Copolymerization of Carbon-Functional Silylated Silicic Acid
H. Inoue and S. Kohama 759

Spontaneous Copolymerization of 1,3-Cyclohexadiene with Polar Vinyl Monomers
K. Nagai, S. Machida, and T. Nonaka 773

Preparation of Macroreticular Redox Resins with Hydroquinone and Catechol Units as Pendant Groups and Their Properties
S. Iwabuchi, T. Nakahira, Y. Fukushima, O. Saito, and K. Kojima 785

Condensation Polymerization of Pyromellitic Dianhydride with Aromatic Diamine in Aprotic Solvent: A Reaction Mechanism
D. Kumar 795

Formation of Polymer-Bonded Nitroxyl Radicals in the UV Stabilization of Polypropylene by a Bifunctional Hindered Amine Light Stabilizer
D. K. C. Hodgeman 807

Polytetrafluoroethylene Surface Modification by Impregnation with Iron and Manganese Oxides
R. Baumhardt-Neto, S. E. Galembeck, I. Joekes, and F. Galembeck 819

NOTES

Grafting Vinyl Monomers onto Nylon 6. III. Graft Copolymerization of Methyl Methacrylate onto Nylon 6 Using the Fe^{3+}-Thiourea Redox System
A. K. Pradhan, N. C. Pati, and P. L. Nayak 831

ESR Study on the Structure of the Copper(II) Complexes in Poly(4-Vinylpyridine) Resins
H. Nishide and E. Tsuchida 835

Vinyl Polymerization Initiated by Peroxydiphosphate. II. Polymerization of Methyl Methacrylate Initiated by a Peroxydiphosphate-Sodium Thiosulfate Redox System
P L. Nayak, S. Lenka, and M. K. Mishra 839

Preparation and Free Radical Polymerization of Dimethyl-*p*-Vinylphenylsulfonium Tetrafluoroborate
K. Ogura, S. Kondo, and K. Tsuda 843

ERRATA

Solid-State Polymerization of Long-Chain Vinyl Compounds. IV. Effects of Chain Length on the Polymorphic Behavior and Postpolymerization of *n*-Alkyl Methacrylate
Y. Shibasaki and K. Fukuda 849

Polymerization and Polymers of Silicic Acid
M. F. Bechtold, W. Mahler, and R. A. Schunn 850

Information for Contributors 851

Issue 4, April 1981

Synthesis and Polymerization of *p*-(*p'*-Vinylbenzoyl)-peroxybenzoic Acid *tert*-Butylester: A Monomer Containing a Photodissociable Radical Source
S. N. Gupta, L. Thijs, and D. C. Neckers 855

Kinetics of the Reaction of Poly(α-Methylstyryl Sodium, Potassium, and Cesium) with *t*-Butyl Chloride in Tetrahydrofuran
G. C. East and H. A. Ellis 869

Catalyzed Chain Transfer to Monomer in Free Radical Polymerization
N. S. Enikolopyan, B. R. Smirnov, G. V. Ponomarev, and I. M. Belgovskii 879

Transfer Constants Relative to the Cationic Polymerization of 1- and 2-Vinyl Naphthalenes and 3-Vinyl Phenanthrene
P. Blin, C. Bunel, and E. Marechal 891

Thermoxidative Degradation of Poly(vinyl Alcohol) Under Dynamic Thermogravimetric Conditions. II. Influence of the Hydrolysis Degree
C. Vasile, E. M. Călugăru, and S. F. Bodonea 897

Thermal Degradation of Vinyl Alcohol/Vinyl Acetate Copolymers. III. Study of the Reaction Products
C. Vasile, C. N. Caşcaval, and P. Barbu 907

Synthesis and Thermal Properties of Crosslinkable Phosphazene Copolymers
M. Zeldin, W. H. Jo, and E. M. Pearce 917

Styrene Emulsion Polymerization: Particle-Size Distributions
G. Lichti, B. S. Hawkett, R. G. Gilbert, D. H. Napper, and D. F. Sangster 925

Theory of Emulsion Copolymerization Kinetics
M. J. Ballard, D. H. Napper, R. G. Gilbert 939

Etude Structurale du Polypentadiene-1,3 par Spectrometrie de RMN du ^{13}C
P. Aubert, J. Sledz, F. Schué, and C. Brevard 955

Polymerization of Aromatic Nuclei. XXVII. ESR Studies on Polymers and Oligomers from Reaction of Benzenoid and Naphthalene Monomers with Lewis Acid Catalyst–Oxidant Systems
C-F. Hsing, M. B. Jones, and P. Kovacic 973

Kinetics and Mechanism of the Polymerization of Styrene–Acrylonitrile in the Presence of Polybutadiene
R. A. Hayes and S. Futamura 985

Determination of Reactivity Ratios for the Copolymerization of Styrene and Styrene–Acrylonitrile with Polybutadienes
R. A. Hayes 993

Heats of Reaction of Two Common Cellulose Solvents with Various Model Compounds
B. E. Dale and G. T. Tsao 999

Hyperfine Structure Observed in EPR Spectra of Polyphenylacetylene Solutions
W. M. Whitte, E. T. Kang, J. B. Carroll, Jr., and R. D. Allendoerfer 1011

Equilibrium Monomer Concentration for the Anionic Polymerization of m-Isopropyl-α-methylstyrene in Cyclohexane
R. E. Cunningham 1021

Hyperfine Structure Observed in EPR Spectra of Polyphenylacetylene Solutions
W. M. Whitte, E. T. Kang, P. Ehrlich, J. B. Carroll, Jr., and R. D. Allendoerfer 1011

Oligomeric Bishydroxybutyl Terephthalates from Terephthalic Acid
A. B. Padias and H. K. Hall, Jr. 1021

Information for Contributors 1033

Issue 5, May 1981

Preparation of Phosphorus-Containing Polymers. XXV. Polyamide-Imides that Contain Phenoxaphosphine Rings
M. Sato, Y. Tada, and M. Yokoyama 1037

Radiation-Induced Cationic Dimerization and Polymerization of Styrene in Methylene Chloride Solution. I
T. Gotoh, M. Yamamoto, and Y. Nishijima 1047

Synthesis of Polyamides from Active Diacyl Derivatives of 3-Hydroxy-1,2-Benzisoxazole and Diamines Under Mild Conditions
M. Ueda, T. Harada, S. Aoyama, and Y. Imai 1061

Thermal Rearrangements of Polybutadienes with Different Vinyl Contents
M. A. Golub 1073

Hydrogen Evolution from Water by Use of Viologen Polymers as Electron Transfer Catalyst
K. Ageishi, T. Endo, and M. Okawara 1085

Syntheses and Reduction of Polymers with Alloxan Structures
T. Endo, E. Fujiwara, and M. Okawara 1091

Radical Polymerization in the Presence of Complexing Agents. III. Effect of Low Concentrations of $ZnCl_2$ on the Radical Polymerization of Methyl Methacrylate
E. L. Madruga and J. S. Román 1101

Radical Copolymerization of Proto-Hemin Dimethyl Ester
H. Nishide, K. Shinohara, and E. Tsuchida 1109

Analysis of the Linear Methods for Determining Copolymerization Reactivity Ratios. VI. A Comprehensive Critical Reexamination of Oxonium Ion Copolymerizations
F. Tüdős, T. Kelen, B. Turcsányi, and J. P. Kennedy 1119

N-Substituted Poly(*p*-Phenylene Terephthalamide)
M. Takayanagi and T. Katayose 1133

Polymerization of Acrylonitrile Initiated by the Redox System 2,2′-Thiodiethanol/Ce^{4+} in Aqueous Sulfuric Acid
A. Jayakrishnan, M. Haragopal, and V. Mahadevan 1147

Photocrosslinking and Thermal Behavior of the Polyesters Containing Conjugated Diacetylenes
A. O. Patil, D. D. Deshpande, S. S. Talwar, and A. B. Biswas 1155

Irradiation of Aromatic Polymers: The Effect of Irradiation Temperature on Crosslinking and Scission in Polystyrene
T. N. Bowmer, J. H. O'Donnell, and D. J. Winzor 1167

Structure Study of the Furan-Maleic Anhydride Copolymer
Y. A. Ragab and G. D. Butler 1175

A Study of Structure Formation Processes Occurring with the Gelation of Polysulfonamide Solution in Dimethylacetamide
V. V. Kochervinsky, V. M. Zagainov, V. G. Sokolov, and Y. V. Zelenev 1197

Agitation Effect on the Rate of Soapless Emulsion Polymerization of Methyl Methacrylate in Water
K. Arai, M. Arai, S. Iwasaki, and S. Saito 1203

ESR of Free Radical Reactions in Gamma-Irradiated Ethylene–Propylene-Based Terpolymers. II
A. Faucitano, A. Buttafava, and S. Cesca 1217

Studies of Redox Polymerization. I. Aqueous Polymerization of Acrylamide by an Ascorbic Acid–Peroxydisulfate System
H. Narain, S. M. Jagadale, and N. G. Ghatge 1225

Use of ^{13}C-NMR in the Study of Reactions on Crosslinked Resins
J. H. Hodgkin, R. I. Willing, and R. Eibl 1239

Polymerization of Acrylonitrile by Catalytic Systems Consisting of Triphenylphosphine and a Lewis Acid
W. Kuran and J. Borycki 1251

NOTES

Synthesis of Aromatic Polyquinazolones by Cyclopolycondensation of Bis-*o*-Aminoamide with Aromatic Dialdehydes in the Presence of Sodium Hydrogen Sulfite
Y. Imai, R. Takasawa, S. Sato, M. Ueda 1261

Biodegradation of Gelatin-*g*-Poly(methyl Acrylate)
G. S. Kumar, V. Kalpagam, U. S. Nandi, and V. N. Vasantharajan 1265

Apparent Asymmetric Induction by the Radical Copolymerization of Isobutyl Vinyl Ether with Maleic Anhydride in 1-Menthol
J. Asakura, M. Yoshihara, and T. Maeshima 1269

Polymerization of Diphenoquinodimethanes by Reaction of α-Chlorinated *P,P'*-Dimethylbiphenyls with Potassium *t*-Butoxide
T. Fujita and T. Yoshioka 1273

Synthesis of Aromatic Polyurea–Carbonates from Diisocyanate Carbonates
N. Chau, M. Watanabe, Y. Iwakura 1279

Preparation and Ring-Opening Polymerization of Unsaturated Spiro Ortho Esters
T. Endo, M. Okawara, N. Yamazaki, and W. J. Bailey 1283

Equilibrium Monomer Concentration for the Anionic Polymerization of *m*-Isopropyl-α-Methylstyrene in Cyclohexane
R. E. Cunningham 1287

Issue 6, June 1981

Preparation and Thermal Behavior of Poly-*p*-Phenylene Diacrylic Acid Dimethyl Ester
M. Hasegawa, T. Yurugi, S. Namiki, T. Shiobara, H. Nakanishi, and F. Nakanishi 1291

Polymerization Behavior of Bistrimethylsilyloxycycloalkenes
A. Kondo, M. Nakashima, and S. Iwatsuki 1301

Redox Polymerization-Kinetics of the Reaction Initiated by the System $CH_2(CH)_2$—Mn(III) in Aqueous H_2SO_4 and the System $CH_2(CN)_2$—$Mn(OAc)_3$ in DMF and Acetic Acid
A. Jayakrishnan, M. Haragopal, and V. Mahadevan 1311

The Identification of Peroxy-Features at Polymer Surfaces by ESCA
A. Dilks 1319

^{13}C-NMR Sequence Analysis of Polyesters from Pentaerythritol and Caprolactone
R. A. Newmark, M. L. Runge, and J. A. Chermack 1329

The Preparation and Reactions of Polymeric Azides. I. The Reaction of Poly(vinylbenzyl Azide) with Acetylenic and Olefinic Derivatives
H. L. Cohen 1337

Improved Syntheses of Benzils as Polymer Intermediates
S. Havens, C. C. Yu, D. Draney, and C. S. Marvel 1349

Anionic Polymerization to High Vinyl Polybutadiene
A. F. Halasa, D. F. Lohr, J. E. Hall 1357

Charge Transfer Polycondensation of Diethyl Chelidonate with Diamines in the Presence of Polyvinylcarbazole
N. Ogata, K. Sanui, and M. Abe 1361

Reactions of Poly(phenylene Oxide)s with Quinones. I. The Quinone-Coupling Reaction Between Low-Molecular-Weight Poly(2,6-Dimethyl-1,4-Phenylene Oxide) and 3,3',5,5'-Tetramethyl-4,4'-Diphenoquinone
D. M. White 1367

Asymmetric Selective Polymerization of Racemic Methacrylates with the Cyclohexylmagnesium Bromide-(–)-Sparteine System
Y. Okamoto, K. Urakawa, and H. Yuki 1385

Mechanism of Smoke Suppression by Metal Oxides in PVC
A. Ballistreri, G. Montaudo, C. Puglisi, E. Scamporrino, and D. Vitalini 1397

Preparation and Properties of Novel Polyhydrazides
V. Mahadevan, S. Padma, and M. Srinivasan 1409

Preparation and Properties of Aromatic Polypyrazoles from Branched Bis-β-Diketones and Aromatic Dihydrazines
Y. Imai, T. Nakajima, and M. Ueda 1421

A Novel Method for the Synthesis of Liquid Crystalline Polymers. Preparation by the Interaction of Poly(acryloyl Chloride) with Mesogenic Compounds
C. M. Paleos, S. E. Filippakis, and G. Margomenou-Leonidopoulou 1427

Radiation-Induced Polymerization at High Dose Rate. V. Butadiene in Bulk
K. Hayashi, Y. Tanaka, and S. Okamura 1435

Solvation of Polymeric Organolithium Compounds. Stoichiometry and Heats of Interaction of *N,N,N′,N′*-Tetramethylethylenediamine(TMEDA) with Poly(styryl) lithium and Poly(isoprenyl) lithium
R. P. Quirk and D. McFay 1445

Compatibility Studies of Styrene and Hydroxyl Containing Styrene Copolymers with Poly(ethylene Oxide)
S. P. Ting, B. J. Bulkin, E. M. Pearce, and T. W. Kwei 1451

Radical Processes in Polymer Burning and Its Retardation. I. ESR Methods for Studying the Thermal Decomposition of Polymers in the Preflame and Flame Zones
A. Tkáč 1475

Radical Processes in Polymer Burning and Its Retardation. II. An ESR Study of Flame Retardation of Polypropylene
A. Tkác and I. Špilda 1495

Grafting of Monodisperse Low-Molecular-Weight Polystyrene onto Cellulose Acetate
P. Månsson and L. Westfelt 1509

Aqueous Polymerization of Methacrylamide
J. S. Shukla and R. K. Tiwari 1517

Radiation-Induced Copolymerizations of Perfluovinyl Acetic Acid and its Methyl Ester with α-Olefin
M. Kawaguchi, T. Watanabe, O. Matsuda, Y. Tabata, and S. Machi 1525

Cationic Copolymerization of β-Pinene and Epichlorohydrin
F. Martínez and I. Gajardo 1533

γ Radiolysis of Polyethylene Grafted with Styrene
H. Mitsui and Y. Shimizu 1539

Reactions of Hydroxymethylated 2-Methoxy- and 2-Methyl-4,6-Diamino-s-Triazines with Urea
T. Tashiro 1553

Copolymerization of Butadiene with Vinyl Chloride by Radiation
K. Hayashi, M. Tachibana, Y. Tanaka, and S. Okamura 1571

Notes

Synthesis and Characterization of an Azopolymer Containing both Aromatic and Aliphatic Fragments in Chain
L. Tokarzewski and B. Dziewiecka 1577

Grafting Vinyl Monomers onto Cellulose II. Graft Copolymerization Methyl Methacrylate onto Cellulose with V^{5+}-Thiourea Redox System
S. K. Kar, P. L. Nayak, and G. Sahu 1581

Solubility of Non-Polar Polymers in Microemulsions I. Solubility of Oligomers
L. M. Gan, C. H. Chew, S. E. Frigberg, T. Higashimura 1585

Information for Contributors 1589

Issue 7, July 1981

Production of a Poly(pyridinyl Radical) by Reduction with 1-Benzyl-1,4-Dihydronicotinamide and *N,N′*-Dicyclohexylalloxan
T. Endo and M. Okawara 1591

Fundamental Considerations on the Mechanism of Copolymerization of Trioxane and Ethylene Oxide Initiated with Boron Trifluoride Dibutyl Etherate
G. L. Collins, R. K. Greene, F. M. Berardinelli, and W. H. Ray 1597

Studies of the Formation of Thermosetting Resins. XII. Computer Simulation of the Reactions of Phenols with Formaldehyde
S. Ishida, Y. Tsutsumi, and K. Kaneko 1609

Polyethylenimine Catalysts Containing an Isolated Apolar Binding Site: Solvolysis of *p*-Nitrophenyl Esters
J. A. Pavlisko and C. G. Overberger 1621

Polyetherimides Via Nitro-Displacement Polymerization: Monomer Synthesis and ^{13}C-NMR Analysis of Monomers and Polymers
D. M. White, T. Takekoshi, F. J. Williams, H. M. Relles, P. E. Donahue, H. J. Klopfer, G. R. Louks, J. S. Manello, R. O. Matthews, and R. W. Schluenz 1635

Gamma Radiation-Initiated Polymerization of Styrene at High Pressure. I. Kinetic Parameters with Intermittent Irradiation
P. W. Moore, J. G. Clouston, and R. P. Chaplin 1659

Gamma Radiation-Initiated Polymerization of Styrene at High Pressure. II. Chain Termination
P. W. Moore, J. G. Clouston, and R. P. Chaplin 1671

Mechanisms of Thermal Decomposition in Totally Aromatic Polyurethanes
S. Foti, P. Maravigna, and G. Montaudo 1679

Kinetic Approach to Radiation-Induced Grafting in the Polyethylene-Styrene System. IV. Comparison Between High Density Polyethylene and Low Density Polyethylene
M. Imai 1689

Cationic Metal Nitrosyl Complexes. IV. Polymerization of Olefins with Dinitrosyl Iron Complexes
D. Ballivet-Tkatchenko, C. Billard, and A. Revillon 1697

Effects of Water, Methanol, and Ethanol on the Production of Starch-*g*-Polystyrene Copolymers by Cobalt-60 Irradiation
A. M. Henderson and A. Rudin 1707

ESR Study of the Effects of Water, Methanol, and Ethanol on Gamma-Irradiation of Starch
A. M. Henderson and A. Rudin 1721

Functional Monomers and Polymers. XCIII. Photochemical Reactions on the Acrylic and Methacrylic Copolymers Containing Thymine Bases
Y. Kita, T. Uno, Y. Inaki, and K. Takemoto 1733

Novel Thermostable Polymers from Bis-*o*-Aminophenylbenzimidazoles and Aromatic Tetracarboxylic Dianhydrides
K. Niume, F. Toda, K. Uno, M. Hasegawa, and Y. Iwakura 1745

Solvolysis of 4-Acyloxy-3-Nitrobenzoic Acid Substrates Catalyzed by Polyethylenimine Derivatives
J. A. Pavlisko and C. G. Overberger 1757

Compatibility of Crosslinked Polymers with Plasticizers by Glass Transition Temperature Measurement and Swelling Tests
M. Chi 1767

Preparation, Characterization, and Properties of Optically Active Poly(α-Methyl-α-Ethyl-β-Propiolactones)
D. Grenier, R. E. Prud'homme, A. Leborgne, and N. Spassky 1781

Emulsion Polymerization and Copolymerization of Vinyl Benzoate
B. Plavljanić and Z. Janović 1795

Complexation of Metal Ion Poly(1-Vinylimidazole) Resin Prepared by Radiation-Induced Polymerization with Template Metal Ion
M. Kato, H. Nishide, E. Tsuchida, and T. Sasaki 1803

Studies of Inorganic Precipitate Membrane. Part XXX. Membrane Selectivity from Electrical Potential and Conductivity Measurements
M. N. Beg, R. Shyam, and M. M. Beg 1811

Sequence Distributions of Vinyl Chloride-Vinyl Acetate and Vinyl Chloride-Vinyl Propionate Copolymers
T. Okada, K. Hashimoto, and T. Ikushige 1821

Effect of Carbon on Sulfuration Under a Binary Accelerator System
C. K. Das, N. B. Fegade, and W. Millns 1835

Excluded Volume Effects on Polymer Reaction Rates
P. E. Black and D. J. Worsfold 1841

Interaction Between Dyes and Polyelectrolytes. XII. Excitation Energy Transfer Between Bound Dyes
M. Shirai, M. Ohyabu, and M. Tanaka 1847

Notes

Polyimides Derived from Bis-*N*-Hydroxyimides. III. Polyimide-Carbonates and Polyimide-Urethanes Synthesized from Bischloroformate of *N,N'*-Dihydroxypyromellitic Diimide
H. Imajo, K. Kurita, Y. Iwakura 1855

Telechelic Diene Prepolymers. XI. Copolymers with Polymerizable Carboranes
S. F. Reed, Jr. 1863

Telechelic Diene Prepolymers. XII. Copolymers with Alkenylferrocenes
S. F. Reed, Jr. 1867

A New Composite Resistor with PTC Anomaly
S. Miyauchi, K. Matsuda, E. Mashiko, and K. Ohkita 1871

Erratum

Synthesis and Polymerization of the Four 1,3-Di(cyano and/or Carbomethoxy)-Substituted Butadienes
K. D. Ahn and H. K. Hall 1875

Issue 8, August 1981

Reaction of Poly(vinyl Alcohol) with Superoxide Anion
Z. Osawa, C. Moriyama, and H. Nakano 1877

Preparation of Copoly(vinyl Alcohol-Styrenesulfonic Acid) Resin and Its Catalytic Activity on Hydrolysis of Carbohydrates. III. Kinetic Analysis of the Catalysis
K. Arai, Y. Ogiwara, and C. Kuwabara 1885

Encapsulation of Pesticides in a Starch-Calcium Adduct
B. S. Shasha, D. Trimnell, and F. H. Otey 1891

Liquid Crystal Polymers. IV. Thermotropic Polyesters with Flexible Spacers in the Main Chain
S. Antoun, R. W. Lenz, and J.-I. Jin 1901

On the Role of Oxygen in the Horizontal Flame Spread of Polypropylene
K. A. Jakes and M. J. Drews 1921

Neighboring Effect of Thiol Group in Acyl Transfer Reaction on a Polymer with a Lipoic Acid Structure
Y. Nambu, T. Endo, and M. Okawara 1937

ESCA Applied to Polymers. XXXI. A Theoretical Investigation of Molecular Core Binding and Relaxation Energies in a Series of Prototype Systems for Nitrogen and Oxygen Functionalities in Polymers
D. T. Clark and A. Harrison 1945

Cationic Oligomerization of Anethole: Selective Synthesis of Dimers and Trimers
T. Higashimura and M. Hiza 1957

Fracturing Silica-Based Catalysts During Ethylene Polymerization
M. P. McDaniel 1967

Radiation-Induced Polymerization At High Dose Rate. VI. Butadiene in *n*-Hexane Solution
K. Hayashi, K. Kagawa, and S. Okamura 1977

Reactions of Cationic Living Poly(*tert*-Butyl Aziridine)
A. Munir and E. J. Goethals 1985

Anionic Polymerization of Styrene Sulfonic Acid Derivatives
S. J. Whicher and J. L. Brash 1995

Degradation of Low-Density Polyethylene in the Presence of Water and Deuterium Oxide
R. D. Sedgwick, Y. Y. Al-Sultan, and A. M. Abushihada 2007

Studies of Carbazole-Based Polyarylates
M. Biswas and S. K. Das 2017

Preparation of Polystyrene with Long Chain Branches via Free Radical Polymerization
L. H. Tung, A. T. Hu, S. V. McKinley, and A. M. Paul 2027

Combined Environment Aging Effects: Radiation-Thermal Degradation of Polyvinylchloride and Polyethylene
R. L. Clough and K. T. Gillen 2041

Degradation of Lignin by Ozone. I. The Kinetics of Lignin Degradation of Ozone
R. A. D. Mbachu and R. St. J. Manley 2053

Degradation of Lignin by Ozone. II. Molecular Weights and Molecular Weight Distributions of the Alkali-Soluble Degradation Products
R. A. D. Mbachu and R. St. J. Manley 2065

Degradation of Lignin by Ozone. III. The Fate of the Carbohydrate Matrix During the Degradation of Spruce Protolignin by Ozone
R. A. D. Mbachu and R. St. J. Manley 2079

Synthesis of Polyamides from Active *O,O'*-Diacyl Derivatives of *N*-Hydroxy Compounds and Diamines Under Mild Conditions
C. Lu, P. Liu, and C. Hu 2091

NOTES

Hydrolytic Conversion of *N*-(Monohalogenphenyl) Maleisoimides to *N,N'*-bis (Monohalogenphenyl) Fumardiamides
M. Bezděk and F. Hrabák 2103

Synthesis and Characterization of Some New Polyimides
B. Durairaj and K. Venkatarao 2105

Vinyl Polymerization Initiated by Peroxydiphosphate. III. Polymerization of Methyl Methacrylate Initiated by a Peroxydiphosphate-Silver Ion Redox System
S. Lenka, P. L. Nayak, and A. K. Dhal 2111

Polymerization of Acrylonitrile Initiated by $K_2S_2O_8$-Fe(II) Redox System
S. Lenka and A. K. Dhal 2115

Synthesis of a Block Copolymer Containing Polyisobutylene and Polyethylene Oxide Segments
J. M. Rooney 2119

Dose Rate Effect on Radiation-Induced Oxidation of Polyethylene and Ethylene-Propylene Copolymer
K. Arakawa, T. Seguchi, Y. Watanabe, N. Hayakawa, I. Kuriyama, S. Machi 2123

Information for Contributors 2127

Issue 9, September 1981

Plasma Polymerization. IV. A Systematic Investigation of the Inductively Coupled RF Plasma Polymerization of Pentafluorobenzene
D. T. Clark and M. Z. AbRahman 2129

Polymers with Improved Flammability Characteristics. II. Phenolphthalein Related Copolycarbonates
M. S. Lin and E. M. Pearce 2151

Preparation and Properties of Aromatic Polypyrazoles from Linear Bis-β-Diketones and Aromatic Dihydrazines
Y. Imai, T. Nakajima, and M. Ueda 2161

Linear Polythioesters. V. Products of Interfacial Polycondensation of 4,4'-Di(mercaptomethyl)-Benzophenone with Some Aliphatic Acid Dichlorides
W. Podkoscielny and A. Kultys 2167

Kinetic Relationships and Mechanism of Ozone Reaction with Polystyrene in CCl_4 Solution
A. A. Kefely, S. K. Rakovski, D. M. Shopov, S. D. Razumovskii, K. S. Rakovski, and G. E. Zaikov 2175

Polymerization of Cyclohexane Oxide with Al(acac)$_3$- Silanol Catalyst
S. Hayase, T. Ito, S. Suzuki, and M. Wada 2185

^{15}N-NMR Spectroscopy 32. Synthesis and Characterization of Polyelectrolytes Based on Polyaminamides
H. R. Kricheldorf 2195

Graft Copolymerization. I. Grafting of Hydroxyalkyl Methacrylates on Poly(vinyl Alcohol)
S.Gonen and D. H. Kohn 2215

Water-Soluble Copolymers. III. Dextran-*g*-Poly(acrylamides) Control of Grafting Sites and Molecular Weight by Ce(IV)-Induced Initiation in Homogeneous Solutions
C. L. McCormick and L. S. Park 2229

Mechanism of Amine Catalyzed Isomerization of Itaconic Anhydride to Citraconic Anhydride: Citraconamic Acid Formation
A. V. Galanti, B. T. Keen, R. H. Pater, and D. Scola 2243

Autocatalysis and Equilibrium in Polyimide Synthesis
R. L. Kaas 2255

Preparation and Properties of Some Cardopolyamides
P. R. Srinivasan, V. Mahadevan, and M. Srinivasan 2275

Dechlorination of *N*-Chloro Poly(hexamethylene Adipamide) and *N*-Chloro Poly(ε-Caprolactam) Products to the Corresponding Polyamides
A. A. Koutinas 2269

Solutions of Nylon-6 in Antimony Trichloride
S. M. Aharoni, E. K. Walsh, and F. G. Cilurso 2287

Formation and Thermal-Induced Decay of Radical Ions in Polymer Matrices
A. Torikai and H. Mishina 2297

The Effect of Mixed Solvents Pyridine–Carbon Tetrachloride on the Radical Polymerization of Methyl Methacrylate
J. Pavlinec and E. Borsig 2305

Graft Copolymerization of Anhydro Sugar Derivatives from Macromolecular Halides
T. Uryu, A. Hagino, K. Terui, and K. Matsuzaki 2313

Post-Irradiation Grafting of Tetrafluoroethylene at Low Temperatures
I. M. Barkalov, D. P. Kiryukhin, and M. R. Muydinov 2331

Functional Monomers and Polymers. XCV. Photochemical Reactions on Synthetic Polymers Having Pendant Thymine Bases in Polymethyl Methacrylate Film
Y. Kita, T. Uno, Y. Inaki, and K. Takemoto 2347

Notes

Emulsion Photopolymerization of MMA in the Presence of Saccharide
A. Merlin and J.-P. Fouassier 2357

Preparation of Hexanoyl, Decanoyl, and Dodecanoylchitin
K. Kaifu, N. Nishi, and T. Komai 2361

Information for Contributors 2365

Issue 10, October 1981

Thermal Polymerization of Acrylamide by Differential Scanning Calorimetry
K. Kishore and K. N. Santhanalakshmi 2367

Head-to-Head Vinyl Polymers. III. Preparation and Characterization of Head-to-Head Poly(acrylic Acid) and Its Esters
T. Otsu and L. Quach 2377

Head-to-Head Vinyl Polymers. IV. Preparation and Characterization of Equimolar Head-to-Head Copolymers of Acrylic Acid and Its Esters
L. Quach and T. Otsu 2391

Head-to-Head Vinyl Polymer. V. Preparation and Characterization of Alternating Head-to-Head Copolymers of Alkyl Acrylates with Alkyl Methacrylates
L. Quach and T. Otsu 2405

Calculation of Molecular Weight Distribution of Thermally Polymerized Polystyrene
L. H. Tung 2419

Spectral and Thermodynamic Studies of the Interaction of Binding Site Probes with Poly(vinylpyrrolidone)
R. L. Reeves, S. Harkaway, and A. R. Sochor 2427

Effects of Curing on the Glass Transition Temperature and Moisture Absorption of a Neat Epoxy Resin
N. D. Danieley and E. R. Long 2443

Polymer Adsorption on Platinum: Surface Coverage Determination Using Iodide-125
T. M. Ellis and M. R. Van De Mark 2451

Photopolymerization Initiated by Charge-Transfer Complex. I. Photopolymerization of Methylmethacrylate with the Use of Quinaldine–Bromine and Lutidine–Bromine Charge-Transfer Complexes as Photoinitiator
M. K. Mishra, S. Lenka, and P. L. Nayak 2457

Effect of Ionizing Radiation on the Chemical Composition, Crystalline Content and Structure, and Flow Properties of Polytetrafluoroethylene
W. K. Fisher and J. C. Correlli 2465

Thermomechanical Transitions in Polyphosphazenes
I. C. Choy and J. H. Magill 2495

Functional Monomers and Polymers. XCVI. Photochemical Reactions on Oligo- and Polyethyleneimines Which Contain Pendant Thymine Bases
Y. Inaki, Y. Suda, Y. Kita, and K. Takemoto 2519

Further Discussion of the Cyclopolymerization of Acrylic Anhydride in Terms of Ring Size Control
A. Matsumoto, T. Kitamura, M. Oiwa, and G. B. Butler 2531

Polymerization of Cyclohexene Oxide with $Al(acac)_3$-Silanol Catalyst Supported by Zeolite and Porous Silica
S. Hayase, T. Ito, S. Suzuki, and M. Wada 2541

Solution Properties of Poly(4,4′-Oxydiphenylene)-4-Amidophthalamic Acid
W. M. Alvino and J. R. Ray 2551

Vinyl Polymerization. 403. Polymerization of Vinyl Monomer Initiated with Sodium Poly-*p*-Vinylphenolate
T. Ouchi, M. Inamura, A. Kobayashi, and M. Imoto 2561

Synthesis of Vinyl Polymers with Pendant Phenoxazinyl Group
H. Kamogawa, Y. Todo, and M. Nanasawa 2571

Polymerization of Coordinated Monomers. XVII. Alternating Copolymerization of Methyl Methacrylate with Styrene by Boron Compounds
H. Hirai, K. Takeuchi, and M. Komiyama 2581

Thermal Degradation of Poly[(tetramethyl-*p*-Silphenylene) Siloxane]
M. Ikeda, T. Nakamura, Y. Nagase, K. Ikeda, and Y. Sekine 2595

Molecular Weight Control in Polycondensation of Hydroxyl Diesters with Hexamethylenediamine by Polymer Matrices
N. Ogata, K. Sanui, H. Tanaka, H. Matsuo, and F. Iwaki 2609

Microstructure of Vinyl Acetate-Butyl Acrylate Copolymers Studied by ^{13}C-NMR Spectroscopy: Influence of Emulsion Polymerization Process
C. Pichot, M. Llauro, and Q. Pham 2619

Photoreduction of Viologen-Containing Vinyl Polymers by 2-Propanol
M. Furue, S. Yamanaka, L. Phat, and S. Nozakura 2635

Notes

Anionic Polymerization of N-Methacryloylaziridine
Y. Okamoto and H. Yuki 2647

Synthesis and Characterization of New Poly(ether Urethanes)
A. M. Ibrahim, V. Mahadevan, and M. Srinivasan 2651

The Preparation of Thiocyanoacrylates
S. Harris 2655

Information for Contributors 2657

Issue 11, November 1981

Polymers with Improved Flammability Characteristics. I. Phenolphthalein-Related Homopolymers
M. S. Lin and E. M. Pearce 2659

Dye-Sensitized Photopolymerization. I. Photopolymerization of Ethyl Acrylate by Sodium Fluorescein-Ascorbic Acid System in Aqueous Solution
S. Lenka, P. L. Nayak, and M. K. Mishra 2671

Aromatic Polyesters Obtained Directly from Hydroxybenzoic Acids by Hexachlorocyclotriphosphatriazene (PNC) in Pyridine
F. Higashi, K. Kubota, M. Sekizuka, and M. Higashi 2681

Plasma Polymerization. V. A Systematic Investigation of the Inductively Coupled RF Plasma Polymerization of the Isomeric Tetrafluorobenzenes
D. T. Clark and M. Z. AbRahman 2689

Study of Photopolymers. XIV. Novel Syntheses of the Polymers with Azidonitrobenzoyl Groups and Their Photochemical and Thermochemical Reactions
T. Nishikubo, T. Iizawa, I. Imagawa, and K. Kobayashi 2705

Cationic Polymerizations by Aromatic Initiating Systems. III. Model Reactions for Initiation and Termination Using the t-BuCl/ϕ_3Al and Cl^t-R-Cl^t/ϕ_3Al Systems
J. P. Kennedy, D. Y. L. Chung, and L. C. Reibel 2721

Cationic Polymerization by Aromatic Initiating Systems. IV. Synthesis and Characterization of α-ω-Diphenylpolyisobutylene
J. P. Kennedy and D. Y. L. Chung 2729

Cationic Polymerization by Aromatic Initiating Systems. V. Oxidation and Chlorination of α,ω-Diphenylpolyisobutylene and Subsequent Reaction with Living Polystyrene Anions to Form Block Copolymers
J. P. Kennedy, D. Y. L. Chung, and A. Guyot 2737

Effect of Initiation Conditions on the Direct Polycondensation Reaction Using Triphenyl Phosphite and Pyridine
F. Higashi, Y. Taguchi, N. Kokubo, and H. Ohta 2745

Acidic Peroxo Salts. A New Class of Initiators for Vinyl Polymerization. I. Kinetics of Polymerization of Acrylonitrile Initiated by Potassium Monopersulfate Catalyzed by Ag(I)
R. K. Samal, R. R. Das, M. C. Nayak, G. V. Suryanarayana, G. Panda, and D. P. Das 2751

Kinetics of Polymerization of Acrylonitrile Initiated by Acidic Permanganate/Thioacetamide Redox System
R. K. Samal, M. C. Nayak, G. V. Suryanarayan, G. Panda, and D. P. Das 2759

Energy Transfer in Connection with the Photo-Oxidation of Polystyrene and Its Blends with Poly(2,6-Dimethyl-1,4-Phenylene Oxide)
J. P. Tovborg Jensen and J. Kops 2765

Thermal Degradation Study of Phenolphthalein Polycarbonate
M. S. Lin, B. J. Bulkin, and E. M. Pearce 2773

Aromatic Polyamides. I. Synthesis and Characterization of Some Aromatic Polyamides and Their Model Diamides
Y. P. Khanna, E. M. Pearce, B. D. Forman, and D. A. Bini 2799

Aromatic Polyamides. II. Thermal Degradation of Some Aromatic Polymamides and Their Model Diamides
Y. P. Khanna, E. M. Pearce, J. S. Smith, D. T. Burkitt, H. Njuguna, D. M. Hindenlang, and B. D. Forman 2817

Aromatic Polyamides. III. Mechanistic Studies on the Role of Substituent Chlorine in Flame Retarding Aromatic Polyamides
Y. P. Khanna and E. M. Pearce 2835

Synthesis of Polyphthalimidines with Benzylidene Group from Aminophthalide Monomers
Y. Imai, T. Takahashi, and M. Ueda 2841

ESCA Studies of Natural Weathering Phenomena at Selected Polymer Surfaces
A. Dilks and D. T. Clark 2847

Poly[trans-1-(3-vinyl-9-carbazoyl)-2-(9-carbazoyl)cyclobutane]. Synthesis and Comparison with Poly(9-ethyl-3-vinylcarbazole)
T. Inoue and S. Tazuke 2861

Cationic Polyelectrolytes. III. Nitrile-Group Reaction of Macromolecular Compounds with *N,N*-dialkylaminoalkylamines
S. Drăgan, V. Bărboiu, I. Petrariu, and M. Dima 2869

Cationic Polyelectrolytes. IV. Kinetic Study of the Reaction of Acrylic Polymers Containing Tertiary Amine Groups with Halogenated Compounds in Dipolar Aprotic Solvents
S. Drăgan, I. Petrariu, and M. Dima 2881

Synthesis and Properties of Poly(dimethylxylylenylamides)
G. P. Rajendran, V. Mahadevan, and M. Srinivasan 2895

Models for Polyesterification Kinetics. I. Esterification Kinetics in Polar Medium
A. Fradet and E. Marechal 2905

Catalysis of α,β Elimination of Serine by Pyridoxal Phosphate–Metal-Ion–Quaternized Poly(4-vinyl pyridine) System: A Serine Dehydratase Model
H. Nakano, P. Nishioka, O. Sangen, and Y. Yamamoto 2919

Elementary Radical Formation and Conversion Processes in γ-Irradiated Polyvinylchloride
A. Torikai, T. Adachi, and K. Fueki 2929

Plasma Polymerization of Tetrafluoroethylene. III. Reproducibility and Effects of Substrate and Reactor Materials
T. Masuoka and H. Yasuda 2937

4-Alkoxy-2-Hydroxy-4′-Vinylbenzophenones, Ultraviolet-Absorbing Monomers
H. Kamogawa, Y. Takayanagi, M. Nanasawa 2947

Extinction of Diffusion Flames Adjacent to Flat Surfaces of Burning Polymers
S. H. Sohrab and F. A. Williams 2955

Polymerization of Cyclohexene Oxide with Aluminum Complex-Silanol Catalysts. Part III. Dependence of Catalytic Activity on Bulkiness of Silanol and Its Intramolecular Hydrogen Bond
S. Hayase, T. Ito, S. Suzuki, and M. Wada 2977

A ^{13}C-NMR Investigation of Plasma Polymerized Ethane, Ethylene, and Acetylene
A. Dilks, S. Kaplan, and A. Van Laeken 2987

Synthesis of Carbon-Carbon Chain Polymers by Phase-Transfer-Catalyzed Polycondensation of Phenylacetonitrile with Activated Dichlorides
Y. Imai, A. Kameyama, T. Nguyen, and M. Ueda 2997

Effect of Monomer Functional Groups on the Composition of Some Three Component Random Phenolic Copolymers
S. K. Chatterjee, R. L. Pandith, and L. S. Pachauri 3005

Emulsifier-Free Emulsion Polymerization with Cationic Comonomer
L. Liu and I. M. Krieger 3013

Notes

A New Method for Reactivity Ratios Calculation
F. B. Chen and B. G. Bufkin 3027

Synthesis of Polysulfone-Amines by Polyaddition of Piperazines to Divinyl Sulfone
Y. Imai, H. Shimizu, Y. Sato, and M. Ueda 3031

Determination of Equilibrium Constants of CT-Complex Monomers by the ^{13}C-NMR Method
Z. Meic, D. Vikic-Topic, R. Vukovic, V. Kureševic, and D. Fleš 3035

Issue 12, December 1981

Photoregulated Binding Ability of Azoaromatic Polymer for Surfactant
K. Ishihara, N. Negishi, and I. Shinohara 3039

ESR Studies of Some γ-Irradiated Organic Crystals
S. Kiliç and B. M. Baysal 3047

Kinetics and Mechanism of Urethane Formation Catalyzed by Organotin Compounds. II. The Reaction of Phenyl Isocyanate with Methanol in DMF and Cyclohexane under the Action of Dibutyltin Diacetate
F. W. Van Der Weij 3063

Surface Reaction of Particulate Silica with Polydimethylsiloxanes
L. Yu-fu, X. Yong-Xia, X. Dong-Pemg, and L. Guang-Liang 3069

Diethylzinc/Metal Salt Initiator Systems. I. Stereospecific Polymerization of *N*-Vinylcarbazole by $ZnEt_2/CoCl_2$-Quinoline
M. Biswas and G. C. Mishra 3081

The Chemistry and Kinetic Behavior of Cu-Cr-As/B Wood Preservatives. I. Fixation of Chromium on Wood
A. Pizzi 3093

Kinetics of Polyesterification. I. Dibasic Acid and Glycol Systems
S. Chen and J. Hsiao 3123

Ce(IV)-Induced Polymerization of Allyl Methacrylate with Cotton Cellulose
E. El-Alfy, M. I. Khalil, and A. Hebeish 3137

Chemical Structure of Poly(trisubstituted Vinylsilane) Produced by γ Irradiation
K. Hayakawa, K. Kawase, H. Yamakita, and T. Yumoto 3145

A Carbazole-Based Polymeric Azodye
M. Biswas and S. K. Das 3155

Small-Angle X-Ray Scattering of Air-Dried Kangaroo Tail Tendon
T. Misra, K. C. Patra, and T. Patel 3165

Radical Capture Efficiencies in Emulsion Polymerization
B. S. Hawkett, D. H. Napper, and R. G. Gilbert 3173

Synthesis of Crosslinked Urethane Polymers from Cyclohexanone Formaldehyde Resin and Diisocyanates
A. Balas 3181

Thermal Decomposition of Polybutadiene by Pyrolysis Gas Chromatography
T. S. Radhakrishnan and M. Rama Rao 3197

Branching Kinetics in Copolymerization of Styrene with a Chain Transfer Monomer
L. H. Tung 3209

Multifunctional Polycondensation and Gelation: A Kinetic Approach
J. W. Stafford 3219

Binding of Metyl Orange and Its Homologs by Polyion Complexes in Aqueous Solution
T. Takagishi, H. Kozuka, and N. Kuroki 3237

The Nonaqueous, Potentiometric Titration of Free Hydrochloric Acid in Chloride-Containing Polymers
Paul F. Reigler, J. Larson, and Lyle Bowman 3247

C3 Cyclopolymerization. IV. Cationic Polymerization of 1,3-bis(4-vinylnaphthyl)-propane and the Polymer Structure Yielded
J. Nishimura, M. Furukawa, and S. Yamashita 3257

The Preparation and Reactions of Polymeric Azides. II. The Preparation and Reactions of Various Polymeric Azides
H. L. Cohen 3269

Preparation and Properties of Aromatic Polyamide-Esters from Aminophenols and Aromatic Diacid Chlorides
Y. Imai, S. Abe, and M. Ueda 3285

Polymerization of Coordinated Monomers. XVIII. Sequence Distribution in Methyl Acrylate-Styrene Copolymers Prepared in the Presence of Zinc Chloride
T. Tanabe, H. Koinuma, H. Hirai 3293

Functional Polymers. XIV. Grafting of 2(2-hydroxy-5-vinylphenyl) 2H-benzotriazole onto Polymers with Aliphatic Groups
W. Pradellok, O. Vogl, and A. Gupta 3307

Functional Monomers and Polymers. XCIV. Photochemical Reactions on the Synthetic Polymers Containing Thymine Bases in the Presence of Adenine Derivatives
Y. Kita, T. Uno, Y. Inaki, and K. Takemoto 3315

Electroinitiated Polymerizations of Indene and Acenaphthylene
E. B. Mano and B. A. L. Calafate 3325

Studies of Some Bioactive *N*-*p*-Methacrylamidobenzoic Esters
C. Lu, J. Yang, L. Leng, X. Feng, D. Li 3333

Notes

Effects of the Rates of Initiation and Propagation on a Direct Polycondensation Reaction with Triphenyl Phosphite and Pyridine
F. Higashi and Y. Taguchi 3345

Radical-Initiated Addition Homopolymerization of η^5-(Vinylcyclopentadienyl) tricarbonylmethyltungsten
C. Pittman, R. D. Priester, T. V. Jayaraman 3351

Erratum

Some Contributions to the Characterization of Active Sites in Mg-Supported Ziegler-Natta Catalysts
A. Simon and A. Grobler 3357

Information for Contributors 3359

Author Index to Volume 19 3361

Subject Index to Volume 19 3383
Volume Title Page i
Volume Contents iii